

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2967U012	R13 (F,31)	CATTLE	BEEFMASTER (31)		Z69 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U013	R15 (F,31) <i>BOG 20-0071</i>	<i>X</i> CATTLE	BEEFMASTER (31)		RLR14-0083 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U014	R16 (F,31)	CATTLE	BEEFMASTER (31)		WO14-0757 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U015	R18 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0061 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U016	R2 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U017	R21 (F,31)	CATTLE	BEEFMASTER (31)		Z69 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U018	R22 (F,31)	CATTLE	BEEFMASTER (31)		Z120 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U019	R23 (F,31) <i>BOG 20-0065</i>	<i>X</i> CATTLE	BEEFMASTER (31)		RLR14-0084 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U020	R25 (F,31) <i>BOG 20-0062</i>	<i>X</i> CATTLE	BEEFMASTER (31)		WO14-0549 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U021	R26 (F,31)	CATTLE	BEEFMASTER (31)		Z120 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U022	R29 (F,31)	CATTLE	BEEFMASTER (31)	<i>LaRoche</i>	RLR14-0083 (M,31)(Valid) RLR16-0061 (M,31)(Valid)	PAT_C	mNSV: Multiple Nominated Sires Valid	
2967U023	R30 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U024	R31 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U025	R33 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U026	R35 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0061 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U027	R36 (F,31) <i>BOG 20-0074</i>	<i>X</i> CATTLE	BEEFMASTER (31)		WO14-0549 (M,31)(Valid)	PAT_C	SV: Sire Valid	

Report Date : 05-Jan-2021 08:43

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2967U028	R37 (F,31) B0G 20-0066	CATTLE	BEEFMASTER (31)		WO12-0122 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U029	R39 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U030	R40 (F,31) B0G 20-0077	CATTLE	BEEFMASTER (31)		WO14-0549 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U031	R41 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U032	R42 (F,31)	CATTLE	BEEFMASTER (31)		RLR13-0053 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U033	R43 (F,31) Z62 20-0039	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U034	R44 (F,31) B0G 20-0073	CATTLE	BEEFMASTER (31)		WO14-0549 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U035	R45 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U036	R46 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0061 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U037	R48 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U038	R5 (F,31)	CATTLE	BEEFMASTER (31)		WO14-0282 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U039	R50 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0061 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U040	R51 (F,31)	CATTLE	BEEFMASTER (31)		WO17-0480 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U041	R52 (F,31)	CATTLE	BEEFMASTER (31)		WO14-0549 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U042	R53 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0061 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U043	R54 (F,31)	CATTLE	BEEFMASTER (31)		Z69 (M,31)(Valid)	PAT_C	SV: Sire Valid	

Report Date : 05-Jan-2021 08:43

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2967U044	R58 (F,31) BOG 20-0067	CATTLE	BEEFMASTER (31)		RLR14-0083 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U045	R59 (F,31)	CATTLE	BEEFMASTER (31)		Z31 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U046	R61 (F,31)	CATTLE	BEEFMASTER (31)		Z61 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U047	R62 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U048	R63 (F,31)	CATTLE	BEEFMASTER (31)		Z69 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U049	R65 (F,31)	CATTLE	BEEFMASTER (31)		WO17-0480 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U050	R68 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U051	R69 (F,31) BOG 20-0076	CATTLE	BEEFMASTER (31)		RLR13-0053 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U052	R7 (F,31)	CATTLE	BEEFMASTER (31)		Z69 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U053	R70 (F,31)	CATTLE	BEEFMASTER (31)		WO14-0549 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U054	R71 (F,31) BOG 20-0072	CATTLE	BEEFMASTER (31)		RLR13-0053 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U055	R72 (F,31)	CATTLE	BEEFMASTER (31)		Z61 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U056	R74 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U057	R75 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U058	R76 (F,31) BOG 20-0069	CATTLE	BEEFMASTER (31)		RLR14-0083 (M,31)(Valid)	PAT_C	SV: Sire Valid	
2967U059	R77 (F,31)	CATTLE	BEEFMASTER (31)		Z61 (M,31)(Valid)	PAT_C	SV: Sire Valid	

Report Date : 05-Jan-2021 08:43

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2967U060	R78 (F,31)	CATTLE	BEEFMASTER (31)		Z120 (M,31)(Valid)	PAT_C	SV : Sire Valid	
2967U061	R79 (F,31)	CATTLE	BEEFMASTER (31)		Z69 (M,31)(Valid)	PAT_C	SV : Sire Valid	
2967U062	R8 (F,31) <i>BOG 20-0070</i>	CATTLE	BEEFMASTER (31)		RLR14-0083 (M,31)(Valid)	PAT_C	SV : Sire Valid	
2967U063	R81 (F,31) <i>BOG 20-0075</i>	CATTLE	BEEFMASTER (31)		RLR14-0061 (M,31)(Valid)	PAT_C	SV : Sire Valid	
2967U064	R83 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0061 (M,31)(Valid)	PAT_C	SV : Sire Valid	
2967U065	R84 (F,31)	CATTLE	BEEFMASTER (31)		Z61 (M,31)(Valid)	PAT_C	SV : Sire Valid	
2967U066	R85 (F,31)	CATTLE	BEEFMASTER (31)		Z69 (M,31)(Valid)	PAT_C	SV : Sire Valid	
2967U067	R86 (F,31)	CATTLE	BEEFMASTER (31)		Z69 (M,31)(Valid)	PAT_C	SV : Sire Valid	
2967U068	R87 (F,31) <i>BOG 20-0061</i>	CATTLE	BEEFMASTER (31)		RLR14-0083 (M,31)(Valid)	PAT_C	SV : Sire Valid	
2967U069	R88 (F,31)	CATTLE	BEEFMASTER (31)		Z69 (M,31)(Valid)	PAT_C	SV : Sire Valid	
2967U070	R92 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0061 (M,31)(Valid)	PAT_C	SV : Sire Valid	
2967U071	R93 (F,31)	CATTLE	BEEFMASTER (31)		WO17-0480 (M,31)(Valid)	PAT_C	SV : Sire Valid	
2967U072	R95 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0061 (M,31)(Valid)	PAT_C	SV : Sire Valid	
2967U073	R97 (F,31)	CATTLE	BEEFMASTER (31)		Z69 (M,31)(Valid)	PAT_C	SV : Sire Valid	
2967U074	W1 (M,31)	CATTLE	BEEFMASTER (31)		RLR16-0026 (M,31)(Valid)	PAT_C	SV : Sire Valid	
2967U075	W102 (M,31)	CATTLE	BEEFMASTER (31)		Z120 (M,31)(Valid)	PAT_C	SV : Sire Valid	

Report Date : 05-Jan-2021 08:43

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

Created : 2020-12-23

Batch Detail Report

Batch : 3033U
Owner : CW van Heerden
Farm : Spitzkop/Gantouw Farming
Account : VHCW01
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
3033U001	R101 (F,31)	CATTLE	BEEFMASTER (31)		WO14-0549 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U002	R102 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U003	R103 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U004	R104 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0061 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U005	R105 (F,31)	CATTLE	BEEFMASTER (31)		WO12-0122 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U006	R106 (F,31)	CATTLE	BEEFMASTER (31)		WO14-0757 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U007	R107 (F,31)	CATTLE	BEEFMASTER (31)		WO17-0297 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U008	R108 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U009	R109 (F,31) B06-20-0078	CATTLE	BEEFMASTER (31)		WO17-0057 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U010	R11 (F,31)	CATTLE	BEEFMASTER (31)		WO14-0549 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U011	R110 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0061 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U012	R111 (F,31)	CATTLE	BEEFMASTER (31)		WO12-0122 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U013	R112 (F,31)	CATTLE	BEEFMASTER (31)		WO12-0122 (M,31)(Valid)	PAT_C	SV : Sire Valid	

Report Date : 13-Jan-2021 13:36

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
3033U014	R14 (F,31)	CATTLE	BEEFMASTER (31)		WO14-0649 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U015	R17 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0083 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U016	R19 (F,31) <i>BOG 20-0060 X</i>	CATTLE	BEEFMASTER (31)		Z120 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U017	R20 Tweeling (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0061 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U018	R24 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0083 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U019	R27 (F,31)	CATTLE	BEEFMASTER (31)		WO14-0757 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U020	R28 (F,31)	CATTLE	BEEFMASTER (31)		WO14-0549 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U021	R3 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0083 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U022	R32 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U023	R34 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0083 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U024	R38 (F,31) <i>ZC 20-00368</i>	CATTLE	BEEFMASTER (31)		WO14-0649 (M,31)(Valid) <i>Z57 (M,31)(Valid)</i>	PAT_C	mNSV : Multiple Nominated Sires Valid	
3033U025	R4 (F,31)	CATTLE	BEEFMASTER (31)		RLR16-0025 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U026	R47 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0083 (M,31)(Valid) RLR16-0061 (M,31)(Valid)	PAT_C	mNSV : Multiple Nominated Sires Valid	
3033U027	R49 (F,31)	CATTLE	BEEFMASTER (31)		RLR13-0053 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U028	R55 (F,31)	CATTLE	BEEFMASTER (31)		Z69 (M,31)(Valid)	PAT_C	SV : Sire Valid	
3033U029	R56 (F,31) <i>BOG 20-0068 X</i>	CATTLE	BEEFMASTER		RLR13-0053 (M,31)(Valid)	PAT_C	SV :	

Report Date : 13-Jan-2021 13:36

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAW	SIRE	TEST	RESULT	INVOICE
3033U030	R57 (F,31)	CATTLE	BEEFMASTER (31)		Z69 (M,31)(Valid)	PAT_C	SV: Sire Valid	
3033U031	R60 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0061 (M,31)(Valid)	PAT_C	SV: Sire Valid	
3033U032	R64 (F,31)	CATTLE	BEEFMASTER (31)		WO14-0549 (M,31)(Valid)	PAT_C	SV: Sire Valid	
3033U033	R66 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0083 (M,31)(Valid)	PAT_C	SV: Sire Valid	
3033U034	R67 (F,31)	CATTLE	BEEFMASTER (31)		RLR13-0053 (M,31)(Valid)	PAT_C	SV: Sire Valid	
3033U035	R73 (F,31)	CATTLE	BEEFMASTER (31)		WO14-0549 (M,31)(Valid)	PAT_C	SV: Sire Valid	
3033U036	R80 (F,31)	CATTLE	BEEFMASTER (31)		RLR13-0053 (M,31)(Valid)	PAT_C	SV: Sire Valid	
3033U037	R82 (F,31) <i>BOG 20-0063</i>	CATTLE	BEEFMASTER (31)		RLR14-0061 (M,31)(Valid)	PAT_C	SV: Sire Valid	
3033U038	R89 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0083 (M,31)(Valid)	PAT_C	SV: Sire Valid	
3033U039	R9 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0061 (M,31)(Valid)	PAT_C	SV: Sire Valid	
3033U040	R90 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0083 (M,31)(Valid)	PAT_C	SV: Sire Valid	
3033U041	R91 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0061 (M,31)(Valid)	PAT_C	SV: Sire Valid	
3033U042	R94 (F,31) <i>BOG 20-0064</i>	CATTLE	BEEFMASTER (31)		RLR14-0083 (M,31)(Valid)	PAT_C	SV: Sire Valid	
3033U043	R96 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0061 (M,31)(Valid)	PAT_C	SV: Sire Valid	
3033U044	R98 (F,31)	CATTLE	BEEFMASTER (31)		RLR14-0083 (M,31)(Valid)	PAT_C	SV: Sire Valid	
3033U045	R99 (F,31)	CATTLE	BEEFMASTER		WO14-0549 (M,31)(Valid)	PAT_C	SV:	

Report Date : 13-Jan-2021 13:36

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR