

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
6674U010	AG21-0504 (F,1)	CATTLE	BONSMARA (1)	AG19-0126 (F,1)(Valid)	AG18-0141 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U011	AG21-0507 (M,1)	CATTLE	BONSMARA (1)	RH17-0008 (F,1)(Valid)	LES17-0037 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U012	AG21-0508 (F,1)	CATTLE	BONSMARA (1)	AG12-0299 (F,1)(Valid)	AG17-0019 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U013	AG21-0509 (F,1)	CATTLE	BONSMARA (1)	AG15-0792 (F,1)(Valid)	AG17-0222 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U014	AG21-0510 (M,1)	CATTLE	BONSMARA (1)	AG15-0264 (F,1)(Valid)	LAR18-0004 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U015	AG21-0511 (M,1)	CATTLE	BONSMARA (1)	AG15-0320 (F,1)(Valid)	AG17-0366 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U016	AG21-0512 (F,1)	CATTLE	BONSMARA (1)	AG12-0031 (F,1)(Valid)	AG16-0402 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U017	AG21-0513 (M,1)	CATTLE	BONSMARA (1)	AG16-0518 (F,1)(Valid)	AG18-1077 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U018	AG21-0514 (M,1)	CATTLE	BONSMARA (1)	AG18-0453 (F,1)(Valid)		PAR_C	DV/mNSX : Dam Valid, Multiple Nominated Sires Excluded	39870
6674U019	AG21-0515 (M,1)	CATTLE	BONSMARA (1)	AG16-0907 (F,1)(Valid)	AG18-0265 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U020	AG21-0516 (F,1)	CATTLE	BONSMARA (1)	AG14-0079 (F,1)(Valid)	AG18-0300 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U021	AG21-0517 (F,1)	CATTLE	BONSMARA	AG19-0294 (F,1)(Valid)	AG18-0284 (M,1)(Valid)	PAR_C	DVSU :	39870

Report Date : 15-Dec-2021 15:03

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
6674U033	AG21-0531 (M,1)	CATTLE	BONSMARA (1)	AG13-0267 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U034	AG21-0532 (M,1)	CATTLE	BONSMARA (1)	AG17-0297 (F,1)(Valid)	AG18-0488 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U035	AG21-0534 (M,1)	CATTLE	BONSMARA (1)	AG17-0238 (F,1)(Valid)	GJN17-0124 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U036	AG21-0535 (F,1)	CATTLE	BONSMARA (1)			PAR_C	mNSX : Multiple Nominated Sires Excluded	39870
6674U037	AG21-0536 (F,1)	CATTLE	BONSMARA (1)	AG18-0823 (F,1)(Valid)	AG18-0905 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U038	AG21-0538 (M,1)	CATTLE	BONSMARA (1)	AG16-0351 (F,1)(Valid)	AG15-0422 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U039	AG21-0539 (M,1)	CATTLE	BONSMARA (1)	AG17-0853 (F,1)(Valid)	GJN17-0124 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U040	AG21-0540 (M,1)	CATTLE	BONSMARA (1)	AG18-0330 (F,1)(Valid)	AG16-0858 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U041	AG21-0541 (M,1)	CATTLE	BONSMARA (1)	AG18-0241 (F,1)(Valid)	AG16-0090 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U042	AG21-0542 (M,1)	CATTLE	BONSMARA (1)	AG19-0849 (F,1)(Valid)	AG18-0381 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U043	AG21-0543 (M,1)	CATTLE	BONSMARA (1)	AG19-0741 (F,1)(Valid)	AG18-0136 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	39870
6674U044	AG21-0544 (F,1)	CATTLE	BONSMARA (1)	AG15-0368 (F,1)(Valid)	AG17-0222 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire	39870

Report Date : 15-Dec-2021 15:03

Page 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

Created : 2021-12-10

Batch Detail Report

Invoice 4112022

Batch : 7166U
Owner : Arthur de Villiers
Farm : Arthur De Villiers and Son
Account : ADV01
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7166U001	AG21-0750 (M,1)	CATTLE	BONSMARA (1)	AG18-0445 (F,1)(Valid)	AG18-0284 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7166U002	AG21-0827 (M,1)	CATTLE	BONSMARA (1)	RHJ16-0026 (F,1)(Valid)	LAR18-0004 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7166U003	AG21-0836 (F,1)	CATTLE	BONSMARA (1)	AG19-0383 (F,1)(Valid)	AG18-0141 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7166U004	AG21-0842 (M,1)	CATTLE	BONSMARA (1)	AG18-0430 (F,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7166U005	AG21-0843 (F,1)	CATTLE	BONSMARA (1)	AG12-0280 (F,1)(Valid)		PAR_C	DV/mNSX : Dam Valid, Multiple Nominated Sires Excluded	
7166U006	AG21-0844 (F,1)	CATTLE	BONSMARA (1)	AG13-0286 (F,1)(Valid)	BBP 13-757	PAR_C	DV/mNSX : Dam Valid, Multiple Nominated Sires Excluded	
7166U007	AG21-0845 (F,1)	CATTLE	BONSMARA (1)	AG19-0358 (F,1)(Valid)	AG17-0106 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7166U008	AG21-0847 (M,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
7166U009	AG21-0848 (M,1)	CATTLE	BONSMARA (1)	AG19-0325 (F,1)(Valid)	AG18-0284 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	

Report Date : 31-Dec-2021 10:53

Page 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2021-12-21



Batch : 7259U
Owner : Arthur de Villiers
Farm : Arthur De Villiers and Son
Account : ADV01
Origin : PRIVATE
Invoice To : Owner

TEST	RESULT	INVOICE
TEST	RESULT	INVOICE
7259U002	AG21-0875 (M,1)	CATTLE
BONSMARA	AG14-0176 (N/S,1)(Not Valid)	AG16-0050 (M,1)(Valid)
PAR_C	DXSV : Dam Excluded, Sire Valid	
7259U012	AG21-0893 (M,1)	CATTLE
BONSMARA	AG16-0208 (F,1)(Valid)	AJF13-0331 (M,1)(Valid)
PAR_C	DXSV : Dam Valid, Sire Valid	

Report Date : 20-Jan-2022 03:23

Page 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2021-12-21

Ingles 24/1/2022

Batch : 7254U
Owner : Arthur de Villiers
Farm : Arthur De Villiers and Son
Account : ADV01
Origin : PRIVATE
Invoice To : Owner

TEST	ANALYST	INVOICE
7254U001	AG21-0907 (M,1)	CATTLE
BONSMARA (1)	AG17-0858 (F,1)(Valid)	AG14-0046 (M,1)(Valid)
PAR_C	DVSV : Dam Valid, Sire Valid	
7254U002	AG21-0909 (M,1)	CATTLE
BONSMARA (1)	AG17-0911 (F,1)(Valid)	AG14-0046 (M,1)(Valid)
PAR_C	DVSV : Dam Valid, Sire Valid	
7254U003	AG21-0910 (M,1)	CATTLE
BONSMARA (1)	AG15-0372 (F,1)(Valid)	AG19-0037 (M,1)(Valid)
PAR_C	DVSV : Dam Valid, Sire Valid	
7254U004	AG21-0911 (M,1)	CATTLE
BONSMARA (1)	AG14-0293 (F,1)(Valid)	RHJ15-0002 (M,1)(Valid)
PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 20-Jan-2022 10:25

Page 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
6862U080	AG21-0620 (F,1)	CATTLE	BONSMARA (1)	AG19-0821 (F,1)(Valid)	AG18-0846 (M,1)(Valid)	PAR_C	Valid DVSV : Dam Valid, Sire Valid	
6862U081	AG21-0621 (F,1)	CATTLE	BONSMARA (1)	AG16-0289 (F,1)(Valid)	LAR18-0004 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6862U082	AG21-0623 (F,1)	CATTLE	BONSMARA (1)	AG14-0006 (F,1)(Valid)	AG16-0402 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6862U083	AG21-0624 (M,1)	CATTLE	BONSMARA (1)	AG19-0258 (F,1)(Valid)	AG18-0284 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6862U084	AG21-0625 (F,1)	CATTLE	BONSMARA (1)	AG16-0768 (F,1)(Valid)	AG18-0257 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6862U085	AG21-0626 (F,1)	CATTLE	BONSMARA (1)	AG15-0729 (F,1)(Valid)	AG17-0222 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6862U086	AG21-0627 (M,1)	CATTLE	BONSMARA (1)	AG17-0055 (F,1)(Valid)	GJN17-0124 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6862U087	AG21-0628 (F,1)	CATTLE	BONSMARA (1)	AG17-0897 (F,1)(Valid)	LES17-0037 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6862U088	AG21-0629 (M,1)	CATTLE	BONSMARA (1)	AG17-0463 (F,1)(Valid)	GJN17-0124 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 06-Dec-2021 14:31

Page 8

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER