

Batch Detail Report

Batch : 7341U
Owner : DJ Steenkamp
Farm : Palmietfontein
Account : STED01
Invoice To : Owner

Created : 2022-01-11

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7341U001	EL21-0027 (M,16)	CATTLE	CHAROLAIS (16)	EL16-0015 (F,16)(Valid)	EL19-0071 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U002	EL21-0028 (F,16)	CATTLE	CHAROLAIS (16)	EL18-0044 (F,16)(Valid)	EL17-0016 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U003	EL21-0029 (F,16)	CATTLE	CHAROLAIS (16)	EL13-0036 (F,16)(Valid)	EL14-0064 (M,16)(Valid) EL18-0025 (M,16)(Valid)	PAR_C	DV/mNSV : Dam Valid, Multiple Nominated Sires Valid	40475
7341U004	EL21-0030 (M,16)	CATTLE	CHAROLAIS (16)	EL13-0008 (F,16)(Valid)	EL18-0025 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U005	EL21-0031 (M,16)	CATTLE	CHAROLAIS (16)	EL12-0035 (F,16)(Valid)	EL17-0016 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U006	EL21-0032 (M,16)	CATTLE	CHAROLAIS (16)	EL16-0021 (F,16)(Valid)	EL18-0015 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U007	EL21-0034 (F,16)	CATTLE	CHAROLAIS (16)	EL18-0043 (F,16)(Valid)	EL17-0016 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U008	EL21-0035 (F,16)	CATTLE	CHAROLAIS (16)	EL13-0031 (F,16)(Valid)	EL17-0016 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U009	EL21-0037 (M,16)	CATTLE	CHAROLAIS (16)	EL12-0028 (F,16)(Valid)	EL17-0016 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475

Report Date : 09-Feb-2022 12:45

Page 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.

This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7341U010	EL21-0038 (M,16)	CATTLE	CHAROLAIS (16)	EL12-0028 (F,16)(Valid)	EL16-0004 (M,16)(Valid) EL16-0024 (M,16)(Valid) EL17-0016 (M,16)(Valid)	PAR_C	DVnNSV : Dam Valid, Multiple Nominated Sires Valid	40475
7341U011	EL21-0039 (F,16)	CATTLE	CHAROLAIS (16)	EL10-0043 (F,16)(Valid)	EL17-0016 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U012	EL21-0040 (M,16)	CATTLE	CHAROLAIS (16)	EL13-0009 (F,16)(Valid)	EL18-0025 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U013	EL21-0041 (M,16)	CATTLE	CHAROLAIS (16)	EL15-0054 (F,16)(Valid)	EL18-0021 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U014	EL21-0042 (M,16)	CATTLE	CHAROLAIS (16)	EL12-0024 (F,16)(Valid)	EL18-0015 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U015	EL21-0044 (M,16)	CATTLE	CHAROLAIS (16)	EL17-0032 (F,16)(Valid)	EL18-0021 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U016	EL21-0045 (F,16)	CATTLE	CHAROLAIS (16)	EL16-0065 (F,16)(Valid)	EL18-0025 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U017	EL21-0046 (M,16)	CATTLE	CHAROLAIS (16)	EL18-0035 (F,16)(Valid)	EL17-0016 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U018	EL21-0047 (F,16)	CATTLE	CHAROLAIS (16)	EL13-0019 (F,16)(Valid)	EL18-0021 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U019	EL21-0048 (F,16)	CATTLE	CHAROLAIS (16)	EL16-0027 (F,16)(Valid)	EL18-0021 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U020	EL21-0049 (F,16)	CATTLE	CHAROLAIS (16)	EL14-0059 (F,16)(Valid)	EL18-0027 (M,16)(Valid) EL18-0042 (M,16)(Valid)	PAR_C	DVnNSV : Dam Valid, Multiple Nominated Sires Valid	40475

Report Date : 09-Feb-2022 12:45

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7341U021	EL21-0050 (M,16)	CATTLE	CHAROLAIS (16)	EL18-0066 (F,16)(Valid)	EL18-0027 (M,16)(Valid) EL18-0042 (M,16)(Valid)	PAR_C	DVnNSV : Dam Valid, Multiple Nominated Sires Valid	40475
7341U022	EL21-0051 (M,16)	CATTLE	CHAROLAIS (16)	EL16-0034 (F,16)(Valid)	EL18-0025 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U023	EL21-0052 (M,16)	CATTLE	CHAROLAIS (16)	EL16-0037 (F,16)(Valid)	EL18-0027 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U024	EL21-0053 (F,16)	CATTLE	CHAROLAIS (16)	EL16-0056 (F,16)(Valid)	EL15-0001 (M,16)(Valid) EL18-0027 (M,16)(Valid)	PAR_C	DVnNSV : Dam Valid, Multiple Nominated Sires Valid	40475
7341U025	EL21-0054 (F,16)	CATTLE	CHAROLAIS (16)	EL15-0010 (F,16)(Valid)	EL18-0027 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U026	EL21-0055 (M,16)	CATTLE	CHAROLAIS (16)	EL14-0069 (F,16)(Valid)	ACA13-0005 (M,16)(Valid) EL18-0025 (M,16)(Valid)	PAR_C	DVnNSV : Dam Valid, Multiple Nominated Sires Valid	40475
7341U027	EL21-0056 (F,16)	CATTLE	CHAROLAIS (16)	EL18-0065 (F,16)(Valid)	EL17-0016 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U028	EL21-0057 (F,16)	CATTLE	CHAROLAIS (16)	EL17-0036 (F,16)(Valid)	EL18-0025 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U029	EL21-0058 (F,16)	CATTLE	CHAROLAIS (16)	EL17-0058 (F,16)(Valid)	EL18-0027 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U030	EL21-0059 (M,16)	CATTLE	CHAROLAIS (16)	EL16-0011 (F,16)(Valid)	EL18-0027 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U031	EL21-0060 (M,16)	CATTLE	CHAROLAIS (16)	EL12-0039 (F,16)(Valid)	EL18-0025 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
Report Date : 09-Feb-2022 12:45								
Page 3								

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:
While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7341U032	EL21-0061 (M,16)	CATTLE	CHAROLAIS (16)	EL14-0033 (F,16)(Valid)	EL18-0025 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U033	EL21-0062 (M,16)	CATTLE	CHAROLAIS (16)	EL18-0075 (F,16)(Valid)	EL18-0027 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U034	EL21-0063 (M,16)	CATTLE	CHAROLAIS (16)	EL18-0061 (F,16)(Valid)	EL18-0025 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U035	EL21-0064 (F,16)	CATTLE	CHAROLAIS (16)	EL12-0016 (F,16)(Valid)	EL18-0025 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U036	EL21-0065 (F,16)	CATTLE	CHAROLAIS (16)	EL14-0040 (F,16)(Valid)	EL17-0016 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U037	EL21-0066 (F,16)	CATTLE	CHAROLAIS (16)	EL13-0011 (F,16)(Valid)	EL18-0015 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U038	EL21-0067 (F,16)	CATTLE	CHAROLAIS (16)	EL18-0037 (F,16)(Valid)	EL17-0016 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U039	EL21-0068 (M,16)	CATTLE	CHAROLAIS (16)	EL16-0018 (F,16)(Valid)	EL18-0027 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U040	EL21-0069 (M,16)	CATTLE	CHAROLAIS (16)	EL13-0038 (F,16)(Valid)	EL18-0027 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U041	EL21-0070 (F,16)	CATTLE	CHAROLAIS (16)	EL15-0052 (F,16)(Valid)	EL18-0027 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475
7341U042	EL21-0071 (M,16)	CATTLE	CHAROLAIS (16)	EL16-0022 (F,16)(Valid)	EL18-0027 (M,16)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40475

Report Date : 09-Feb-2022 12:45

Page 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER