

Batch Detail Report

Batch : 133U
Created : 06-Mar-2020 10:14
Owner : Jan Pienaar & seun
Farm : Kareeboomult
Account : PIEJ01
Origin : BONSMARA SA

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
133U001	AEJ19-0126	CATTLE	BONSMARA	AEJ16-0050 (F,1)(Valid)	CRV15-0209 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U002	AEJ19-0174	CATTLE	BONSMARA	AEJ13-0028 (F,1)(Valid)	AEJ13-0012 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U003	AEJ19-0175	CATTLE	BONSMARA	AEJ15-0004 (F,1)(Valid)	AEJ16-0042 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U004	AEJ19-0177	CATTLE	BONSMARA	AEJ15-0169 (F,1)(Valid)	AEJ16-0042 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U005	AEJ19-0178	CATTLE	BONSMARA	AEJ13-0104 (F,1)(Valid)	AEJ17-0196 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U006	AEJ19-0180	CATTLE	BONSMARA		AEJ16-0042 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
133U007	AEJ19-0181	CATTLE	BONSMARA	AEJ15-0042 (F,1)(Valid)	CRV14-0145 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U008	AEJ19-0182	CATTLE	BONSMARA	AEJ13-0120 (F,1)(Valid)	MCU16-0031 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U009	AEJ19-0183	CATTLE	BONSMARA	AEJ16-0052 (F,1)(Valid)	CRV15-0209 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U010	AEJ19-0184	CATTLE	BONSMARA	AEJ17-0154 (F,1)(Valid)	AEJ17-0158 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U011	AEJ19-0185	CATTLE	BONSMARA	AEJ17-0098 (F,1)(Valid)	AEJ17-0158 (M,1)(Valid)	PAR_C	DVSV :	

Report Date : 26-Mar-2020 12:30

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Dam Valid, Sire Valid	
133U012	AEJ19-0186	CATTLE	BONSMARA	AEJ17-0016 (F,1)(Valid)	MCU16-0031 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U013	AEJ19-0188	CATTLE	BONSMARA	AEJ13-0191 (F,1)(Valid)	FUZ12-0077 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U014	AEJ19-0189	CATTLE	BONSMARA	AEJ09-0229 (F,1)(Valid)	AEJ13-0012 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U015	AEJ19-0190	CATTLE	BONSMARA	AEJ09-0229 (F,1)(Valid)	AEJ13-0012 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U016	AEJ19-0191	CATTLE	BONSMARA	AEJ14-0139 (F,1)(Valid)	AEJ13-0012 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U017	AEJ19-0195	CATTLE	BONSMARA	AEJ13-0175 (F,1)(Valid)	CRV14-0145 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U018	AEJ19-0196	CATTLE	BONSMARA	AEJ16-0017 (F,1)(Valid)	CRV15-0209 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U019	AEJ19-0197	CATTLE	BONSMARA	AEJ16-0016 (F,1)(Valid)	AEJ17-0112 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U020	AEJ19-0198	CATTLE	BONSMARA		CRV15-0209 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
133U021	AEJ19-0199	CATTLE	BONSMARA	AEJ15-0163 (F,1)(Valid)	CRV15-0209 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U022	AEJ19-0200	CATTLE	BONSMARA		AEJ13-0012 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
133U023	AEJ19-0201	CATTLE	BONSMARA	AEJ16-0228 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Nominated Sires Excluded	

Report Date : 26-Mar-2020 12:30

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
133U024	AEJ19-0202	CATTLE	BONSMARA	AEJ16-0064 (F,1)(Valid)	AEJ16-0042 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U025	AEJ19-0203	CATTLE	BONSMARA	AEJ15-0211 (F,1)(Valid)	AEJ16-0042 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U026	AEJ19-0204	CATTLE	BONSMARA	AEJ16-0058 (F,1)(Valid)	AEJ16-0042 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U027	AEJ19-0205	CATTLE	BONSMARA		AEJ16-0042 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
133U028	AEJ19-0339	CATTLE	BONSMARA	AEJ13-0131 (F,1)(Valid)	CRV14-0145 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U029	AEJ19-0349	CATTLE	BONSMARA	AEJ16-0059 (F,1)(Valid)	AEJ16-0042 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U030	AEJ19-0329	CATTLE	BONSMARA	AEJ14-0096 (F,1)(Valid)	CRV14-0145 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
133U031	AEJ19-0176	CATTLE	BONSMARA		AEJ16-0042 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
133U032	14-72	CATTLE	BONSMARA			PROF_C	PU : Profile (Unistel)	

Report Date : 26-Mar-2020 12:30

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR