

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7658U131	BH21-0771 (M,24)	CATTLE	BORAN (24)	BS08-0014 (F,24)\(Valid)	GF10-0023 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U132	BH21-0806 (M,24)	CATTLE	BORAN (24)	BS08-0014 (F,24)\(Valid)	GF10-0023 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U133	BH21-0835 (M,24)	CATTLE	BORAN (24)	MHB05-0005 (F,24)\(Valid)	D11-0029 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U134	BH21-0482 (F,24)	CATTLE	BORAN (24)	C12-0025 (F,24)\(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
7658U135	BH21-0857 (F,24)	CATTLE	BORAN (24)	BS11-0010 (F,24)\(Valid)	B07-0083 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U136	BH21-0856 (F,24)	CATTLE	BORAN (24)	BH18-0660 (F,24)\(Valid)	EP14-0009 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U137	BH21-0855 (F,24)	CATTLE	BORAN (24)	SS06-0003 (F,24)\(Valid)	WZ14-0052 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U138	BH21-0495 (M,24)	CATTLE	BORAN (24)	WIT18-0063 (F,24)\(Valid)	BH15-0266 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U139	BH21-0510 (F,24)	CATTLE	BORAN (24)	GF12-0009 (F,24)\(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
7658U140	BH21-0656 (M,24)	CATTLE	BORAN (24)	BH19-0119 (F,24)\(Valid)	CFH14-0257 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U141	BH21-0734 (F,24)	CATTLE	BORAN (24)	TR11-0020 (F,24)\(Valid)	BAS10-0025 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 28-Feb-2022 11:54

Page 13

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7658U142	BH21-0752 (M,24)	CATTLE	BORAN (24)	BH18-0182 (F,24)\(Not Valid)	D14-0136 (M,24)\(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
7658U143	BH21-0757 (F,24)	CATTLE	BORAN (24)	C110-0116 (F,24)\(Valid)	D14-0137 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U144	BH21-0759 (M,24)	CATTLE	BORAN (24)	WZ11-0013 (F,24)\(Valid)	BAS10-0025 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U145	BH21-0797 (F,24)	CATTLE	BORAN (24)	DBC15-0038 (N/S,24)\(Valid)	BH11-0028 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U146	BH21-0796 (M,24)	CATTLE	BORAN (24)	BH18-0036 (F,24)\(Valid)	BKP13-0015 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U147	BH21-0799 (F,24)	CATTLE	BORAN (24)	BH16-0006 (F,24)\(Valid)	D12-0082 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U148	BH21-0802 (M,24)	CATTLE	BORAN (24)	PRB14-0041 (F,24)\(Valid)	BAS10-0025 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U149	BH21-0803 (F,24)	CATTLE	BORAN (24)			PAR_C	HER02 : Test to be repeated by lab	
7658U150	BH21-0804 (M,24)	CATTLE	BORAN (24)	BH18-0249 (F,24)\(Valid)	BH16-0296 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U151	BH21-0821 (M,24)	CATTLE	BORAN (24)	BH14-0049 (F,24)\(Valid)	WZ15-0049 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U152	BH21-0822 (M,24)	CATTLE	BORAN (24)	K13-0126 (F,24)\(Valid)	TF12-0006 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U153	BH21-0825 (M,24)	CATTLE	BORAN (24)	BH08-0010 (F,24)\(Valid)	JRS16-0030 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire	

Report Date : 28-Feb-2022 11:54

Page 14

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7658U154	BH21-0826 (M,24)	CATTLE	BORAN (24)	BH18-0666 (F,24)\(Valid)	BH15-0266 (M,24)\(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	
7658U155	BH21-0833 (M,24)	CATTLE	BORAN (24)	BH15-0027 (F,24)\(Valid)	D14-0136 (M,24)\(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7658U156	BH21-0836 (M,24)	CATTLE	BORAN (24)	GN17-0145 (F,24)\(Valid)	EP14-0023 (M,24)\(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7658U157	BH21-0837 (F,24)	CATTLE	BORAN (24)	HJ15-0027 (F,24)\(Valid)	BH11-0020 (M,24)\(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7658U158	BH21-0808 (F,24)	CATTLE	BORAN (24)			PAR_C	HER02 : Test to be repeated by lab	
7658U159	BH21-0811 (M,24)	CATTLE	BORAN (24)	SS06-0003 (F,24)\(Not Valid)	WZ14-0052 (M,24)\(Valid) BH15-0241 (M,24)\(Valid) BH16-0094 (M,24)\(Valid)	PAR_C	DXmNSV : Dam Excluded, Multiple Nominated Sires Valid	
7658U160	BH21-0812 (M,24)	CATTLE	BORAN (24)	SS06-0003 (F,24)\(Valid)	WZ14-0052 (M,24)\(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7658U161	BH21-0813 (M,24)	CATTLE	BORAN (24)	BS11-0010 (F,24)\(Valid)	B07-0083 (M,24)\(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
7658U162	BH21-0814 (M,24)	CATTLE	BORAN (24)	BS11-0010 (F,24)\(Valid)	B07-0083 (M,24)\(Valid) BH18-0038 (M,24)\(Valid)	PAR_C	DVmNSV : Dam Valid, Multiple Nominated Sires Valid	
7658U163	BH21-0815 (F,24)	CATTLE	BORAN (24)	BS11-0010 (F,24)\(Valid)	B07-0083 (M,24)\(Valid) BH17-0317 (M,24)\(Valid)	PAR_C	DVmNSV : Dam Valid, Multiple Nominated Sires Valid	
7658U164	BH21-0816 (F,24)	CATTLE	BORAN (24)	SS06-0003 (F,24)\(Not Valid)	B07-0083 (M,24)\(Valid)	PAR_C	DXmNSV :	

Report Date : 28-Feb-2022 11:54

Page 15

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7658U165	BH21-0817 (M,24)	CATTLE	BORAN (24)		NBOR15-0026 (M,24)\(Valid)	PAR_C	Dam Excluded, Multiple Nominated Sires Valid	
7658U166	BH21-0818 (F,24)	CATTLE	BORAN (24)	MHB05-0005 (F,24)\(Valid)	D11-0029 (M,24)\(Valid)	PAR_C	HER02 : Test to be repeated by lab	
7658U167	BH21-0824 (F,24)	CATTLE	BORAN (24)	GF08-0027 (F,24)\(Not Valid)	B07-0083 (M,24)\(Valid) BH18-0038 (M,24)\(Valid) BH18-0517 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U168	BH21-0827 (M,24)	CATTLE	BORAN (24)	MHB05-0005 (F,24)\(Valid)	D11-0029 (M,24)\(Valid)	PAR_C	DXmNSV : Dam Excluded, Multiple Nominated Sires Valid	
7658U169	BH21-0829 (M,24)	CATTLE	BORAN (24)	BS11-0010 (F,24)\(Valid)	B07-0083 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U170	BH21-0832 (M,24)	CATTLE	BORAN (24)	BS11-0010 (F,24)\(Valid)	B07-0083 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U171	BH21-0834 (M,24)	CATTLE	BORAN (24)	NBOR07-0159 (F,24)\(Valid)	BH11-0020 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U172	BH21-0845 (M,24)	CATTLE	BORAN (24)	MHB05-0005 (F,24)\(Valid)	D11-0029 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U173	BH21-0848 (F,24)	CATTLE	BORAN (24)	MHB05-0005 (F,24)\(Valid)	D11-0029 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U174	BH21-0849 (F,24)	CATTLE	BORAN (24)	MHB05-0005 (F,24)\(Valid)	D11-0029 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7658U175	BH21-0850 (M,24)	CATTLE	BORAN (24)	CPH05-0002 (F,24)\(Valid)	D11-0029 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 28-Feb-2022 11:54

Page 16

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.

This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER