

Batch Detail Report

Batch : 224U
Created : 19-Mar-2020 15:54
Owner : FA(Frans) Seevinck
Farm : Berco
Account : SEEL01
Origin : BONSMARA SA

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
224U001	BF16-0175	CATTLE	BONSMARA		VV12-0478 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U002	BF16-0195	CATTLE	BONSMARA		VV12-0478 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U003	BF17-0023	CATTLE	BONSMARA	BF11-0422 (F,1)(Valid)	HP12-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
224U004	BF17-0116	CATTLE	BONSMARA	BF14-0564 (F,1)(Valid)	AG13-0505 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
224U005	BF17-0128	CATTLE	BONSMARA		BLN09-0019 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U006	BF17-0189	CATTLE	BONSMARA		VV12-0478 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U007	BF17-0209	CATTLE	BONSMARA		AG09-0691 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U008	BF17-0213	CATTLE	BONSMARA		LAR11-0071 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U009	BF17-0253	CATTLE	BONSMARA		AG09-0691 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U010	BF17-0265	CATTLE	BONSMARA		HP12-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U011	BF17-0383	CATTLE	BONSMARA		LAR11-0071 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U012	BF17-0423	CATTLE	BONSMARA		VV12-0478 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U013	BF17-0427	CATTLE	BONSMARA		VV12-0478 (M,1)(Valid)	PAR_C	SV :	

Report Date : 17-Apr-2020 14:00

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Sire Valid.	
224U014	BF17-0487	CATTLE	BONSMARA		VV12-0478 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U015	BF18-0003	CATTLE	BONSMARA		AG09-0691 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U016	BF18-0007	CATTLE	BONSMARA		AG09-0691 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U017	BF18-0041	CATTLE	BONSMARA	BF11-0918 (F,1)(Valid)	AG13-0505 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
224U018	BF18-0043	CATTLE	BONSMARA		AG13-0505 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
224U019	BF18-0045	CATTLE	BONSMARA		AG13-0505 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
224U020	BF18-0051	CATTLE	BONSMARA		AG13-0505 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
224U021	BF18-0052	CATTLE	BONSMARA	BF15-0126 (F,1)(Not Valid)	AG13-0505 (U,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
224U022	BF18-0077	CATTLE	BONSMARA	BF15-0216 (F,1)(Valid)	AG13-0505 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
224U023	BF18-0078	CATTLE	BONSMARA		AG13-0505 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
224U024	BF18-0079	CATTLE	BONSMARA	BF15-0132 (F,1)(Valid)	AG13-0505 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
224U025	BF18-0080	CATTLE	BONSMARA		AG13-0505 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
224U026	BF18-0081	CATTLE	BONSMARA	BF15-0250 (F,1)(Valid)	AG13-0505 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
224U027	BF18-0082	CATTLE	BONSMARA		AG13-0505 (U,1)(Valid)	PAR_C	SV : Sire Valid.	

Report Date : 17-Apr-2020 14:00

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
224U028	BF18-0083	CATTLE	BONSMARA	BF15-0194 (F,1)(Valid)	AG13-0505 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
224U029	BF18-0086	CATTLE	BONSMARA	BF15-0212 (F,1)(Not Valid)	AG13-0505 (U,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
224U030	BF18-0098	CATTLE	BONSMARA	BF15-0160 (F,1)(Valid)	AG13-0505 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
224U031	BF18-0102	CATTLE	BONSMARA		AG13-0505 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
224U032	BF18-0120	CATTLE	BONSMARA		AG13-0505 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
224U033	BF18-0122	CATTLE	BONSMARA	BF15-0252 (F,1)(Valid)	AG13-0505 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
224U034	BF18-0128	CATTLE	BONSMARA	BF15-0120 (F,1)(Valid)	CAB09-0004 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
224U035	BF18-0130	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U036	BF18-0133	CATTLE	BONSMARA	BF15-0010 (F,1)(Not Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
224U037	BF18-0138	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U038	BF18-0139	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U039	BF18-0140	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U040	BF18-0142	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U041	BF18-0144	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	

Report Date : 17-Apr-2020 14:00

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
224U042	BF18-0150	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U043	BF18-0154	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U044	BF18-0156	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U045	BF18-0160	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U046	BF18-0162	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U047	BF18-0164	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U048	BF18-0166	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U049	BF18-0168	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U050	BF18-0170	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U051	BF18-0221	CATTLE	BONSMARA	BF15-0138 (F,1)(Valid)	AG13-0505 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
224U052	BF18-0229	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U053	BF18-0231	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U054	BF18-0235	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U055	BF18-0237	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U056	BF18-0239	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U057	BF18-0250	CATTLE	BONSMARA		CAB09-0004 (M,1)(Valid)	PAR_C	SV : Sire Valid.	

Report Date : 17-Apr-2020 14:00

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
224U058	BF18-0291	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U059	BF18-0293	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U060	BF18-0309	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U061	BF18-0321	CATTLE	BONSMARA	BF15-0208 (F,1)(Not Valid)	AG13-0505 (U,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
224U062	BF18-0323	CATTLE	BONSMARA	BF15-0144 (F,1)(Valid)	AG13-0505 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
224U063	BF18-0324	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U064	BF18-0327	CATTLE	BONSMARA	BF15-0198 (F,1)(Valid)	AG13-0505 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
224U065	BF18-0330	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U066	BF18-0332	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U067	BF18-0336	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U068	BF18-0338	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U069	BF18-0352	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U070	BF18-0375	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U071	BF18-0377	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U072	BF18-0379	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	

Report Date : 17-Apr-2020 14:00

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
224U073	BF18-0381	CATTLE	BONSMARA		VV12-0478 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U074	BF18-0391	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U075	BF18-0402	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U076	BF18-0406	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U077	BF18-0428	CATTLE	BONSMARA	BF15-0166 (F,1)(Valid)	AG13-0505 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
224U078	BF18-0462	CATTLE	BONSMARA		HP12-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U079	BF18-0468	CATTLE	BONSMARA		HP12-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U080	BF18-0473	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U081	BF18-0477	CATTLE	BONSMARA		HP12-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U082	BF18-0490	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U083	BF18-0492	CATTLE	BONSMARA		AG09-0015 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U084	BF18-0494	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U085	BF18-0496	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U086	BF18-0516	CATTLE	BONSMARA		VV12-0478 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U087	BF18-0518	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U088	BF18-0519	CATTLE	BONSMARA		VV12-0478 (M,1)(Valid)	PAR_C	SV : Sire Valid.	

Report Date : 17-Apr-2020 14:00

Page 6

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
224U089	BF18-0521	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U090	BF18-0523	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U091	BF18-0540	CATTLE	BONSMARA		VV12-0478 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U092	BF18-0554	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U093	BF18-0556	CATTLE	BONSMARA		HP12-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U094	BF18-0560	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U095	BF18-0562	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U096	BF18-0563	CATTLE	BONSMARA		VV12-0478 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U097	BF18-0566	CATTLE	BONSMARA		AG09-0691 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U098	BF18-0567	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U099	BF18-0571	CATTLE	BONSMARA		HP12-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U100	BF18-0572	CATTLE	BONSMARA		VV12-0478 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U101	BF18-0573	CATTLE	BONSMARA		HP12-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U102	BF18-0574	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U103	BF18-0575	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U104	BF18-0576	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	

Report Date : 17-Apr-2020 14:00

Page 7

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
224U105	BF18-0578	CATTLE	BONSMARA		SYF15-0097 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U106	BF18-0582	CATTLE	BONSMARA		HP12-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U107	BF18-0594	CATTLE	BONSMARA		AG09-0015 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U108	BF18-0596	CATTLE	BONSMARA		AG09-0015 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U109	BF18-0598	CATTLE	BONSMARA		AG09-0015 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U110	BF18-0601	CATTLE	BONSMARA		HP12-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U111	BF18-0603	CATTLE	BONSMARA	BF15-0106 (F,1)(Valid)	AG13-0505 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
224U112	BF19-0001	CATTLE	BONSMARA		HP12-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U113	BF19-0002	CATTLE	BONSMARA		HP12-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U114	BF19-0003	CATTLE	BONSMARA		HP12-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U115	BF19-0005	CATTLE	BONSMARA		HP12-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U116	BF19-0006	CATTLE	BONSMARA		VV12-0478 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U117	BF19-0007	CATTLE	BONSMARA		HP12-0147 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U118	BF19-0008	CATTLE	BONSMARA		AG09-0691 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
224U119	BF19-0009	CATTLE	BONSMARA	BF14-0034 (F,1)(Valid)	AG09-0149 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
224U120	BF19-0012	CATTLE	BONSMARA		AG09-0015 (M,1)(Valid)	PAR_C	SV :	

Report Date : 17-Apr-2020 14:00

Page 8

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Sire Valid.	
224U121	BF19-0019	CATTLE	BONSMARA		VV12-0478 (M,1)(Valid)	PAR_C	SV : Sire Valid.	

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR