

Batch Detail Report

Batch : 207U
Created : 18-Mar-2020 16:31
Owner : Tribet Inv T/A Hassim Bonsmara
Farm : Hassim Bonsmara
Account : TRIB01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
207U001	HAS19-0198	CATTLE	BONSMARA	BLN07-0006 (U,1)(Valid)	HAS16-0081 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U002	HAS19-0200	CATTLE	BONSMARA	SYF13-0029 (F,1)(Valid)	ADV10-0321 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U003	HAS19-0201	CATTLE	BONSMARA	LAR08-0117 (F,1)(Valid)		PAR_C	DV mNSX : Dam Valid, Multiple Nominated Sires Excluded	
207U004	HAS19-0202	CATTLE	BONSMARA	LAR10-0326 (F,1)(Valid)		PAR_C	DV mNSX : Dam Valid, Multiple Nominated Sires Excluded	
207U005	HAS20-0002	CATTLE	BONSMARA	AG09-0765 (F,1)(Valid)		PAR_C	DV mNSX : Dam Valid, Multiple Nominated Sires Excluded	
207U006	HAS20-0003	CATTLE	BONSMARA	AG09-0239 (F,1)(Valid)		PAR_C	DV mNSX : Dam Valid, Multiple Nominated Sires Excluded	
207U007	HAS20-0004	CATTLE	BONSMARA	HAS16-0070 (U,1)(Valid)	SYF12-0293 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U008	HAS20-0005	CATTLE	BONSMARA	HAS17-0146 (U,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U009	HAS20-0006	CATTLE	BONSMARA	HAS16-0032 (U,1)(Valid)	SYF12-0293 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 16-Apr-2020 08:51

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
207U010	HAS20-0007	CATTLE	BONSMARA	HAS17-0132 (U,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U011	HAS20-0008	CATTLE	BONSMARA	HAS16-0024 (U,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U012	HAS20-0009	CATTLE	BONSMARA	HAS16-0057 (U,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U013	HAS20-0010	CATTLE	BONSMARA	SYF17-0227 (F,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U014	HAS20-0011	CATTLE	BONSMARA	HAS13-0141 (F,1)(Valid)	SYF14-0089 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U015	HAS20-0012	CATTLE	BONSMARA	SYF14-0013 (U,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U016	HAS20-0013	CATTLE	BONSMARA	HAS16-0112 (U,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U017	HAS20-0014	CATTLE	BONSMARA	HAS17-0089 (U,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U018	HAS20-0015	CATTLE	BONSMARA	HAS17-0097 (U,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U019	HAS20-0016	CATTLE	BONSMARA	SYF15-0051 (F,1)(Valid)	SYF12-0293 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U020	HAS20-0017	CATTLE	BONSMARA	HAS17-0178 (F,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U021	HAS20-0019	CATTLE	BONSMARA	HAS17-0153 (U,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U022	HAS20-0020	CATTLE	BONSMARA	SYF17-0287 (F,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV :	

Report Date : 16-Apr-2020 08:51

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Dam Valid, Sire Valid	
207U023	HAS20-0021	CATTLE	BONSMARA	HAS17-0083 (U,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U024	HAS20-0022	CATTLE	BONSMARA	HAS10-0041 (F,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U025	HAS20-0023	CATTLE	BONSMARA	HAS13-0204 (U,1)(Valid)	SYF14-0089 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U026	HAS20-0024	CATTLE	BONSMARA	HAS14-0026 (U,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U027	HAS20-0025	CATTLE	BONSMARA	SYF14-0032 (F,1)(Valid)	SYF12-0293 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U028	HAS20-0026	CATTLE	BONSMARA	SYF10-0229 (F,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U029	HAS20-0027	CATTLE	BONSMARA	SYF15-0185 (U,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U030	HAS20-0028	CATTLE	BONSMARA	SYF11-0315 (F,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U031	HAS20-0031	CATTLE	BONSMARA	HAS17-0173 (U,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U032	HAS20-0046	CATTLE	BONSMARA		SYF16-0057 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
207U033	HAS20-0047	CATTLE	BONSMARA	LAR08-0385 (F,1)(Valid)	LFR15-0032 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U034	HAS20-0048	CATTLE	BONSMARA	TGR10-0107 (F,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 16-Apr-2020 08:51

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
207U035	HAS20-0049	CATTLE	BONSMARA	LAR08-0338 (U,1)(Valid)	BLN15-0060 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U036	HAS20-0050	CATTLE	BONSMARA	HAS17-0022 (U,1)(Valid)	BLN15-0060 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U037	HAS20-0051	CATTLE	BONSMARA	HAS16-0099 (U,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U038	HAS20-0052	CATTLE	BONSMARA	HAS17-0084 (U,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U039	HAS20-0053	CATTLE	BONSMARA	AG10-0460 (F,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U040	HAS20-0054	CATTLE	BONSMARA	LAR11-0267 (F,1)(Valid)	LFR15-0032 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U041	HAS20-0056	CATTLE	BONSMARA	SYF17-0226 (F,1)(Valid)	SYF16-0211 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U042	HAS20-0057	CATTLE	BONSMARA	HAS14-0021 (U,1)(Valid)	SYF14-0089 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U043	HAS20-0058	CATTLE	BONSMARA	HAS14-0028 (U,1)(Valid)	SYF12-0293 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U044	HAS20-0059	CATTLE	BONSMARA	VIL07-0027 (F,1)(Valid)	LAR16-0332 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U045	HAS20-0061	CATTLE	BONSMARA	SYF14-0295 (F,1)(Valid)	SYF12-0293 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U046	HAS20-0062	CATTLE	BONSMARA	HAS16-0001 (U,1)(Valid)	HAS16-0081 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U047	HAS20-0064	CATTLE	BONSMARA	LAR06-0115 (F,1)(Valid)		PAR_C	DVmNSX :	

Report Date : 16-Apr-2020 08:51

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Dam Valid, Multiple Nominated Sires Excluded	
207U048	HAS20-0066	CATTLE	BONSMARA	SYF15-0123 (F,1)(Valid)	LAR16-0332 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U049	HAS20-0067	CATTLE	BONSMARA	NFS15-0046 (F,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U050	HAS20-0069	CATTLE	BONSMARA	LAR15-0405 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
207U051	HAS20-0070	CATTLE	BONSMARA		SYF12-0293 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
207U052	HAS20-0071	CATTLE	BONSMARA		BLN15-0060 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
207U053	HAS20-0072	CATTLE	BONSMARA	HAS10-0111 (F,1)(Valid)	SYF14-0089 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U054	HAS20-0073	CATTLE	BONSMARA	HAS15-0058 (U,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U055	HAS20-0074	CATTLE	BONSMARA	RGR07-0308 (F,1)(Valid)	SYF14-0089 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U056	HAS20-0075	CATTLE	BONSMARA	SYF08-0207 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
207U057	HAS20-0076	CATTLE	BONSMARA	HAS16-0090 (U,1)(Valid)	SYF12-0293 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U058	HAS20-0077	CATTLE	BONSMARA	HAS17-0160 (U,1)(Valid)	BLN15-0060 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U059	HAS20-0078	CATTLE	BONSMARA	BDX17-0053 (F,1)(Valid)	LAR09-0223 (M,1)(Valid)	PAR_C	DVSV :	

Report Date : 16-Apr-2020 08:51

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Dam Valid, Sire Valid	
207U060	HAS20-0079	CATTLE	BONSMARA	HAS17-0098 (U,1)(Valid)	BLN15-0060 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U061	HAS20-0080	CATTLE	BONSMARA	HAS17-0156 (U,1)(Valid)	BLN15-0060 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U062	HAS20-0018	CATTLE	BONSMARA	SYF17-0202 (F,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U063	HAS20-0030	CATTLE	BONSMARA	SYF17-0251 (F,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U064	HAS20-0032	CATTLE	BONSMARA	HAS17-0056 (U,1)(Valid)	BLN15-0060 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U065	HAS20-0033	CATTLE	BONSMARA	HAS16-0116 (U,1)(Valid)	BLN15-0060 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U066	HAS20-0034	CATTLE	BONSMARA	SYF17-0282 (F,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U067	HAS20-0035	CATTLE	BONSMARA	VIL14-0259 (F,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U068	HAS20-0036	CATTLE	BONSMARA	HAS10-0125 (F,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U069	HAS20-0037	CATTLE	BONSMARA	LAR11-0189 (F,1)(Valid)	LFR15-0032 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U070	HAS20-0038	CATTLE	BONSMARA	MMJ06-0096 (F,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U071	HAS20-0039	CATTLE	BONSMARA	ADV17-0263 (F,1)(Valid)	SYF16-0211 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire	

Report Date : 16-Apr-2020 08:51

Page 6

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Valid	
207U072	HAS20-0040	CATTLE	BONSMARA	HAS17-0145 (U,1)(Valid)	SYF16-0211 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U073	HAS20-0041	CATTLE	BONSMARA	VIL11-0359 (U,1)(Valid)	SYF14-0089 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U074	HAS20-0042	CATTLE	BONSMARA		SYF16-0211 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
207U075	HAS20-0043	CATTLE	BONSMARA	HAS17-0155 (U,1)(Valid)	SYF16-0211 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U076	HAS20-0044	CATTLE	BONSMARA	HAS17-0138 (U,1)(Valid)	SYF16-0211 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U077	HAS20-0045	CATTLE	BONSMARA	ADV17-0228 (F,1)(Valid)	SYF16-0211 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U078	HAS20-0060	CATTLE	BONSMARA	HAS17-0068 (U,1)(Valid)	SYF16-0211 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
207U079	HAS20-0063	CATTLE	BONSMARA		HAS16-0081 (U,1)(Valid)	PAR_C	SV : Sire Valid.	

Report Date : 16-Apr-2020 08:51

Page 7

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR