

Batch Detail Report

Batch : 73U
Created : 24-Feb-2020 15:57
Owner : HN de Klerk
Farm : Gocharus/The De Klerk Trust
Account : DKLE01
Origin : BONSMARA SA

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
73U001	DKT17-0055	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U002	DKT17-0060	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U003	DKT17-0069	CATTLE	BONSMARA	DKT14-0031 (F,1)(Valid)	HART11-0095 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
73U004	DKT17-0070	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U005	DKT17-0073	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U006	DKT18-0004	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U007	DKT18-0006	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U008	DKT18-0009	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U009	DKT18-0010	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U010	DKT18-0013	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U011	DKT18-0016	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U012	DKT18-0018	CATTLE	BONSMARA	DKT10-0026 (F,1)(Valid)	HART11-0095 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
73U013	DKT18-0033	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV :	

Report Date : 30-Mar-2020 09:44

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Sire Valid.	
73U014	DKT18-0034	CATTLE	BONSMARA		GMS08-0207 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
73U015	DKT18-0039	CATTLE	BONSMARA		HART12-0427 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U016	DKT18-0042	CATTLE	BONSMARA		HART12-0427 (M,1)(Valid) DKT14-0035 (M,1)(Valid)	PAR_C	mSM : Multiple Matching Sires	
73U017	DKT18-0044	CATTLE	BONSMARA		HART12-0427 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U018	DKT18-0047	CATTLE	BONSMARA		HART12-0427 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U019	DKT18-0051	CATTLE	BONSMARA		HART12-0427 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U020	DKT18-0053	CATTLE	BONSMARA		HART12-0427 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U021	DKT18-0054	CATTLE	BONSMARA		GMS08-0207 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
73U022	DKT18-0056	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid) HART12-0427 (M,1)(Valid) DKT15-0058 (U,1)(Valid)	PAR_C	mSM : Multiple Matching Sires	
73U023	DKT18-0060	CATTLE	BONSMARA		HART12-0427 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U024	DKT18-0062	CATTLE	BONSMARA		HART12-0427 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U025	DKT18-0064	CATTLE	BONSMARA		HART12-0427 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U026	DKT18-0066	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U027	DKT18-0067	CATTLE	BONSMARA	UB12-0016 (F,1)(Valid)	HART11-0095 (M,1)(Valid) DKT15-0058 (U,1)(Valid)	PAR_C	DVmNSV : Dam Valid, Nominated Sires Valid	

Report Date : 30-Mar-2020 09:44

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
73U028	DKT18-0068	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U029	DKT18-0069	CATTLE	BONSMARA		GMS08-0207 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
73U030	DKT18-0070	CATTLE	BONSMARA		GMS08-0207 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
73U031	DKT19-0001	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U032	DKT19-0002	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U033	DKT19-0003	CATTLE	BONSMARA		GMS08-0207 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
73U034	DKT19-0004	CATTLE	BONSMARA		GMS08-0207 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
73U035	DKT19-0005	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U036	DKT19-0006	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U037	DKT19-0007	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U038	DKT19-0008	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U039	DKT19-0010	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U040	DKT19-0011	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U041	DKT19-0013	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U042	DKT19-0014	CATTLE	BONSMARA	DKT17-0005 (F,1)(Valid)	GMS08-0207 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
73U043	DKT19-0016	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	

Report Date : 30-Mar-2020 09:44

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
73U044	DKT19-0017	CATTLE	BONSMARA	DKT09-0059 (F,1)(Valid)	JS11-0128 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
73U045	DKT19-0018	CATTLE	BONSMARA		GMS08-0207 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
73U046	DKT19-0019	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U047	DKT19-0020	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U048	DKT19-0021	CATTLE	BONSMARA	DKT13-0022 (F,1)(Valid)	JS11-0128 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
73U049	DKT19-0022	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U050	DKT19-0023	CATTLE	BONSMARA	DKT14-0031 (F,1)(Valid)	DKT15-0039 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
73U051	DKT19-0024	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U052	DKT19-0026	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U053	DKT19-0027	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U054	DKT19-0028	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U055	DKT19-0029	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U056	DKT19-0030	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U057	DKT19-0031	CATTLE	BONSMARA		DKT14-0035 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U058	DKT19-0032	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	

Report Date : 30-Mar-2020 09:44

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
73U059	DKT19-0033	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U060	DKT19-0034	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U061	DKT19-0035	CATTLE	BONSMARA	DKT14-0029 (F,1)(Valid)	HART12-0067 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
73U062	DKT19-0037	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U063	DKT19-0038	CATTLE	BONSMARA		DKT14-0035 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U064	DKT19-0039	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U065	DKT19-0040	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U066	DKT19-0041	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U067	DKT19-0042	CATTLE	BONSMARA		DKT14-0035 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U068	DKT19-0043	CATTLE	BONSMARA		DKT14-0035 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U069	DKT19-0045	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U070	DKT19-0046	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U071	DKT19-0047	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U072	DKT19-0048	CATTLE	BONSMARA		DKT14-0035 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U073	DKT19-0049	CATTLE	BONSMARA	DKT15-0018 (F,1)(Valid)	HART11-0095 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
73U074	DKT19-0050	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV :	

Report Date : 30-Mar-2020 09:44

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Sire Valid.	
73U075	DKT19-0051	CATTLE	BONSMARA		DKT14-0035 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U076	DKT19-0052	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U077	DKT19-0053	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U078	DKT19-0054	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U079	DKT19-0055	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U080	DKT19-0056	CATTLE	BONSMARA		DKT14-0035 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U081	DKT19-0057	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U082	DKT19-0058	CATTLE	BONSMARA	DKT07-0044 (F,1)(Valid)	DKT15-0010 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
73U083	DKT19-0059	CATTLE	BONSMARA		JS11-0128 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U084	DKT19-0060	CATTLE	BONSMARA		HART12-0427 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U085	DKT19-0061	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U086	DKT19-0062	CATTLE	BONSMARA	DKT10-0026 (F,1)(Valid)	HART11-0095 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
73U087	DKT19-0063	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U088	DKT19-0064	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U089	DKT19-0065	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	

Report Date : 30-Mar-2020 09:44

Page 6

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
73U090	DKT19-0066	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid) DKT15-0058 (U,1)(Valid)	PAR_C	mNSV : Nominated Sires Valid	
73U091	DKT19-0067	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U092	DKT19-0068	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid) DKT15-0058 (U,1)(Valid)	PAR_C	mNSV : Nominated Sires Valid	
73U093	DKT19-0069	CATTLE	BONSMARA		HART11-0095 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U094	DKT19-0080	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U095	DKT19-0081	CATTLE	BONSMARA		DKT15-0058 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
73U096	DKT19-0082	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U097	DKT19-0083	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U098	DKT19-0085	CATTLE	BONSMARA		DKT15-0058 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
73U099	DKT19-0087	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U100	DKT19-0088	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U101	DKT19-0089	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U102	DKT19-0090	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U103	DKT19-0091	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U104	DKT19-0092	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U105	DKT19-0093	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV :	

Report Date : 30-Mar-2020 09:44

Page 7

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Sire Valid.	
73U106	DKT19-0094	CATTLE	BONSMARA		DKT15-0058 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
73U107	DKT19-0095	CATTLE	BONSMARA		DKT15-0010 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
73U108	DKT19-0096	CATTLE	BONSMARA		DKT15-0058 (U,1)(Valid)	PAR_C	SV : Sire Valid.	
73U109	DKT19-0098	CATTLE	BONSMARA		DKT15-0058 (U,1)(Valid)	PAR_C	SV : Sire Valid.	

Report Date : 30-Mar-2020 09:44

Page 8

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR