

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7472U010	MOS21-0223 (M,24)	CATTLE	BORAN (24)	VST18-0156 (F,24)\(Valid)		PAR_C	Valid	
7472U011	MOS21-0224 (F,24)	CATTLE	BORAN (24)	MXM14-0823 (F,24)\(Valid)	GB14-0001 (N/S,24)\(Valid)	PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	40732
7472U012	MOS21-0225 (F,24)	CATTLE	BORAN (24)	BH17-0466 (F,24)\(Valid)	QT12-0030 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U013	MOS21-0228 (M,24)	CATTLE	BORAN (24)	VST18-0105 (F,24)\(Valid)	BU16-0057 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U014	MOS21-0229 (F,24)	CATTLE	BORAN (24)	E17-0190 (F,24)\(Valid)	GB14-0001 (N/S,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U015	MOS21-0232 (M,24)	CATTLE	BORAN (24)	MXM15-0094 (F,24)\(Valid)	GB14-0001 (N/S,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U016	MOS21-0233 (M,24)	CATTLE	BORAN (24)			PAR_C	NSR : No Sample Received	01
7472U017	MOS21-0234 (F,24)	CATTLE	BORAN (24)	DLV11-0035 (F,24)\(Valid)	QT12-0030 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U018	MOS21-0235 (F,24)	CATTLE	BORAN (24)	E09-0090 (F,24)\(Valid)	QT12-0030 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U019	MOS21-0236 (F,24)	CATTLE	BORAN (24)	BH15-0137 (N/S,24)\(Valid)	QT12-0030 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U020	MOS21-0238 (F,24)	CATTLE	BORAN (24)	BH16-0306 (F,24)\(Valid)	QT12-0030 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732

Report Date : 27-Mar-2022 13:07

Page 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7472U021	MOS21-0239 (M,24)	CATTLE	BORAN (24)	FN09-0652 (F,24)(Valid)	GB14-0001 (N/S,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U022	MOS21-0240 (M,24)	CATTLE	BORAN (24)	BU14-0148 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U023	MOS21-0241 (F,24)	CATTLE	BORAN (24)	BH15-0080 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U024	MOS21-0242 (F,24)	CATTLE	BORAN (24)	BH15-0188 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U025	MOS21-0243 (F,24)	CATTLE	BORAN (24)	CFH12-0110 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U026	MOS21-0244 (F,24)	CATTLE	BORAN (24)	BH17-0538 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U027	MOS21-0245 (M,24)	CATTLE	BORAN (24)	BH16-0186 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U028	MOS21-0246 (F,24)	CATTLE	BORAN (24)	BH16-0002 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U029	MOS21-0247 (M,24)	CATTLE	BORAN (24)	E11-0153 (F,24)(Valid)	GB14-0001 (N/S,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U030	MOS21-0248 (F,24)	CATTLE	BORAN (24)	BH17-0146 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U031	MOS21-0249 (F,24)	CATTLE	BORAN (24)	JH12-0019 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U032	MOS21-0251 (M,24)	CATTLE	BORAN (24)	GUJ16-0017 (N/S,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732

Report Date : 27-Mar-2022 13:07

Page 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7472U033	MOS21-0252 (F,24)	CATTLE	BORAN (24)	E15-0043 (F,24)(Valid)	GB14-0001 (N/S,24)(Valid)	PAR_C	Valid	40732
7472U034	MOS21-0253 (F,24)	CATTLE	BORAN (24)	BH17-0378 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U035	MOS21-0254 (F,24)	CATTLE	BORAN (24)	BH16-0333 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U036	MOS21-0255 (F,24)	CATTLE	BORAN (24)	EP13-0017 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U037	MOS21-0256 (F,24)	CATTLE	BORAN (24)	BH17-0097 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U038	MOS21-0257 (F,24)	CATTLE	BORAN (24)	E18-0110 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U039	MOS21-0258 (F,24)	CATTLE	BORAN (24)	EO12-0283 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U040	MOS21-0260 (F,24)	CATTLE	BORAN (24)	E17-0005 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U041	MOS21-0261 (F,24)	CATTLE	BORAN (24)	E11-0070 (F,24)(Valid)	GB14-0001 (N/S,24)(Not Valid)	PAR_C	DVSV : Dam Valid, Sire Excluded	40732
7472U042	MOS21-0262 (F,24)	CATTLE	BORAN (24)	E13-0065 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732
7472U043	MOS21-0263 (F,24)	CATTLE	BORAN (24)	FN12-0542 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40732

Report Date : 27-Mar-2022 13:07

Page 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7472U056	MOS21-0278 (M,24)	CATTLE	BORAN (24)	E15-0101 (F,24)\(Valid)	QT12-0030 (M,24)\(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	40732
7472U057	MOS21-0279 (F,24)	CATTLE	BORAN (24)	MC15-0139 (F,24)\(Valid)	QT12-0030 (M,24)\(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	40732
7472U058	MOS21-0280 (F,24)	CATTLE	BORAN (24)	BH17-0040 (F,24)\(Valid)	QT12-0030 (M,24)\(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	40732
7472U059	MOS21-0281 (F,24)	CATTLE	BORAN (24)	BH15-0228 (F,24)\(Valid)	QT12-0030 (M,24)\(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	40732
7472U060	MOS21-0282 (F,24)	CATTLE	BORAN (24)	FN10-0571 (F,24)\(Valid)	QT12-0030 (M,24)\(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	40732
7472U061	MOS21-0283 (F,24)	CATTLE	BORAN (24)	BH16-0011 (F,24)\(Valid)	QT12-0030 (M,24)\(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	40732
7472U062	MOS21-0284 (F,24) *	CATTLE	BORAN (24)	E18-0039 (F,24)\(Valid)	GB14-0001 (N/S,24)\(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	40732
7472U063	MOS21-0285 (F,24)	CATTLE	BORAN (24)	BH16-0338 (F,24)\(Valid)	QT12-0030 (M,24)\(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	40732
7472U064	MOS21-0286 (F,24)	CATTLE	BORAN (24)	E13-0005 (F,24)\(Valid)	QT12-0030 (M,24)\(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	40732
7472U065	MOS21-0287 (M,24)	CATTLE	BORAN (24)	CTM12-0055 (F,24)\(Valid)	QT12-0030 (M,24)\(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	40732
7472U066	MOS21-0288 (M,24) *	CATTLE	BORAN (24)	E18-0025 (F,24)\(Valid)	GB14-0001 (N/S,24)\(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	40732

Report Date : 27-Mar-2022 13:07

Page 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER