

Batch Detail Report

Batch : 161U
Created :12-Mar-2020 14:37
Owner :Mr Andrew Masterson
Farm :Milagro
Account : MASA01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
161U001	ACM19-0022	CATTLE	SIMMENTALE R	ACM16-0052 (F,2)(Valid)	PJO16-0053 (M,2)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U002	ACM19-0023	CATTLE	SIMMENTALE R	ACM14-0052 (F,2)(Valid)	PJO16-0053 (M,2)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U003	ACM19-0025	CATTLE	SIMMENTALE R		PJO16-0053 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U004	ACM19-0026	CATTLE	SIMMENTALE R	ACM13-0028 (F,2)(Valid)	PJO16-0053 (M,2)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U005	ACM19-0027	CATTLE	SIMMENTALE R		PN15-0462 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U006	ACM19-0030	CATTLE	SIMMENTALE R	ACM16-0043 (F,2)(Valid)	PJO16-0053 (M,2)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U007	ACM19-0031	CATTLE	SIMMENTALE R		PN15-0462 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U008	ACM19-0032	CATTLE	SIMMENTALE R		PJO16-0053 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U009	ACM19-0033	CATTLE	SIMMENTALE R		PJO16-0053 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U010	ACM19-0034	CATTLE	SIMMENTALE R		PJO16-0053 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U011	ACM19-0035	CATTLE	SIMMENTALE R		PJO16-0053 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U012	ACM19-0036	CATTLE	SIMMENTALE R	ACM14-0078 (F,2)(Valid)	PJO16-0053 (M,2)(Valid)	PAR_C	DVSV : Dam Valid, Sire	

Report Date : 17-Apr-2020 11:57

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Valid	
161U013	ACM19-0037	CATTLE	SIMMENTALE R	ACM17-0009 (F,2)(Valid)	PN15-0462 (M,2)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U014	ACM19-0038	CATTLE	SIMMENTALE R		PJO16-0053 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U015	ACM19-0039	CATTLE	SIMMENTALE R		ACM16-0024 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U016	ACM19-0040	CATTLE	SIMMENTALE R		PJO16-0053 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U017	ACM19-0041	CATTLE	SIMMENTALE R	ACM16-0008 (F,2)(Valid)	ACM16-0024 (M,2)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U018	ACM19-0042	CATTLE	SIMMENTALE R		ACM16-0024 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U019	ACM19-0043	CATTLE	SIMMENTALE R		ACM16-0024 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U020	ACM19-0044	CATTLE	SIMMENTALE R		ACM16-0024 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U021	ACM19-0045	CATTLE	SIMMENTALE R		ACM16-0024 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U022	ACM19-0046	CATTLE	SIMMENTALE R		ACM16-0024 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U023	ACM19-0047	CATTLE	SIMMENTALE R		ACM16-0024 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U024	ACM19-0049	CATTLE	SIMMENTALE R		ACM16-0024 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U025	ACM19-0050	CATTLE	SIMMENTALE R	ACM16-0046 (F,2)(Valid)	ACM16-0024 (M,2)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U026	ACM19-0051	CATTLE	SIMMENTALE R		PJO16-0053 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U027	ACM19-0052	CATTLE	SIMMENTALE		ACM16-0024 (M,2)(Valid)	PAR_C	SV :	

Report Date : 17-Apr-2020 11:57

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			R				Sire Valid.	
161U028	ACM19-0053	CATTLE	SIMMENTALE R		ACM16-0024 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U029	ACM19-0054	CATTLE	SIMMENTALE R		ACM16-0024 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U030	ACM19-0055	CATTLE	SIMMENTALE R		ACM16-0024 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U031	ACM19-0056	CATTLE	SIMMENTALE R		ACM16-0024 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U032	ACM19-0057	CATTLE	SIMMENTALE R		ACM16-0024 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U033	ACM19-0059	CATTLE	SIMMENTALE R	ACM16-0021 (F,2)(Valid)	ACM16-0024 (M,2)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U034	ACM19-0060	CATTLE	SIMMENTALE R		PJO16-0053 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U035	ACM19-0061	CATTLE	SIMMENTALE R		PJO16-0053 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U036	ACM19-0062	CATTLE	SIMMENTALE R	ACM16-0040 (F,2)(Valid)	PJO16-0053 (M,2)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U037	ACM19-0063	CATTLE	SIMMENTALE R	ACM17-0016 (F,2)(Valid)	PJO16-0053 (M,2)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U038	ACM19-0064	CATTLE	SIMMENTALE R	ACM16-0050 (F,2)(Valid)	PJO16-0053 (M,2)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U039	ACM19-0065	CATTLE	SIMMENTALE R		PJO16-0053 (M,2)(Valid)	PAR_C	SV : Sire Valid.	
161U040	ACM19-0033	CATTLE	ANGUS	ACM16-0003 (F,23)(Valid)	ACM17-0004 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U041	ACM19-0034	CATTLE	ANGUS	WB12-0073 (F,23)(Valid)	PATHFINDER (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire	

Report Date : 17-Apr-2020 11:57

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Valid	
161U042	ACM19-0035	CATTLE	ANGUS		ACM17-0004 (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U043	ACM19-0036	CATTLE	ANGUS		ACM17-0004 (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U044	ACM19-0037	CATTLE	ANGUS	ACM14-0035 (F,23)(Valid)	PATHFINDER (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U045	ACM19-0038	CATTLE	ANGUS		ACM17-0004 (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U046	ACM19-0039	CATTLE	ANGUS		ACM17-0004 (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U047	ACM19-0041	CATTLE	ANGUS	LPA12-0002 (F,23)(Valid)	ACM17-0058 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U048	ACM19-0042	CATTLE	ANGUS	HOL12-0105 (F,23)(Valid)	ACM17-0004 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U049	ACM19-0043	CATTLE	ANGUS	ACM16-0028 (F,23)(Valid)	ACM17-0004 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U050	ACM19-0044	CATTLE	ANGUS	ACM16-0028 (F,23)(Valid)	ACM17-0004 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U051	ACM19-0045	CATTLE	ANGUS	ACM16-0038 (F,23)(Valid)	ACM17-0004 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U052	ACM19-0046	CATTLE	ANGUS	ACM16-0038 (F,23)(Valid)	ACM17-0004 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U053	ACM19-0047	CATTLE	ANGUS		ACM17-0004 (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U054	ACM19-0048	CATTLE	ANGUS		PATHFINDER (M,23)(Valid)	PAR_C	SV : Sire Valid.	

Report Date : 17-Apr-2020 11:57

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
161U055	ACM19-0049	CATTLE	ANGUS	ACM11-0011 (F,23)(Valid)	POWER EYE 161X (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U056	ACM19-0050	CATTLE	ANGUS		ACM17-0021 (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U057	ACM19-0051	CATTLE	ANGUS		DKF RAZOR 55C (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U058	ACM19-0052	CATTLE	ANGUS		DECISION 98 (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U059	ACM19-0053	CATTLE	ANGUS		PATHFINDER (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U060	ACM19-0054	CATTLE	ANGUS	ACM16-0017 (F,23)(Valid)	DECISION 98 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U061	ACM19-0055	CATTLE	ANGUS	ACM14-0047 (F,23)(Valid)	ACM17-0004 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U062	ACM19-0056	CATTLE	ANGUS		CUSTOM MADE 505 (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U063	ACM19-0057	CATTLE	ANGUS		PATHFINDER (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U064	ACM19-0058	CATTLE	ANGUS	ACM17-0002 (F,23)(Valid)	DECISION 98 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U065	ACM19-0061	CATTLE	ANGUS	VL13-0029 (U,23)(Valid)	CUSTOM MADE 505 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U066	ACM19-0062	CATTLE	ANGUS		CUSTOM MADE 505 (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U067	ACM19-0063	CATTLE	ANGUS		PATHFINDER (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U068	ACM19-0064	CATTLE	ANGUS		DECISION 98 (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U069	ACM19-0065	CATTLE	ANGUS		PATHFINDER (M,23)(Valid)	PAR_C	SV :	

Report Date : 17-Apr-2020 11:57

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Sire Valid.	
161U070	ACM19-0066	CATTLE	ANGUS	SCJ16-0022 (F,23)(Valid)	CUSTOM MADE 505 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U071	ACM19-0067	CATTLE	ANGUS		ACM17-0016 (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U072	ACM19-0069	CATTLE	ANGUS		DKF RAZOR 55C (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U073	ACM19-0070	CATTLE	ANGUS		DKF RAZOR 55C (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U074	ACM19-0071	CATTLE	ANGUS	A12-0003 (F,23)(Valid)		PAR_C	DV : Dam Valid.	
161U075	ACM19-0072	CATTLE	ANGUS	ACM14-0043 (F,23)(Valid)	FG12-0132 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U076	ACM19-0073	CATTLE	ANGUS		ACM17-0016 (M,23)(Valid)	PAR_C	SV : Sire Valid.	
161U077	ACM19-0074	CATTLE	ANGUS	VL15-0030 (F,23)(Valid)	ACM17-0016 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U078	ACM19-0075	CATTLE	ANGUS	ACM16-0004 (F,23)(Valid)	ACM17-0016 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U079	ACM19-0076	CATTLE	ANGUS	ACM17-0018 (F,23)(Valid)	9164 BRUISER (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
161U080	ACM19-0077	CATTLE	ANGUS	ACM17-0029 (F,23)(Valid)	DKF RAZOR 55C (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 17-Apr-2020 11:57

Page 6

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR