



Batch Detail Report

Created : 2018-12-18

Batch : A35108
Owner : AT(Andre) Markgraaff
Farm : Groenpunt
Account :
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
A466932	GR18-0032 (F,23)	CATTLE	ANGUS (23)	RCM07-0113 (F,23)(Valid)	90AR8611 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	30310

Report Date : 27-May-2022 12:39

Page 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2021-04-28

Batch : 4278U
 Owner : AT(Andre) Markgraaff
 Farm : Groenpunt
 Account : MARKA1
 Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
4278U001	GR20-0008 (F,23)	CATTLE	ANGUS (23)	GR16-0023 (F,23)\(Valid)	GR16-0022 (M,23)\(Valid)	PAR_C	DVSV : Damm Valid, Sire Valid	37790
4278U002	GR20-0009 (M,23)	CATTLE	ANGUS (23)	GR16-0025 (F,23)\(Valid)	GR16-0022 (M,23)\(Valid)	PAR_C	DVSV : Damm Valid, Sire Valid	37790
4278U003	GR20-0010 (F,23)	CATTLE	ANGUS (23)	GR16-0040 (F,23)\(Valid)	GR16-0022 (M,23)\(Valid)	PAR_C	DVSV : Damm Valid, Sire Valid	37790
4278U004	GR20-0011 (M,23)	CATTLE	ANGUS (23)	GR16-0028 (F,23)\(Valid)	GR16-0022 (M,23)\(Valid)	PAR_C	DVSV : Damm Valid, Sire Valid	37790
4278U005	GR20-0012 (M,23)	CATTLE	ANGUS (23)	GR16-0013 (F,23)\(Valid)	GR16-0022 (M,23)\(Valid)	PAR_C	DVSV : Damm Valid, Sire Valid	37790
4278U006	GR20-0013 (M,23)	CATTLE	ANGUS (23)	RCM07-0113 (F,23)\(Valid)	DKF RAZOR 55C (M,23)\(Valid)	PAR_C	DVSV : Damm Valid, Sire Valid	37790
4278U007	GR20-0014 (M,23)	CATTLE	ANGUS (23)	RCM07-0113 (F,23)\(Valid)	DKF RAZOR 55C (M,23)\(Valid)	PAR_C	DVSV : Damm Valid, Sire Valid	37790
4278U008	GR20-0015 (F,23)	CATTLE	ANGUS (23)	GR17-0009 (F,23)\(Valid)	GR16-0022 (M,23)\(Valid)	PAR_C	DVSV : Damm Valid, Sire Valid	37790
4278U009	GR20-0016 (M,23)	CATTLE	ANGUS (23)	RCM09-0022 (F,23)\(Valid)	SER 883 (26P) (M,23)\(Valid)	PAR_C	DVSV : Damm Valid, Sire Valid	37790
4278U010	GR20-0017 (F,23)	CATTLE	ANGUS (23)	RCM13-0018 (F,23)\(Valid)	SER 883 (26P) (M,23)\(Valid)	PAR_C	DVSV : Damm Valid, Sire Valid	37790

Report Date : 27-May-2022 13:27

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
 This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
4278U011	GR20-0018 (M,23)	CATTLE	ANGUS (23)	RCM07-0113 (F,23)(Valid)	NEXUS 1378 (N/S,10)(Valid)	PAR_C	DVSU : Darn Valid, Sire Valid	37790
4278U012	GR20-0019 (F,23)	CATTLE	ANGUS (23)	GR17-0005 (F,23)(Valid)	PHD12-0052 (M,23)(Valid)	PAR_C	DVSU : Darn Valid, Sire Valid	37790
4278U013	GR20-0020 (M,23)	CATTLE	ANGUS (23)	RCM09-0022 (F,23)(Valid)	TRUMP C512 (M,23)(Valid)	PAR_C	DVSU : Darn Valid, Sire Valid	37790
4278U014	GR20-0021 (M,23)	CATTLE	ANGUS (23)	GR18-0017 (F,23)(Valid)	TRUMP C512 (M,23)(Valid)	PAR_C	DVSU : Darn Valid, Sire Valid	37790
4278U015	GR20-0022 (M,23)	CATTLE	ANGUS (23)	RCM09-0022 (F,23)(Valid)	TRUMP C512 (M,23)(Valid)	PAR_C	DVSU : Darn Valid, Sire Valid	37790
4278U016	GR20-0023 (F,23)	CATTLE	ANGUS (23)	GR18-0017 (F,23)(Valid)	TRUMP C512 (M,23)(Valid)	PAR_C	DVSU : Darn Valid, Sire Valid	37790
4278U017	GR20-0024 (F,23)	CATTLE	ANGUS (23)	RCM09-0022 (F,23)(Valid)	TRUMP C512 (M,23)(Valid)	PAR_C	DVSU : Darn Valid, Sire Valid	37790
4278U018	GR20-0025 (M,23)	CATTLE	ANGUS (23)	GR15-0023 (F,23)(Valid)	GR17-0027 (M,23)(Valid)	PAR_C	DVSU : Darn Valid, Sire Valid	37790
4278U019	GR20-0026 (M,23)	CATTLE	ANGUS (23)		GR17-0027 (M,23)(Valid)	PAR_C	SV : Sire Valid	37790
4278U020	GR20-0027 (M,23)	CATTLE	ANGUS (23)	RCM13-0018 (F,23)(Valid)	TRUMP C512 (M,23)(Valid)	PAR_C	DVSU : Darn Valid, Sire Valid	37790
4278U021	GR20-0028 (M,23)	CATTLE	ANGUS (23)	RCM13-0018 (F,23)(Valid)	TRUMP C512 (M,23)(Valid)	PAR_C	DVSU : Darn Valid, Sire Valid	37790

Report Date : 27-May-2022 13:27

Page 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
4278U022	GR20-0029 (M,23)	CATTLE	ANGUS (23)	RCM3-0018 (F,23)(Valid)	TRUMP C512 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U023	GR20-0030 (F,23)	CATTLE	ANGUS (23)	RCM09-0022 (F,23)(Valid)	TRUMP C512 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U024	GR20-0031 (F,23)	CATTLE	ANGUS (23)	RCM09-0022 (F,23)(Valid)	TRUMP C512 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U025	GR20-0032 (M,23)	CATTLE	ANGUS (23)	GR12-0064 (F,23)(Valid)		PAR_C	DV/mNSX : Dam Valid, Multiple Nominated Sires Excluded	37790
4278U026	GR20-0033 (F,23)	CATTLE	ANGUS (23)	HR07-0714 (F,23)(Valid)	PHD17-0110 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U027	GR20-0034 (F,23)	CATTLE	ANGUS (23)	GR18-0017 (F,23)(Valid)	GR18-0012 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U028	GR20-0035 (M,23)	CATTLE	ANGUS (23)	GR17-0015 (F,23)(Valid)	GR18-0014 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U029	GR20-0036 (F,23)	CATTLE	ANGUS (23)	GR18-0015 (F,23)(Valid)	GR18-0012 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U030	GR20-0037 (F,23)	CATTLE	ANGUS (23)	GR17-0011 (F,23)(Valid)	GR18-0012 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U031	GR20-0038 (M,23)	CATTLE	ANGUS (23)	GR18-0011 (F,23)(Valid)	GR18-0012 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U032	GR20-0039 (F,23)	CATTLE	ANGUS (23)	GR17-0028 (F,23)(Valid)	GR18-0012 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U033	GR20-0041 (M,23)	CATTLE	ANGUS (23)	GR18-0003 (F,23)(Valid)	GR18-0012 (M,23)(Valid)	PAR_C	DVSV :	37790

Report Date : 27-May-2022 13:27

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.

This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
4278U034	GR20-0042 (F,23)	CATTLE	ANGUS (23)	RCM07-0113 (F,23)\Valid)	GR17-0027 (M,23)\Valid)	PAR_C	DVSV : Darn Valid, Sire Valid	37790
4278U035	GR20-0043 (M,23)	CATTLE	ANGUS (23)	GR11-0015 (F,23)\Valid)		PAR_C	DV\mNSX : Darn Valid, Multiple Nominated Sires Excluded	37790
4278U036	GR20-0044 (M,23)	CATTLE	ANGUS (23)	GR17-0016 (F,23)\Valid)		PAR_C	DV\mNSX : Darn Valid, Multiple Nominated Sires Excluded	37790
4278U037	GR20-0045 (F,23)	CATTLE	ANGUS (23)	GR16-0010 (F,23)\Valid)	PHD12-0052 (M,23)\Valid)	PAR_C	DVSV : Darn Valid, Sire Valid	37790
4278U038	GR20-0046 (F,23)	CATTLE	ANGUS (23)	GR16-0027 (F,23)\Valid)	PHD12-0052 (M,23)\Valid)	PAR_C	DVSV : Darn Valid, Sire Valid	37790
4278U039	GR20-0047 (F,23)	CATTLE	ANGUS (23)	GR16-0039 (F,23)\Valid)		PAR_C	DV\mNSX : Darn Valid, Multiple Nominated Sires Excluded	37790
4278U040	GR20-0048 (F,23)	CATTLE	ANGUS (23)	GR16-0023 (F,23)\Valid)	GR17-0027 (M,23)\Valid)	PAR_C	DVSV : Darn Valid, Sire Valid	37790
4278U041	GR20-0049 (M,23)	CATTLE	ANGUS (23)	GR11-0007 (F,23)\Valid)	GR17-0027 (M,23)\Valid)	PAR_C	DVSV : Darn Valid, Sire Valid	37790
4278U042	GR20-0051 (F,23)	CATTLE	ANGUS (23)	GR16-0025 (F,23)\Valid)	GR17-0027 (M,23)\Valid)	PAR_C	DVSV : Darn Valid, Sire Valid	37790
4278U043	GR20-0052 (M,23)	CATTLE	ANGUS (23)	GR12-0050 (F,23)\Valid)	PHD12-0052 (M,23)\Valid)	PAR_C	DVSV : Darn Valid, Sire Valid	37790

Report Date : 27-May-2022 13:27

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
4278U044	GR20-0053 (F,23)	CATTLE	ANGUS (23)	GR16-0044 (F,23)(Valid)	PHD12-0052 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U045	GR21-0001 (M,23)	CATTLE	ANGUS (23)	GR16-0031 (F,23)(Valid)	PHD12-0052 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U046	GR21-0002 (M,23)	CATTLE	ANGUS (23)	GR13-0084 (F,23)(Valid)	GR18-0014 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U047	GR21-0003 (F,23)	CATTLE	ANGUS (23)	GR17-0008 (F,23)(Valid)	PHD12-0052 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U048	GR21-0004 (M,23)	CATTLE	ANGUS (23)	GR17-0007 (F,23)(Valid)	GR18-0014 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U049	GR21-0005 (F,23)	CATTLE	ANGUS (23)	GR15-0017 (F,23)(Valid)	GR18-0014 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U050	GR21-0006 (M,23)	CATTLE	ANGUS (23)	PV07-0093 (F,23)(Valid)	PHD12-0052 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U051	GR21-0007 (F,23)	CATTLE	ANGUS (23)	GR10-0006 (F,23)(Valid)	GR17-0027 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U052	GR21-0008 (M,23)	CATTLE	ANGUS (23)	GR13-0111 (F,23)(Valid)	GR18-0014 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U053	GR21-0009 (M,23)	CATTLE	ANGUS (23)		GR18-0014 (M,23)(Valid)	PAR_C	SV : Sire Valid	37790
4278U054	GR21-0010 (M,23)	CATTLE	ANGUS (23)	GR18-0006 (F,23)(Valid)	GR18-0014 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790
4278U055	GR21-0011 (M,23)	CATTLE	ANGUS (23)	GR17-0009 (F,23)(Valid)	GR17-0027 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	37790

Report Date : 27-May-2022 13:27

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
4278U066	GR21-0012 (F,23)	CATTLE	ANGUS (23)	GR15-0011 (F,23)\Valid	PHD17-0070 (M,23)\Valid	PAR_C	DVSV : Darn Valid, Sire Valid	37790
4278U057	GR21-0013 (F,23)	CATTLE	ANGUS (23)	GR12-0044 (F,23)\Valid	PHD17-0070 (M,23)\Valid	PAR_C	DVSV : Darn Valid, Sire Valid	37790
4278U058	GR21-0014 (M,23)	CATTLE	ANGUS (23)	GR16-0032 (F,23)\Valid	GR18-0014 (M,23)\Valid	PAR_C	DVSV : Darn Valid, Sire Valid	37790
4278U059	GR21-0016 (M,23)	CATTLE	ANGUS (23)	GR14-0024 (F,23)\Valid	PHD17-0070 (M,23)\Valid	PAR_C	DVSV : Darn Valid, Sire Valid	37790
4278U060	GR21-0017 (M,23)	CATTLE	ANGUS (23)	GR14-0026 (F,23)\Valid	GR18-0014 (M,23)\Valid	PAR_C	DVSV : Darn Valid, Sire Valid	37790
4278U061	GR21-0019 (M,23)	CATTLE	ANGUS (23)	GR17-0037 (F,23)\Valid	GR18-0014 (M,23)\Valid	PAR_C	DVSV : Darn Valid, Sire Valid	37790
4278U062	GR21-0020 (M,23)	CATTLE	ANGUS (23)	GR09-0018 (F,23)\Valid	GR18-0014 (M,23)\Valid	PAR_C	DVSV : Darn Valid, Sire Valid	37790
4278U063	GR21-0021 (M,23)	CATTLE	ANGUS (23)	GR16-0040 (F,23)\Valid	PHD17-0070 (M,23)\Valid	PAR_C	DVSV : Darn Valid, Sire Valid	37790
4278U064	GR21-0022 (M,23)	CATTLE	ANGUS (23)	GR11-0029 (F,23)\Valid	GR18-0012 (M,23)\Valid	PAR_C	DVSV : Darn Valid, Sire Valid	37790
4278U065	GR21-0023 (M,23)	CATTLE	ANGUS (23)	GR15-0005 (F,23)\Valid	PHD17-0070 (M,23)\Valid	PAR_C	DVSV : Darn Valid, Sire Valid	37790
4278U066	GR21-0024 (F,23)	CATTLE	ANGUS (23)	GR14-0034 (F,23)\Valid	PHD17-0070 (M,23)\Valid	PAR_C	DVSV : Darn Valid, Sire Valid	37790

Report Date : 27-May-2022 13:27

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract