

Batch Detail Report

Batch : 3062U

Owner : Charles/Chris Krugell

Farm : Nooitgedacht

Account : KRUGC1

Invoice To : Owner

Created : 2021-01-04

— 059 6114 BON —

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
3062U001	CKB18-0009 (M,1)	CATTLE	BONSMARA (1)		SYF13-0244 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U001	CKB18-0009 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U001	CKB18-0009 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
3062U001	CKB18-0009 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
3062U002	CKB18-0023 (M,1)	CATTLE	BONSMARA (1)		SYF13-0244 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U002	CKB18-0023 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U002	CKB18-0023 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
3062U002	CKB18-0023 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8HET : Myostatin - nt821 Heterozygote	
3062U003	CKB18-0039 (M,1)	CATTLE	BONSMARA (1)		BBM07-0055 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U003	CKB18-0039 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U003	CKB18-0039 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	

Report Date : 22-Jan-2021 16:23

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
3062U003	CKB18-0039 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
3062U004	CKB18-0048 (M,1)	CATTLE	BONSMARA (1)		AG10-0080 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U004	CKB18-0048 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U004	CKB18-0048 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
3062U004	CKB18-0048 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
3062U005	CKB18-0050 (M,1)	CATTLE	BONSMARA (1)		BBM07-0055 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U005	CKB18-0050 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U005	CKB18-0050 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
3062U005	CKB18-0050 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
3062U006	CKB18-0053 (M,1)	CATTLE	BONSMARA (1)			PAT_C	mNSX : Multiple Nominated Sires Excluded	
3062U006	CKB18-0053 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U006	CKB18-0053 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
3062U006	CKB18-0053 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	

Report Date : 22-Jan-2021 16:23

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
3062U007	CKB18-0054 (M,1)	CATTLE	BONSMARA (1)		SYF12-0042 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U007	CKB18-0054 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U007	CKB18-0054 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
3062U007	CKB18-0054 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
3062U008	CKB18-0055 (M,1)	CATTLE	BONSMARA (1)		SYF12-0042 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U008	CKB18-0055 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U008	CKB18-0055 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
3062U008	CKB18-0055 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
3062U009	CKB18-0060 (M,1)	CATTLE	BONSMARA (1)		SYF12-0042 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U009	CKB18-0060 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U009	CKB18-0060 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
3062U009	CKB18-0060 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
3062U010	CKB18-0081 (M,1)	CATTLE	BONSMARA (1)		CKB14-0035 (U,1)(Valid)	PAT_C	SV : Sire Valid	

Report Date : 22-Jan-2021 16:23

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
3062U010	CKB18-0081 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U010	CKB18-0081 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
3062U010	CKB18-0081 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
3062U011	CKB18-0088 (M,1)	CATTLE	BONSMARA (1)		CKB14-0035 (U,1)(Valid)	PAT_C	SV : Sire Valid	
3062U011	CKB18-0088 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U011	CKB18-0088 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
3062U011	CKB18-0088 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
3062U012	CKB18-0089 (M,1)	CATTLE	BONSMARA (1)		CKB15-0036 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U012	CKB18-0089 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U012	CKB18-0089 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
3062U012	CKB18-0089 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
3062U013	CKB18-0101 (M,1)	CATTLE	BONSMARA (1)		CKB14-0035 (U,1)(Valid)	PAT_C	SV : Sire Valid	
3062U013	CKB18-0101 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	

Report Date : 22-Jan-2021 16:23

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
3062U013	CKB18-0101 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
3062U013	CKB18-0101 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
3062U014	CKB18-0103 (M,1)	CATTLE	BONSMARA (1)		SYF15-0097 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U014	CKB18-0103 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U014	CKB18-0103 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
3062U014	CKB18-0103 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
3062U015	CKB18-0116 (M,1)	CATTLE	BONSMARA (1)		CKB15-0015 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U015	CKB18-0116 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U015	CKB18-0116 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
3062U015	CKB18-0116 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
3062U016	CKB18-0117 (M,1)	CATTLE	BONSMARA (1)		SYF13-0244 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U016	CKB18-0117 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U016	CKB18-0117 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	

Report Date : 22-Jan-2021 16:23

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
3062U016	CKB18-0117 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8HET : Myostatin - nt821 Heterozygote	
3062U017	CKB18-0118 (M,1)	CATTLE	BONSMARA (1)		SYF13-0244 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U017	CKB18-0118 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U017	CKB18-0118 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
3062U017	CKB18-0118 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8HET : Myostatin - nt821 Heterozygote	
3062U018	CKB18-0121 (M,1)	CATTLE	BONSMARA (1)		SYF13-0244 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U018	CKB18-0121 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U018	CKB18-0121 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
3062U018	CKB18-0121 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8HET : Myostatin - nt821 Heterozygote	
3062U019	CKB18-0125 (M,1)	CATTLE	BONSMARA (1)		CKB15-0015 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U019	CKB18-0125 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U019	CKB18-0125 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
3062U019	CKB18-0125 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	

Report Date : 22-Jan-2021 16:23

Page 6

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
3062U020	CKB18-0137 (M,1)	CATTLE	BONSMARA (1)		CKB15-0015 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U020	CKB18-0137 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U020	CKB18-0137 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
3062U020	CKB18-0137 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
3062U021	CKB19-0026 (M,1)	CATTLE	BONSMARA (1)		LAR14-0173 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U021	CKB19-0026 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U021	CKB19-0026 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
3062U021	CKB19-0026 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
3062U022	CKB19-0037 (M,1)	CATTLE	BONSMARA (1)		LAR14-0173 (M,1)(Valid)	PAT_C	SV : Sire Valid	
3062U022	CKB19-0037 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U022	CKB19-0037 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
3062U022	CKB19-0037 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
3062U023	CKB19-0100 (M,1)	CATTLE	BONSMARA (1)		CKB15-0076 (M,1)(Valid)	PAT_C	SV : Sire Valid	

Report Date : 22-Jan-2021 16:23

Page 7

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
3062U023	CKB19-0100 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
3062U023	CKB19-0100 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
3062U023	CKB19-0100 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	

Report Date : 22-Jan-2021 16:23

Page 8

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR