

Subject: FW: Opgedateerde Resultate Bondel 114U
From: "Electro Contact" <electact@afol.com.na>
Date: 2022/07/07, 17:29
To: "'Lea Jonker'" <lea@studbook.co.za>

Dag Lea.

Kan u asseblief vir my die volgende bulle se myostatin resultate (aangehegte) op Logix intrek : ERH19-128,ERH19-140; ERH19-152 ;ERH20-05 ; ERH20-06 ; ERH20-10 ; ERH20-12 & ERH20-15.

+ ERH 19 - 156

Groete.

Edward.

From: Johanita Schoeman <jschoeman@unistelmedical.co.za>
Sent: Tuesday, 19 October 2021 3:38 pm
To: electact@mweb.com.na
Subject: Opgedateerde Resultate Bondel 114U

Goeiemiddag,

Ek vertrou dit gaan goed.

Vind asseblief aangeheg die opgedateerde resultate vir **Bondel 114U** (verwys asb na die myostatin resultate).

Ons waardeer julle ondersteuning en sien uit daarna om spoedig weer saam te werk.

Mooi dag verder.

Batch Detail Report

Batch : 114U
 Owner :ER (Edward) Hansen
 Farm :Emok Bonsmarastoet
 Account :
 Invoice To : Owner

Created : 2020-03-05

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
114U001	ERH17-0032 (M,1)	CATTLE	BONSMARA (1)		HART06-0074 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U002	ERH17-0041 (M,1)	CATTLE	BONSMARA (1)		ERH13-0044 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U003	ERH17-0042 (M,1)	CATTLE	BONSMARA (1)		HART11-0121 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U004	ERH17-0047 (M,1)	CATTLE	BONSMARA (1)		ERH13-0167 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U005	ERH17-0060 (M,1)	CATTLE	BONSMARA (1)		ERH13-0167 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U006	ERH17-0065 (M,1)	CATTLE	BONSMARA (1)		ERH13-0044 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U007	ERH17-0067 (M,1)	CATTLE	BONSMARA (1)		ERH13-0044 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U008	ERH17-0068 (M,1)	CATTLE	BONSMARA (1)		ERH13-0167 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U009	ERH17-0069 (M,1)	CATTLE	BONSMARA (1)		LMR13-0028 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U010	ERH17-0073 (M,1)	CATTLE	BONSMARA (1)		HART11-0121 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U011	ERH17-0078 (M,1)	CATTLE	BONSMARA (1)		LMR13-0028 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U012	ERH17-0080 (M,1)	CATTLE	BONSMARA (1)	ERH07-0073 (F,1)(Valid)	ERH13-0044 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34080
114U013	ERH17-0090 (M,1)	CATTLE	BONSMARA (1)		HART06-0074 (M,1)(Valid)	PAT_C	SV : Sire Valid.	34080

Report Date : 18-Oct-2021 15:58

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
 DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
114U014	ERH17-0092 (M,1)	CATTLE	BONSMARA (1)		HART06-0074 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U015	ERH17-0100 (M,1)	CATTLE	BONSMARA (1)		HART11-0121 (M,1)(Valid)	PAT_C	SV : Sire Valid.	34080
114U016	ERH17-0108 (M,1)	CATTLE	BONSMARA (1)		ERH13-0044 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U017	ERH17-0110 (M,1)	CATTLE	BONSMARA (1)		HART11-0121 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U018	ERH17-0135 (M,1)	CATTLE	BONSMARA (1)		HART06-0074 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U019	ERH17-0136 (M,1)	CATTLE	BONSMARA (1)		LMR13-0028 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U020	ERH17-0137 (M,1)	CATTLE	BONSMARA (1)		ERH11-0015 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U021	ERH17-0139 (M,1)	CATTLE	BONSMARA (1)		ERH13-0050 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U022	ERH17-0146 (M,1)	CATTLE	BONSMARA (1)	ERH14-0056 (F,1)(Valid)	LMR13-0028 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34080
114U023	ERH17-0148 (M,1)	CATTLE	BONSMARA (1)		HART06-0074 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U024	ERH17-0159 (M,1)	CATTLE	BONSMARA (1)		HART11-0121 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U025	ERH17-0161 (M,1)	CATTLE	BONSMARA (1)	ERH14-0148 (F,1)(Valid)	ERH13-0067 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34080
114U026	ERH17-0170 (M,1)	CATTLE	BONSMARA (1)		HART11-0121 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U027	ERH17-0175 (M,1)	CATTLE	BONSMARA (1)		HART06-0074 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U028	ERH17-0181 (M,1)	CATTLE	BONSMARA (1)		ERH11-0015 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U029	ERH17-0187 (M,1)	CATTLE	BONSMARA	ERH15-0001 (F,1)(Valid)	LMR13-0028 (M,1)(Valid)	PAR_C	DVSV :	34080

Report Date : 18-Oct-2021 15:58

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Dam Valid, Sire Valid	
114U030	ERH17-0189 (M,1)	CATTLE	BONSMARA (1)		LMR13-0028 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U031	ERH17-0191 (M,1)	CATTLE	BONSMARA (1)		LMR13-0028 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U032	ERH17-0195 (M,1)	CATTLE	BONSMARA (1)	ERH08-0098 (F,1)(Valid)	ERH13-0165 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34080
114U033	ERH17-0197 (M,1)	CATTLE	BONSMARA (1)		ERH13-0165 (M,1)(Valid)	PAT_C	SV : Sire Valid.	34080
114U034	ERH17-0199 (M,1)	CATTLE	BONSMARA (1)		ERH13-0167 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U035	ERH17-0203 (M,1)	CATTLE	BONSMARA (1)		ERH13-0050 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U036	ERH18-0006 (M,1)	CATTLE	BONSMARA (1)		ERH13-0050 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U037	ERH18-0009 (M,1)	CATTLE	BONSMARA (1)	ERH07-0025 (F,1)(Valid)	HART11-0121 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34080
114U038	ERH18-0011 (M,1)	CATTLE	BONSMARA (1)	ERH14-0076 (F,1)(Valid)	ERH13-0165 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34080
114U039	ERH19-0119 (M,1)	CATTLE	BONSMARA (1)		NFS14-0056 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U039	ERH19-0119 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
114U040	ERH19-0125 (F,1)	CATTLE	BONSMARA (1)		NFS14-0056 (M,1)(Valid)	PAT_C	SV : Sire Valid.	34080
114U041	ERH19-0126 (F,1)	CATTLE	BONSMARA (1)		NFS14-0056 (M,1)(Valid)	PAT_C	SV : Sire Valid.	34080
114U042	ERH19-0127 (F,1)	CATTLE	BONSMARA (1)		LMR12-0260 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080

Report Date : 18-Oct-2021 15:58

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
114U043	ERH19-0128 (M,1)	CATTLE	BONSMARA (1)		NFS14-0056 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U043	ERH19-0128 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
114U044	ERH19-0130 (F,1)	CATTLE	BONSMARA (1)	ERH11-0065 (F,1)(Valid)		PAR_C	DVSV : Dam Valid, Sire Valid	34080
114U045	ERH19-0137 (M,1)	CATTLE	BONSMARA (1)		LMR12-0260 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U046	ERH19-0138 (F,1)	CATTLE	BONSMARA (1)		NFS14-0056 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U047	ERH19-0140 (M,1)	CATTLE	BONSMARA (1)		LMR12-0260 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U047	ERH19-0140 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
114U048	ERH19-0144 (F,1)	CATTLE	BONSMARA (1)		LMR12-0260 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U049	ERH19-0152 (M,1)	CATTLE	BONSMARA (1)		NFS14-0056 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U049	ERH19-0152 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
114U050	ERH19-0153 (M,1)	CATTLE	BONSMARA (1)		NFS14-0056 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U051	ERH19-0154 (F,1)	CATTLE	BONSMARA (1)		NFS14-0056 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U052	ERH19-0156 (M,1)	CATTLE	BONSMARA (1)		NFS14-0056 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U052	ERH19-0156 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
114U053	ERH19-0158 (F,1)	CATTLE	BONSMARA		LMR12-0260 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080

Report Date : 18-Oct-2021 15:58

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
114U054	ERH20-0003 (F.1)	CATTLE	BONSMARA (1)	ERH11-0079 (F.1)(Valid)	LMR12-0260 (M.1)(Valid)	PAR_C	Sire Valid. DVS : Dam Valid, Sire Valid	34080
114U055	ERH20-0004 (F.1)	CATTLE	BONSMARA (1)		LMR12-0260 (M.1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U056	ERH20-0005 (M.1)	CATTLE	BONSMARA (1)		LMR12-0260 (M.1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U056	ERH20-0005 (M.1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
114U057	ERH20-0006 (M.1)	CATTLE	BONSMARA (1)		HART14-0127 (M.1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U057	ERH20-0006 (M.1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
114U058	ERH20-0009 (F.1)	CATTLE	BONSMARA (1)		HART14-0127 (M.1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U059	ERH20-0010 (M.1)	CATTLE	BONSMARA (1)		HART14-0127 (M.1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U059	ERH20-0010 (M.1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
114U060	ERH20-0011 (F.1)	CATTLE	BONSMARA (1)		WBB14-0127 (N/S.1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U061	ERH20-0012 (M.1)	CATTLE	BONSMARA (1)		WBB14-0127 (N/S.1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U061	ERH20-0012 (M.1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
114U062	ERH20-0013 (M.1)	CATTLE	BONSMARA (1)		WBB14-0127 (N/S.1)(Valid)	PAT_C	SV : Sire Valid.	34080
114U063	ERH20-0015 (M.1)	CATTLE	BONSMARA (1)		WBB14-0127 (N/S.1)(Valid)	PAR_C	SV : Sire Valid.	34080

Report Date : 18-Oct-2021 15:58

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
114U063	ERH20-0015 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
114U064	ERH20-0017 (F,1)	CATTLE	BONSMARA (1)		WBB14-0127 (N/S,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U065	ERH20-0018 (F,1)	CATTLE	BONSMARA (1)		HART14-0127 (M,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U066	ERH20-0019 (F,1)	CATTLE	BONSMARA (1)		WBB14-0127 (N/S,1)(Valid)	PAR_C	SV : Sire Valid.	34080
114U067	ERH20-0021 (F,1)	CATTLE	BONSMARA (1)		WBB14-0127 (N/S,1)(Valid)	PAR_C	SV : Sire Valid.	34080

Report Date : 18-Oct-2021 15:58

Page 6

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER