



Batch Detail Report

Batch : 6117U
Owner : Erhard Prinsloo
Farm : Dream World
Account : PRINE1
Invoice To : Owner

Created : 2021-09-18

6117U001	DWIB19-0404 (M,31)	CATTLE	BEEFMASTER (31)	SCH14-0289 (M,31)(Valid)	PAR_C	SV : Sire Valid
6117U001	DWIB19-0404 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	niBNOR : Myostatin - ni821 Normal
6117U002	DWIB19-0435 (M,31)	CATTLE	BEEFMASTER (31)	SP13-0070 (M,31)(Valid)	PAR_C	SV : Sire Valid
6117U002	DWIB19-0435 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	niBNOR : Myostatin - ni821 Normal
6117U003	DWIB19-0436 (M,31)	CATTLE	BEEFMASTER (31)	WO13-0129 (M,31)(Valid)	PAR_C	SV : Sire Valid
6117U003	DWIB19-0436 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	niBNOR : Myostatin - ni821 Normal
6117U004	DWIB19-0437 (M,31)	CATTLE	BEEFMASTER (31)	SP13-0070 (M,31)(Valid)	PAR_C	SV : Sire Valid
6117U004	DWIB19-0437 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	niBNOR : Myostatin - ni821 Normal
6117U005	DWIB19-0449 (M,31)	CATTLE	BEEFMASTER (31)	SP13-0070 (M,31)(Valid)	PAR_C	SV : Sire Valid
6117U005	DWIB19-0449 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	niBNOR : Myostatin - ni821 Normal
6117U006	DWIB19-0814 (M,31)	CATTLE	BEEFMASTER (31)		PAR_C	mNSX : Multiple Normalled Sires Excluded

Report Date : 14-Oct-2021 16:47

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

6117U006	DWIB19-0814 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	ni8NOR : Myostatin - nt821 Normal
6117U007	DWIB19-0817 (M,31)	CATTLE	BEEFMASTER (31)		PAR_C	niNSX : Multiple Nominated Sires Excluded
6117U007	DWIB19-0817 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	ni8NOR : Myostatin - nt821 Normal
6117U008	DWIB19-0914 (M,31)	CATTLE	BEEFMASTER (31)		PAR_C	niNSX : Multiple Nominated Sires Excluded
6117U008	DWIB19-0914 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	ni8NOR : Myostatin - nt821 Normal
6117U009	DWIB19-0925 (M,31)	CATTLE	BEEFMASTER (31)	FRJ13.G438 (N/S,31)(Valid)	PAR_C	SV : Sire Valid
6117U009	DWIB19-0925 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	ni8NOR : Myostatin - nt821 Normal
6117U010	DWIB19-0926 (M,31)	CATTLE	BEEFMASTER (31)	FRJ13.G438 (N/S,31)(Valid)	PAR_C	SV : Sire Valid
6117U010	DWIB19-0926 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	ni8NOR : Myostatin - nt821 Normal
6117U011	DWIB19-0930 (M,31)	CATTLE	BEEFMASTER (31)	FRJ14-0263 (M,31)(Valid)	PAR_C	SV : Sire Valid
6117U011	DWIB19-0930 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	ni8NOR : Myostatin - nt821 Normal
6117U012	DWIB19-0931 (M,31)	CATTLE	BEEFMASTER (31)		PAR_C	HER01 : Repeat sample is requested
6117U012	DWIB19-0931 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	ni8NOR : Myostatin - nt821 Normal

Report Date : 14-Oct-2021 16:47

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

6117U013	DWIB19-0933 (M,31)	CATTLE	BEEFMASTER (31)	FRJ14-0116 (M,31)(Valid)	PAR_C	SV : Sire Valid
6117U013	DWIB19-0933 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	nBNOR : Myostatin - nt821 Normal
6117U014	DWIB19-0943 (M,31)	CATTLE	BEEFMASTER (31)	FRJ14-0116 (M,31)(Valid)	PAR_C	SV : Sire Valid
6117U014	DWIB19-0943 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	nBNOR : Myostatin - nt821 Normal
6117U015	DWIB19-0944 (M,31)	CATTLE	BEEFMASTER (31)	FRJ13-0193 (N/S,31)(Valid)	PAR_C	SV : Sire Valid
6117U015	DWIB19-0944 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	nBNOR : Myostatin - nt821 Normal
6117U016	DWIB19-0946 (M,31)	CATTLE	BEEFMASTER (31)	TD14-0040 (M,31)(Valid)	PAR_C	SV : Sire Valid
6117U016	DWIB19-0946 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	nBNOR : Myostatin - nt821 Normal
6117U017	DWIB19-0947 (M,31)	CATTLE	BEEFMASTER (31)		PAR_C	mNSX : Multiple Nominated Sires Excluded
6117U017	DWIB19-0947 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	nBNOR : Myostatin - nt821 Normal
6117U018	DWIB19-0948 (M,31)	CATTLE	BEEFMASTER (31)	FRJ14-0116 (M,31)(Valid)	PAR_C	SV : Sire Valid
6117U018	DWIB19-0948 (M,31)	CATTLE	BEEFMASTER (31)		DMG-3_C	nBNOR : Myostatin - nt821 Heterozygote
6117U019	DWIB19-0957 (M,31)	CATTLE	BEEFMASTER (31)		PAR_C	mNSX : Multiple Nominated Sires Excluded
6117U019	DWIB19-0957 (M,31)	CATTLE	BEEFMASTER		DMG-3_C	nBNOR :

Report Date : 14-Oct-2021 16:47

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

Myostatin - nt821
NormalSV :
Sire Validnt8NOR :
Myostatin - nt821
NormalSV :
Sire Validnt8NOR :
Myostatin - nt821
NormalSV :
Sire Validnt8NOR :
Myostatin - nt821
NormalmNSX :
Multiple Nominated
Sires Excludednt8NOR :
Myostatin - nt821
NormalSV :
Sire Validnt8NOR :
Myostatin - nt821
NormalmNSX :
Multiple Nominated
Sires Excludednt8NOR :
Myostatin - nt821
NormalmNSX :
Multiple Nominated
Sires Excluded

(31)

BEEFMASTER
(31)BEEFMASTER
(31)BEEFMASTER
(31)BEEFMASTER
(31)BEEFMASTER
(31)BEEFMASTER
(31)BEEFMASTER
(31)BEEFMASTER
(31)BEEFMASTER
(31)BEEFMASTER
(31)BEEFMASTER
(31)BEEFMASTER
(31)BEEFMASTER
(31)

6117U020 DWIB19-0969 (M,31)

6117U020 DWIB19-0969 (M,31)

6117U021 DWIB19-0976 (M,31)

6117U021 DWIB19-0976 (M,31)

6117U022 DWIB19-0980 (M,31)

6117U022 DWIB19-0980 (M,31)

6117U023 DWIB19-0982 (M,31)

6117U023 DWIB19-0982 (M,31)

6117U024 DWIB19-0985 (M,31)

6117U024 DWIB19-0985 (M,31)

6117U025 DWIB19-1001 (M,31)

6117U025 DWIB19-1001 (M,31)

6117U026 DWIB19-1009 (M,31)

CATTLE

CATTLE

CATTLE

CATTLE

CATTLE

CATTLE

CATTLE

CATTLE

CATTLE

CATTLE

CATTLE

CATTLE

CATTLE

FRJ13-0193 (N/S,31)(Valid)

FRJ13-G438 (N/S,31)(Valid)

FRJ14-0263 (M,31)(Valid)

FRJ13-G438 (N/S,31)(Valid)

PAR_C

DMG-3_C

PAR_C

DMG-3_C

PAR_C

DMG-3_C

PAR_C

DMG-3_C

PAR_C

DMG-3_C

PAR_C

DMG-3_C

PAR_C

Report Date : 14-Oct-2021 16:47

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

Multiple Nominated
Sires Excluded

nt8NOR :
Myostatin - nt821
Normal

ntNSX :
Multiple Nominated
Sires Excluded

nt8NOR :
Myostatin - nt821
Normal

(31)

BEEFMASTER
(31)

BEEFMASTER
(31)

BEEFMASTER
(31)

CATTLE

CATTLE

CATTLE

6117U026 DWIB19-1009 (M,31)

6117U027 DWIB19-1073 (M,31)

6117U027 DWIB19-1073 (M,31)

DMG-3_C

PAR_C

DMG-3_C

Report Date : 14-Oct-2021 16:47

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER