

Batch Detail Report

Batch : 9481U
Owner :Arthur de Villiers
Farm :Arthur De Villiers and Son
Account : ADV01
Origin : PRIVATE
Invoice To : Owner

Created : 2022-07-01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
9481U001	AG13-0235 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U002	AG13-0236 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U003	AG13-0521 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
9481U004	AG15-0313 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U005	AG15-0321 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U006	AG15-0451 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U007	AG15-0785 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U008	AG16-0388 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U009	AG16-0410 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	

Report Date : 13-Jul-2022 12:05

Page 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.

This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
9481U010	AG16-0465 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U011	AG16-0795 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U012	AG17-0173 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U013	AG17-0238 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U014	AG17-0287 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U015	AG17-0504 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U016	AG18-0116 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U017	AG18-0330 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U018	AG18-0344 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U019	AG18-0541 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
9481U020	AG18-0971 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
9481U021	AG18-0998 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X	
Report Date : 13-Jul-2022 12:05								
Page 2								
Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract CHARNÉ ROSSOUW DIVISION MANAGER								

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
9481U022	AG19-0179 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	Normal
9481U023	AG19-0227 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
9481U024	AG19-0252 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U025	AG19-0275 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U026	AG19-0414 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U027	AG19-0577 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U028	AG19-0743 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U029	AG19-0867 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U030	AG19-1012 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U031	AG20-0002 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U032	AG20-0022 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	

Report Date : 13-Jul-2022 12:05

Page 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
 This Certificate replaces all previously issued certificates.

Disclaimer:
 While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
 DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
9481U045	AG20-0080 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U046	AG20-0085 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
9481U047	AG20-0087 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U048	AG20-0088 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U049	AG20-0094 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U050	AG20-0096 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U051	AG20-0101 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U052	AG20-0106 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
9481U053	AG20-0108 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
9481U054	AG20-0110 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U055	AG20-0111 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	

Report Date : 13-Jul-2022 12:05

Page 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW

DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
9481U114	AG20-0294 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
9481U115	AG20-0295 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U116	AG20-0299 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
9481U117	AG20-0300 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U118	AG20-0306 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U119	AG20-0308 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U120	AG20-0310 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U121	AG20-0311 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U122	AG20-0312 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U123	AG20-0314 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U124	AG20-0318 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	

Report Date : 13-Jul-2022 12:05

Page 11

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:
While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW

DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
9481U137	AG20-0358 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U138	AG20-0361 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
9481U139	AG20-0363 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U140	AG20-0364 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U141	AG20-0365 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
9481U142	AG20-0368 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U143	AG20-0369 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
9481U144	AG20-0373 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
9481U145	AG20-0374 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U146	AG20-0382 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
9481U147	AG20-0383 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	

Report Date : 13-Jul-2022 12:05

Page 13

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
 This Certificate replaces all previously issued certificates.

Disclaimer:
 While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
 DIVISION MANAGER