

Batch Detail Report

Batch : #87000

Created :25-Feb-2020 12:52

Owner :Francois Malan

Farm :Springboklaagte/Frantasha Bonsmaras

Account : MALF01

Via : #Breeder Society

SAMPLE #	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
#87001	FTB19-0073	CATTLE	BONSMARA	FTB17-0009 (F,1)(Valid)	WAT16-0075 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
#87002	FTB19-0074	CATTLE	BONSMARA	FTB16-0009 (F,1)(Valid)	WAT16-0075 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
#87003	FTB19-0075	CATTLE	BONSMARA	FTB16-0010 (F,1)(Valid)	WAT16-0075 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
#87004	FTB19-0076	CATTLE	BONSMARA	FTB17-0005 (F,1)(Valid)	WAT16-0075 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
#87005	FTB19-0077	CATTLE	BONSMARA	FTB16-0017 (F,1)(Valid)	FTB16-0014 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
#87006	FTB19-0078	CATTLE	BONSMARA		FTB16-0014 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
#87007	FTB19-0079	CATTLE	BONSMARA		HDT14-0092 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
#87008	FTB19-0080	CATTLE	BONSMARA	FTB14-0008 (F,1)(Valid)	JCV13-0237 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
#87009	FTB19-0083	CATTLE	BONSMARA		JCV13-0237 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
#87010	FTB19-0092	CATTLE	BONSMARA	WVZ12-0127 (F,1)(Valid)	JCV13-0237 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
#87011	FTB19-0093	CATTLE	BONSMARA	AG08-0836 (F,1)(Valid)	JCV13-0237 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 17-Mar-2020 15:45

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE #	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
#87012	FTB19-0094	CATTLE	BONSMARA		JCV13-0237 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
#87013	FTB20-0030	CATTLE	BONSMARA		SYF13-0082 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
#87014	FTB19-0081	CATTLE	BONSMARA		JCV13-0237 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
#87015	FTB19-0084	CATTLE	BONSMARA		JCV13-0237 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
#87016	FTB19-0085	CATTLE	BONSMARA		JCV13-0237 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
#87017	FTB19-0086	CATTLE	BONSMARA		WAT16-0075 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
#87018	FTB19-0087	CATTLE	BONSMARA		WAT16-0075 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
#87019	FTB19-0089	CATTLE	BONSMARA	AG08-0350 (F,1)(Valid)	JCV13-0237 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
#87020	FTB19-0091	CATTLE	BONSMARA	FTB14-0007 (F,1)(Valid)	JCV13-0237 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
#87021	FTB19-0095	CATTLE	BONSMARA	FTB16-0020 (F,1)(Valid)	FTB16-0014 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
#87022	FTB19-0101	CATTLE	BONSMARA		SYF13-0082 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
#87023	FTB20-0032	CATTLE	BONSMARA		FTB16-0012 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
#87024	FTB19-0099	CATTLE	BONSMARA	FTB17-0091 (F,1)(Valid)	SYF13-0082 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
#87025	FTB18-0002	CATTLE	BONSMARA			MYQ204X_C	Q20NOR : Myostatin - Q204X Normal	
#87025	FTB18-0002	CATTLE	BONSMARA			MYF94L_C	F94NOR :	

Report Date : 17-Mar-2020 15:45

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE #	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Myostatin - F94L Normal	
#87025	FTB18-0002	CATTLE	BONSMARA			MYNT821_C	nt8NOR : Myostatin - nt821 Normal	

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR