

Batch Detail Report

Batch : 87U
Created : 25-Feb-2020 12:52
Owner : Francois Malan
Farm : Springboklaagte/Frantasha Bonsmaras
Account : MALF01
Via : Breeder Society

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
87U001	FTB19-0073	CATTLE	BONSMARA	FTB17-0009 (F,1)(Valid)	WAT16-0075 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
87U002	FTB19-0074	CATTLE	BONSMARA	FTB16-0009 (F,1)(Valid)	WAT16-0075 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
87U003	FTB19-0075	CATTLE	BONSMARA	FTB16-0010 (F,1)(Valid)	WAT16-0075 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
87U004	FTB19-0076	CATTLE	BONSMARA	FTB17-0005 (F,1)(Valid)	WAT16-0075 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
87U005	FTB19-0077	CATTLE	BONSMARA	FTB16-0017 (F,1)(Valid)	FTB16-0014 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
87U006	FTB19-0078	CATTLE	BONSMARA		FTB16-0014 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
87U007	FTB19-0079	CATTLE	BONSMARA		HDT14-0092 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
87U008	FTB19-0080	CATTLE	BONSMARA	FTB14-0008 (F,1)(Valid)	JCV13-0237 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
87U009	FTB19-0083	CATTLE	BONSMARA		JCV13-0237 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
87U010	FTB19-0092	CATTLE	BONSMARA	WVZ12-0127 (F,1)(Valid)	JCV13-0237 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
87U011	FTB19-0093	CATTLE	BONSMARA	AG08-0836 (F,1)(Valid)	JCV13-0237 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 18-Mar-2020 07:45

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
87U012	FTB19-0094	CATTLE	BONSMARA		JCV13-0237 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
87U013	FTB20-0030	CATTLE	BONSMARA		SYF13-0082 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
87U014	FTB19-0081	CATTLE	BONSMARA		JCV13-0237 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
87U015	FTB19-0084	CATTLE	BONSMARA		JCV13-0237 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
87U016	FTB19-0085	CATTLE	BONSMARA		JCV13-0237 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
87U017	FTB19-0086	CATTLE	BONSMARA		WAT16-0075 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
87U018	FTB19-0087	CATTLE	BONSMARA		WAT16-0075 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
87U019	FTB19-0089	CATTLE	BONSMARA	AG08-0350 (F,1)(Valid)	JCV13-0237 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
87U020	FTB19-0091	CATTLE	BONSMARA	FTB14-0007 (F,1)(Valid)	JCV13-0237 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
87U021	FTB19-0095	CATTLE	BONSMARA	FTB16-0020 (F,1)(Valid)	FTB16-0014 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
87U022	FTB19-0101	CATTLE	BONSMARA		SYF13-0082 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
87U023	FTB20-0032	CATTLE	BONSMARA		FTB16-0012 (M,1)(Valid)	PAR_C	SV : Sire Valid.	
87U024	FTB19-0099	CATTLE	BONSMARA	FTB17-0091 (F,1)(Valid)	SYF13-0082 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
87U025	FTB18-0002	CATTLE	BONSMARA			MYQ204X_C	Q20NOR : Myostatin - Q204X Normal	

Report Date : 18-Mar-2020 07:45

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
87U025	FTB18-0002	CATTLE	BONSMARA			MYF94L_C	F94NOR : Myostatin - F94L Normal	
87U025	FTB18-0002	CATTLE	BONSMARA			MYNT821_C	nt8NOR : Myostatin - nt821 Normal	

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR