

Subject: Stamboek

From: Chris Wray <chriswray65@gmail.com>

Date: 2022/09/05, 04:00 pm

To: boschrug@gmail.com, applegrove <applegrove@vodamail.co.za>, marietjie@studbook.co.za

Hi Marietjie

After a long conversation with Unistel to make sure that the analysis of the following animals are correct, we at last solved all our problems today and know you are the only ones that can help us to get these cattle registered.

Although we know it is late registration we are willing to pay the penalty on that.

We are sending the birth notifications as well as the Unistel batch detail reports and the Schedule Forms from Embryo Plus and Invitro.

The weaning weights and 12 month weights will be included as well.

The following are the cattle for late registration:

LVR 20-0053

Birth Date: 24/8/2020

Birth Weight: 33kg

Weaning Weight: 292kg

12 Months Weight: 394kg

Sex: Male

Sire: TrumpC512

Dam: GV11-002

LVR 20-0056

Birth Date: 16/8/2020

Birth Weight: 34kg

Weaning Weight: 246kg

12 Months Weight: 347kg

Sex: Female

Sire: TrumpC512

Dam: GV11-002

LVR 20-0055

Birth Date: 21/8/2020

Birth Weight: 33kg

Weaning Weight: 251kg

12 Months Weight: 382kg

Sex: Female

Sire: TrumpC512

Dam: GV11-002

LVR 20-0057

Birth Date: 26/8/2020

Birth Weight: 34kg
Weaning Weight: 391kg
12 Months Weight: 458kg
Sex: Male
Sire: TrumpC512
Dam: GV11-002

LVR 20-0050

Birth Date: 24/5/2020
Birth Weight: 35kg
Weaning Weight: 300kg
12 Months Weight: 450kg
Sex: Male
Sire: Red KJHT Power Take Off
Dam: GT16-0051

LVR 20-0052

Birth Date: 20/5/2020
Birth Weight: 34kg
Weaning Weight: 279kg
12 Months Weight: 408kg
Sex: Male
Sire: TrumpC512
Dam: JMS07-0312

LVR 20-0051

Birth Date: 25/5/2020
Birth Weight: 34kg
Weaning Weight: 302kg
12 Months Weight: 399kg
Sex: Male
Sire: Red KJHT Power Take Off
Dam: GT16-0051

Below is Bull **LVR 20-0005**

This bull has been sent before but just to make sure. They are just waiting for the Schedule Form which will now be attached with all the others.

LVR 20-0005

Birth Date: 24/5/2020
Birth Weight: 36kg
Weaning Weight: 335kg
12 Months Weight: 510kg
Sex: Male
Sire: TrumpC512
Dam: GT16-0051

Schedule Forms as well as all the others are inclusive in this mail.



Embryo Plus BK

REG No. 1986/009108/23

Direkteure / Directors

Dr. Morné de la Rey

Dr. Robert Treadwell

Website: www.embryoplus.com

✉ 2644, Brits, 0250

☎ (+27)-12-250 2359

📠 (+27)-82-786 7324

📠 (+27)-12-250 2299

e-mail: info@embryoplus.com

CLIENT: Andrew Moolman

DATE: 2019/08/06

FLUSHING

NO:	COW	REGNO.	BULL	GR.1	GR.2	GR.3	EMBRYOS
1	GT16-051	84814128	TRUMP / TAKE OFF POWER	11	9	2	5B1, 3EB1, 3M1, 4EB2, 5M2, 2M3
2	JMS07-312	64519028	TRUMP / TAKE OFF POWER	13	4	3	7EB1, 6M1, 3EB2, 1M2, 3M3
3	LVR12-007	75665232	TRUMP / TAKE OFF POWER	13	5	3	11B1, 2M1, 3EB2, 3M2, 3M3

FREEZING

NO:	COW	TOTAL	CODE	COLOUR	FLASK
1	GT16-051	1-5B1, 6-8EB1, 9-11M1	GT16051	RED	FARM
2	JMS07-312	1-7EB1, 8-13M1	JMS07312	GREEN	FARM
3	LVR12-007	1-11B1, 12-13M1, 14-EB2	LVR1207	YELLOW	FARM

TRANSFER

PD DATE: 2019/10/05
ESTIMATED CALVING DATE (277 days): 2020/05/02

NO:	RECIP NO.	BREED	SIDE, GR. DAY	EMB 1	EMB 2	COW	BULL	REMARKS	PD
1	M10	AN	R 1 2	EB 2		GT16-051	TRUMP / POWER TAKE OFF		
2	2019	AN	L 1 1	EB 2		GT16-051	TRUMP / POWER TAKE OFF		
3	1024	AN	R 1 1	EB 2		GT16-051	TRUMP / POWER TAKE OFF		
4	M35	AN	R 1 1	EB 2		GT16-051	TRUMP / POWER TAKE OFF		
5	1036	AN	L 1 2	M 2		GT16-051	TRUMP / POWER TAKE OFF		
6	235	AN	R 1 2	M 2		GT16-051	TRUMP / POWER TAKE OFF		
7	1505	AN	R 1 2	M 2		GT16-051	TRUMP / POWER TAKE OFF		

TRANSFER

PD DATE: 2019/10/05
ESTIMATED CALVING DATE (277 days): 2020/05/02

NO:	RECIP NO.	BREED	SIDE, GR. DAY	EMB 1	EMB 2	COW	BULL	REMARKS	PD
8	2018	AN	R 2 1	M 2	M 3	GT16-051	TRUMP / POWER TAKE OFF		
9	M43	AN	R 1 2	M 2	M 3	GT16-051	TRUMP / POWER TAKE OFF		
10	M31	AN	L 1 2	EB 2		JMS07-312	TRUMP / POWER TAKE OFF		
11	1389	AN	R 2 1	EB 2	M 3	JMS07-312	TRUMP / POWER TAKE OFF		
12	1506	AN	R 2 1	EB 2	M 3	JMS07-312	TRUMP / POWER TAKE OFF		
13	1507	AN	R 1 1	M 2	M 3	JMS07-312	TRUMP / POWER TAKE OFF		
14	X2	AN	R 1 2	EB 2		LVR12-007	TRUMP / POWER TAKE OFF		
15	1416	AN	L 1 1	EB 2		LVR12-007	TRUMP / POWER TAKE OFF		
16	14105	AN	R 2 1	M	M 3	LVR12-007	TRUMP / POWER TAKE OFF		
17	1055	AN	R 1 1	M	M 3	LVR12-007	TRUMP / POWER TAKE OFF		
18	1395	AN	R 3 1	M	M 3	LVR12-007	TRUMP / POWER TAKE OFF		

RECIPIENTS

Prepared

28

On heat

Used

18

SCHEDULE O – INOVULATION CERTIFICATE



a) DONOR SECTION

DONOR FEMALE

NAME GV11-002 _____ or

COMPUTER NR _____ or IDENTIFICATION NR HDM YY SEQ

DONOR MALE

NAME TRUMP _____ or

COMPUTER NR _____ or IDENTIFICATION NR HDM YY SEQ

b) MULTI SIRE SECTION

COMPUTER NR CHOCO DATA _____ or IDENTIFICATION NR HDM YY SEQ

COMPUTER NR POWER EYE _____ or IDENTIFICATION NR HDM YY SEQ

COMPUTER NR PTO _____ or IDENTIFICATION NR HDM YY SEQ

COMPUTER NR TRUMP _____ or IDENTIFICATION NR HDM YY SEQ

COMPUTER NR _____ or IDENTIFICATION NR HDM YY SEQ

c) FERTILISATION SECTION

FERTILISATION DATE 17 / 11 / 2019

d) COLLECTION SECTION

COLLECTION DATE 26 / 11 / 2019 Number of embryos 30

VETERINARIAN / TECHNOLOGIST NUMBER

D83/2057 _ _ _ VET/TEC

A handwritten signature in black ink, appearing to be "A. J. L.", is written over a horizontal line.

SIGNATURE OF VETERINARIAN/ TECHNOLOGIST

Batch Detail Report

Batch : 917U
 Created :18-Jun-2020 21:34
 Owner :Mnr L van Rooyen
 Farm :Applegrove Farm/Boschrug/Spoor Angus
 Account : VROL01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
917U001	LVR19-0200 (F,23)	CATTLE	ANGUS (23)		AC13-0781 (M,23)(Not Valid)	PAR_C	SX : Sire Excluded	
917U002	LVR19-0201 (F,23)	CATTLE	ANGUS (23)	RCM14-0083 (F,23)(Not Valid)	AC13-0781 (M,23)(Not Valid)	PAR_C	DXSX : Dam Excluded, Sire Excluded	
917U003	LVR19-0202 (F,23)	CATTLE	ANGUS (23)	RCM12-0409 (U,23)(Not Valid)		PAR_C	DX : Dam Excluded	
917U004	LVR20-0005 (M,23)	CATTLE	ANGUS (23)	GT16-0051 (F,23)(Valid)	TRUMP C512 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	


Report Date : 30-Jun-2020 11:34

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
 MANAGING DIRECTOR



Batch Detail Report

Batch : 7588U
Owner : Mnr L van Rooyen
Farm : Applegrove Farm/Boschrug/Spoor Angus
Account : VROL01
Invoice To : Owner

Created : 2022-02-03

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7588U001	LVR20-0053 (M,23)	CATTLE	ANGUS (23)	GV11-0002 (F,23)(Valid)	TRUMP C512 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40736
7588U002	LVR20-0056 (F,23)	CATTLE	ANGUS (23)	GV11-0002 (F,23)(Valid)	TRUMP C512 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40736
7588U003	LVR20-0055 (F,23)	CATTLE	ANGUS (23)	GV11-0002 (F,23)(Valid)	TRUMP C512 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40736
7588U004	LVR20-0057 (F,23)	CATTLE	ANGUS (23)	GV11-0002 (F,23)(Valid)	TRUMP C512 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40736
7588U005	LVR20-0050 (M,23)	CATTLE	ANGUS (23)	GT16-0051 (F,23)(Valid)	RED KJHT POWER TAKE OFF (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40736
7588U006	LVR20-0052 (M,23)	CATTLE	ANGUS (23)	JMS07-0312 (F,23)(Valid)	TRUMP C512 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40736
7588U007	LVR20-0051 (M,23)	CATTLE	ANGUS (23)	GT16-0051 (F,23)(Valid)	RED KJHT POWER TAKE OFF (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40736

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER