

Batch Detail Report

Batch : 9778U
 Owner :Eben Basson / Wessel Ebersohn
 Farm :Bonsmara Stoet
 Account : EBEW02
 Origin : BONSMARA SA
 Invoice To : Owner

Created : 2022-07-25

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
9778U001	BBM21-0108 (M,1)	CATTLE	BONSMARA (1)		BBM17-0091 (M,1)(Valid) BBM18-0310 (M,1)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	42601
9778U002	BBM21-0117 (F,1)	CATTLE	BONSMARA (1)		BBM17-0157 (M,1)(Valid) SJP15-0002 (M,1)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	42601
9778U003	BBM21-0121 (F,1)	CATTLE	BONSMARA (1)		BBM17-0165 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U004	BBM21-0127 (F,1)	CATTLE	BONSMARA (1)		BBM17-0157 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U005	BBM21-0128 (M,1)	CATTLE	BONSMARA (1)		BBM17-0091 (M,1)(Valid) BBM13-0214 (M,1)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	42601
9778U006	BBM21-0141 (F,1)	CATTLE	BONSMARA (1)		SJP15-0002 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U007	BBM21-0152 (M,1)	CATTLE	BONSMARA (1)		BBM17-0157 (M,1)(Valid) BBM18-0174 (M,1)(Valid) BBM16-0080 (M,1)(Valid) BBM13-0214 (M,1)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	42601
9778U008	BBM21-0159 (F,1)	CATTLE	BONSMARA (1)		BBM17-0157 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U009	BBM21-0166 (M,1)	CATTLE	BONSMARA (1)			PAR_C	mNSX : Multiple Nominated Sires Excluded	42601
9778U010	BBM21-0186 (M,1)	CATTLE	BONSMARA (1)		BBM17-0305 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
9778U011	BZN21-0006 (F,1)	CATTLE	BONSMARA (1)	VIL14-0259 (F,1)(Valid)		PAR_C	DV mNSX : Dam Valid, Multiple Nominated Sires Excluded	42601
9778U012	BZN21-0010 (M,1)	CATTLE	BONSMARA (1)		CEF15-0315 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U013	BZN21-0011 (F,1)	CATTLE	BONSMARA (1)		MBT18-0199 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U014	BZN21-0012 (F,1)	CATTLE	BONSMARA (1)	CEF16-0256 (F,1)(Not Valid)	MBT18-0199 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	42601
9778U015	BZN21-0013 (M,1)	CATTLE	BONSMARA (1)			PAR_C	mNSX : Multiple Nominated Sires Excluded	42601
9778U016	BZN21-0015 (M,1)	CATTLE	BONSMARA (1)	KRT15-0023 (F,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U017	BZN21-0016 (M,1)	CATTLE	BONSMARA (1)			PAR_C	mNSX : Multiple Nominated Sires Excluded	42601
9778U018	BZN21-0018 (F,1)	CATTLE	BONSMARA (1)		CEF18-0480 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U019	BZN21-0019 (M,1)	CATTLE	BONSMARA (1)		CEF18-0480 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U020	BZN21-0024 (M,1)	CATTLE	BONSMARA (1)	LFB19-0225 (F,1)(Valid)	LFB18-0143 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U021	BZN21-0026 (M,1)	CATTLE	BONSMARA (1)	LFB19-0252 (F,1)(Valid)	LFB18-0143 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U022	BZN21-0029 (F,1)	CATTLE	BONSMARA (1)	LFB18-0563 (F,1)(Valid)	LFB18-0143 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U023	BZN21-0030 (F,1)	CATTLE	BONSMARA	LFB19-0227 (F,1)(Valid)	LFB18-0143 (M,1)(Valid)	PAR_C	DVSV :	42601

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Dam Valid, Sire Valid	
9778U024	BZN21-0039 (F,1)	CATTLE	BONSMARA (1)	LFB19-0230 (F,1)(Valid)	LFB17-0400 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U025	BZN21-0040 (F,1)	CATTLE	BONSMARA (1)	LFB19-0249 (F,1)(Valid)	LFB17-0400 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U026	BZN21-0049 (M,1)	CATTLE	BONSMARA (1)		VV16-0038 (M,1)(Not Valid)	PAR_C	SX : Sire Excluded	42601
9778U027	BZN21-0052 (M,1)	CATTLE	BONSMARA (1)	VV10-0096 (N/S,1)(Valid)	DAJ15-0086 (M,1)(Not Valid)	PAR_C	DVSV : Dam Valid, Sire Excluded	42601
9778U028	BZN21-0054 (M,1)	CATTLE	BONSMARA (1)		VV16-0038 (M,1)(Not Valid)	PAR_C	SX : Sire Excluded	42601
9778U029	BZN21-0055 (F,1)	CATTLE	BONSMARA (1)		LFB17-0400 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U030	BZN21-0056 (F,1)	CATTLE	BONSMARA (1)		LFB17-0400 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U031	BZN21-0058 (M,1)	CATTLE	BONSMARA (1)			PAR_C	mNSX : Multiple Nominated Sires Excluded	42601
9778U032	BZN21-0060 (M,1)	CATTLE	BONSMARA (1)	VV11-0010 (N/S,1)(Valid)	VV16-0038 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U033	BZN21-0061 (M,1)	CATTLE	BONSMARA (1)		BBM17-0139 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U034	BZN21-0062 (M,1)	CATTLE	BONSMARA (1)		BBM17-0139 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U035	BZN21-0063 (M,1)	CATTLE	BONSMARA (1)			PAR_C	mNSX : Multiple Nominated Sires Excluded	42601

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
9778U036	BZN21-0064 (F,1)	CATTLE	BONSMARA (1)	LFB19-0243 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	42601
9778U037	BZN21-0065 (M,1)	CATTLE	BONSMARA (1)			PAR_C	mNSX : Multiple Nominated Sires Excluded	42601
9778U038	BZN21-0066 (F,1)	CATTLE	BONSMARA (1)		BBM17-0139 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U039	BZN21-0067 (F,1)	CATTLE	BONSMARA (1)		BBM13-0214 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U040	BZN21-0073 (M,1)	CATTLE	BONSMARA (1)		BBM16-0156 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U041	BZN21-0074 (F,1)	CATTLE	BONSMARA (1)	LFB19-0202 (F,1)(Valid)	LFB18-0143 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U042	BZN21-0075 (F,1)	CATTLE	BONSMARA (1)	LFB19-0234 (F,1)(Valid)	LFB18-0143 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U043	BZN21-0077 (M,1)	CATTLE	BONSMARA (1)		LFB18-0143 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U044	BZN21-0079 (M,1)	CATTLE	BONSMARA (1)			PAR_C	mNSX : Multiple Nominated Sires Excluded	42601
9778U045	BZN21-0080 (F,1)	CATTLE	BONSMARA (1)		BBM17-0139 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U046	BZN21-0082 (M,1)	CATTLE	BONSMARA (1)		LFB17-0400 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U047	BZN21-0083 (F,1)	CATTLE	BONSMARA (1)	LFB19-0258 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	42601
9778U048	BZN21-0086 (M,1)	CATTLE	BONSMARA (1)	LFB19-0204 (F,1)(Valid)	LFB18-0143 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire	42601

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Valid	
9778U049	BZN21-0088 (F,1)	CATTLE	BONSMARA (1)	LFB19-0220 (F,1)(Valid)	LFB18-0143 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U050	BZN21-0089 (M,1)	CATTLE	BONSMARA (1)	LFB19-0231 (F,1)(Valid)	LFB18-0143 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U051	BZN22-0003 (M,1)	CATTLE	BONSMARA (1)		HAS18-0096 (N/S,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U052	BZN22-0005 (M,1)	CATTLE	BONSMARA (1)		LAR18-0422 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U053	BZN22-0006 (M,1)	CATTLE	BONSMARA (1)		LAR17-0358 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U054	BZN22-0007 (F,1)	CATTLE	BONSMARA (1)		LAR18-0422 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U055	BZN22-0008 (F,1)	CATTLE	BONSMARA (1)	LFB18-0538 (F,1)(Valid)	LFB18-0143 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U056	BZN22-0009 (M,1)	CATTLE	BONSMARA (1)	JL11-0396 (F,1)(Valid)	LAR18-0039 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U057	BZN22-0012 (M,1)	CATTLE	BONSMARA (1)		BBM17-0091 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U058	BZN22-0013 (F,1)	CATTLE	BONSMARA (1)			PAR_C	mNSX : Multiple Nominated Sires Excluded	42601
9778U059	BZN22-0017 (F,1)	CATTLE	BONSMARA (1)	HAS16-0006 (N/S,1)(Valid)	HAS18-0096 (N/S,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U060	BZN22-0019 (F,1)	CATTLE	BONSMARA (1)		BBM16-0080 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U061	BZN22-0021 (F,1)	CATTLE	BONSMARA		TMB17-0554 (N/S,UNK_C)(Valid)	PAR_C	SV :	42601

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Sire Valid	
9778U062	BZN22-0026 (F,1)	CATTLE	BONSMARA (1)	SBJ20-0017 (F,1)(Not Valid)		PAR_C	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	42601
9778U063	BZN22-0028 (F,1)	CATTLE	BONSMARA (1)		CEF19-0356 (M,1)(Not Valid)	PAR_C	SX : Sire Excluded	42601
9778U064	BZN22-0029 (F,1)	CATTLE	BONSMARA (1)	LAR16-0158 (F,1)(Valid)	LAR17-0358 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U065	BZN22-0030 (F,1)	CATTLE	BONSMARA (1)			PAR_C	mNSX : Multiple Nominated Sires Excluded	42601
9778U066	BZN22-0041 (F,1)	CATTLE	BONSMARA (1)	SBJ19-0039 (F,1)(Valid)	AG15-0215 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U067	BZN22-0044 (M,1)	CATTLE	BONSMARA (1)		CEF19-0356 (M,1)(Not Valid)	PAR_C	SX : Sire Excluded	42601
9778U068	BZN22-0045 (F,1)	CATTLE	BONSMARA (1)	LAR17-0335 (F,1)(Valid)	LAR17-0358 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U069	BZN22-0046 (M,1)	CATTLE	BONSMARA (1)	CEF17-0159 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	42601
9778U070	BZN22-0054 (M,1)	CATTLE	BONSMARA (1)			PAR_C	mNSX : Multiple Nominated Sires Excluded	42601
9778U071	BZN22-0063 (M,1)	CATTLE	BONSMARA (1)	LFB19-0314 (F,1)(Valid)	LFB18-0143 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	42601
9778U072	BZN22-0066 (F,1)	CATTLE	BONSMARA (1)		BBM16-0096 (M,1)(Valid)	PAR_C	SV : Sire Valid	42601
9778U073	BZN22-0067 (F,1)	CATTLE	BONSMARA	LFB19-0339 (F,1)(Valid)	LFB18-0143 (M,1)(Valid)	PAR_C	DVSV :	42601

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Dam Valid, Sire Valid	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER