

Batch Detail Report

Batch : 10774U

Owner :Arthur de Villiers

Owner Email:amdev@zippnorth.co.za;amdev@intekom.co.za

Owner CellPhone No. :0825648912

Farm :Arthur De Villiers and Son

Account : ADV01

Origin : BONSMARA SA

Invoice To : Owner

Created : 2022-10-13

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10774U001	AG22-0214 (M,1)	CATTLE	BONSMARA (1)	AG16-0264 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U002	AG22-0215 (F,1)	CATTLE	BONSMARA (1)	AG16-0264 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U003	AG22-0216 (F,1)	CATTLE	BONSMARA (1)	AG15-0370 (F,1)(Valid)	AG18-0747 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U004	AG22-0217 (F,1)	CATTLE	BONSMARA (1)	AG15-0370 (F,1)(Valid)	AG18-0747 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U005	AG22-0218 (F,1)	CATTLE	BONSMARA (1)	AG20-0148 (F,1)(Valid)	AG18-0136 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U006	AG22-0219 (F,1)	CATTLE	BONSMARA (1)	AG16-0289 (F,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U007	AG22-0220 (F,1)	CATTLE	BONSMARA (1)	AG15-0934 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U008	AG22-0221 (M,1)	CATTLE	BONSMARA (1)	AG15-0125 (F,1)(Valid)	AG18-0747 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U009	AG22-0222 (F,1)	CATTLE	BONSMARA (1)	AG18-0520 (F,1)(Valid)	AG18-0339 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 02-Nov-2022 09:10

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10774U010	AG22-0223 (F,1)	CATTLE	BONSMARA (1)	AG16-0384 (F,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	
10774U011	AG22-0224 (M,1)	CATTLE	BONSMARA (1)	AG21-0011 (F,1)(Valid)	AG17-0366 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U012	AG22-0225 (M,1)	CATTLE	BONSMARA (1)	AG15-0178 (F,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U013	AG22-0226 (F,1)	CATTLE	BONSMARA (1)	AG19-0439 (F,1)(Valid)	AG18-0278 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U014	AG22-0227 (M,1)	CATTLE	BONSMARA (1)	AG16-0434 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U015	AG22-0228 (M,1)	CATTLE	BONSMARA (1)		AG18-0136 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
10774U016	AG22-0229 (M,1)	CATTLE	BONSMARA (1)	AG13-0076 (F,1)(Valid)	AG19-0037 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U017	AG22-0230 (M,1)	CATTLE	BONSMARA (1)	AG19-1092 (F,1)(Valid)	AG18-0278 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U018	AG22-0231 (M,1)	CATTLE	BONSMARA (1)	AG14-0359 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U019	AG22-0232 (M,1)	CATTLE	BONSMARA (1)	AG19-0448 (F,1)(Valid)	AG18-1077 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U020	AG22-0233 (M,1)	CATTLE	BONSMARA (1)	AG19-0984 (F,1)(Valid)	AG18-0278 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U021	AG22-0234 (F,1)	CATTLE	BONSMARA	AG16-0065 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 02-Nov-2022 09:10

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(1)					Dam Valid, Sire Valid	
10774U022	AG22-0235 (F,1)	CATTLE	BONSMARA (1)	AG19-1009 (F,1)(Valid)	AG18-0278 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U023	AG22-0236 (M,1)	CATTLE	BONSMARA (1)		AG18-0300 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
10774U024	AG22-0237 (F,1)	CATTLE	BONSMARA (1)	AG15-0064 (F,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U025	AG22-0238 (F,1)	CATTLE	BONSMARA (1)	AG17-0297 (F,1)(Valid)	AG18-0935 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U026	AG22-0239 (F,1)	CATTLE	BONSMARA (1)	AG18-0754 (F,1)(Valid)	AG18-0339 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U027	AG22-0240 (M,1)	CATTLE	BONSMARA (1)	AG14-0003 (F,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U028	AG22-0242 (F,1)	CATTLE	BONSMARA (1)	AG19-1105 (F,1)(Valid)	AG18-0300 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U029	AG22-0243 (F,1)	CATTLE	BONSMARA (1)	AG16-0790 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U030	AG22-0245 (M,1)	CATTLE	BONSMARA (1)	AG15-0096 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U031	AG22-0248 (M,1)	CATTLE	BONSMARA (1)	AG18-0421 (F,1)(Valid)	GA17-0271 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U032	AG22-0256 (M,1)	CATTLE	BONSMARA (1)	AG16-0297 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 02-Nov-2022 09:10

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10774U033	AG22-0257 (M,1)	CATTLE	BONSMARA (1)	AG14-0451 (F,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U034	AG22-0258 (F,1)	CATTLE	BONSMARA (1)	AG19-0463 (F,1)(Valid)	AG18-0278 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U035	AG22-0259 (F,1)	CATTLE	BONSMARA (1)	AG19-0373 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U036	AG22-0260 (M,1)	CATTLE	BONSMARA (1)	AG19-0309 (F,1)(Valid)	AG19-0005 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U037	AG22-0262 (F,1)	CATTLE	BONSMARA (1)	AG19-0761 (F,1)(Valid)	AG18-0300 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U038	AG22-0263 (F,1)	CATTLE	BONSMARA (1)	AG18-0334 (F,1)(Valid)	AG05-0249 (N/S,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U039	AG22-0264 (F,1)	CATTLE	BONSMARA (1)	AG18-0120 (F,1)(Valid)	GA17-0271 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U040	AG22-0265 (M,1)	CATTLE	BONSMARA (1)	AG14-0079 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U041	AG22-0266 (F,1)	CATTLE	BONSMARA (1)	AG16-0258 (F,1)(Valid)	AG18-0747 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U042	AG22-0267 (F,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	HER02 : Test to be repeated by lab	
10774U043	AG22-0268 (F,1)	CATTLE	BONSMARA (1)	AG13-0225 (F,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U044	AG22-0269 (M,1)	CATTLE	BONSMARA (1)	AG16-0560 (F,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 02-Nov-2022 09:10

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10774U045	AG22-0270 (M,1)	CATTLE	BONSMARA (1)	AG15-0905 (F,1)(Valid)	AG18-0747 (M,1)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	
10774U046	AG22-0271 (F,1)	CATTLE	BONSMARA (1)	AG20-0342 (F,1)(Valid)	AG18-0136 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U047	AG22-0272 (F,1)	CATTLE	BONSMARA (1)	GZV19-0150 (F,1)(Valid)	AG18-0278 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U048	AG22-0273 (F,1)	CATTLE	BONSMARA (1)	AG13-0090 (F,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U049	AG22-0274 (M,1)	CATTLE	BONSMARA (1)	MGH14-0115 (F,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U050	AG22-0275 (F,1)	CATTLE	BONSMARA (1)	AG13-0346 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U051	AG22-0276 (F,1)	CATTLE	BONSMARA (1)	AG15-0451 (F,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U052	AG22-0277 (M,1)	CATTLE	BONSMARA (1)	AG18-0431 (F,1)(Valid)	AG18-0339 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U053	AG22-0279 (F,1)	CATTLE	BONSMARA (1)	AG15-0173 (F,1)(Valid)	AG18-0747 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U054	AG22-0281 (F,1)	CATTLE	BONSMARA (1)	AG14-0365 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U055	AG22-0282 (F,1)	CATTLE	BONSMARA (1)	AG14-0365 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 02-Nov-2022 09:10

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10774U056	AG22-0283 (F,1)	CATTLE	BONSMARA (1)	AG15-0831 (F,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U057	AG22-0284 (F,1)	CATTLE	BONSMARA (1)	AG15-0792 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U058	AG22-0285 (F,1)	CATTLE	BONSMARA (1)	AG16-0299 (F,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U059	AG22-0286 (F,1)	CATTLE	BONSMARA (1)	AG16-0724 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U060	AG22-0290 (F,1)	CATTLE	BONSMARA (1)	AG15-0200 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U061	AG22-0291 (M,1)	CATTLE	BONSMARA (1)	AG13-0161 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U062	AG22-0292 (M,1)	CATTLE	BONSMARA (1)	AG18-0700 (F,1)(Valid)	AG18-0488 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U063	AG22-0294 (F,1)	CATTLE	BONSMARA (1)	AG16-0799 (F,1)(Valid)	AG18-0747 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U064	AG22-0295 (F,1)	CATTLE	BONSMARA (1)	AG17-0142 (F,1)(Valid)	RHJ15-0002 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U065	AG22-0297 (F,1)	CATTLE	BONSMARA (1)	AG19-1025 (F,1)(Valid)	AG18-0278 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U066	AG22-0298 (M,1)	CATTLE	BONSMARA (1)	AG19-0897 (F,1)(Valid)	AG18-0279 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10774U067	AG22-0299 (F,1)	CATTLE	BONSMARA (1)	AG20-0608 (F,1)(Valid)	AG18-0136 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 02-Nov-2022 09:10

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10774U068	AG22-0300 (F,1)	CATTLE	BONSMARA (1)	AG20-0368 (F,1)(Valid)	AG18-0905 (M,1)(Valid)	PAR_C	Hair	Valid DVS SV : Dam Valid, Sire Valid	
10774U069	AG22-0301 (M,1)	CATTLE	BONSMARA (1)	AG19-0238 (F,1)(Valid)	AG16-0138 (M,1)(Valid)	PAR_C	Hair	DVS SV : Dam Valid, Sire Valid	
10774U070	AG22-0302 (F,1)	CATTLE	BONSMARA (1)	AG19-0979 (F,1)(Valid)	AG19-0005 (M,1)(Valid)	PAR_C	Hair	DVS SV : Dam Valid, Sire Valid	
10774U071	AG22-0304 (M,1)	CATTLE	BONSMARA (1)	AG16-0280 (F,1)(Valid)	AG18-0747 (M,1)(Valid)	PAR_C	Hair	DVS SV : Dam Valid, Sire Valid	
10774U072	AG22-0305 (F,1)	CATTLE	BONSMARA (1)	AG15-0854 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVS SV : Dam Valid, Sire Valid	
10774U073	AG22-0306 (M,1)	CATTLE	BONSMARA (1)	AG15-0717 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVS SV : Dam Valid, Sire Valid	
10774U074	AG22-0307 (F,1)	CATTLE	BONSMARA (1)	AG15-0236 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVS SV : Dam Valid, Sire Valid	

Report Date : 02-Nov-2022 09:10

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER