

Batch Detail Report

Batch : 10964U

Owner :WH van Zyl/Thuso Bonsmara

Owner Email: wvz@global.co.za

Owner CellPhone No. :0832695330

Farm :Visagieskuil/WandA Saaiboerdery

Account : VZYW01

Origin : BONSMARA SA

Invoice To : Owner

Created : 2022-11-01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10964U001	WVZ22-0055 (F,1)	CATTLE	BONSMARA (1)	WVZ17-0014 (F,1)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
10964U002	WVZ22-0056 (F,1)	CATTLE	BONSMARA (1)	WVZ19-0041 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U003	WVZ22-0057 (M,1)	CATTLE	BONSMARA (1)	VV14-0437 (N/S,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U004	WVZ22-0058 (M,1)	CATTLE	BONSMARA (1)	WVZ20-0083 (F,1)(Valid)	WVZ20-0021 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U005	WVZ22-0059 (M,1)	CATTLE	BONSMARA (1)	WVZ17-0003 (F,1)(Valid)	WVZ19-0014 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U006	WVZ22-0060 (F,1)	CATTLE	BONSMARA (1)	WVZ17-0009 (F,1)(Valid)	WVZ19-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U007	WVZ22-0061 (M,1)	CATTLE	BONSMARA (1)	WVZ18-0034 (F,1)(Not Valid)		PAR_C	Hair	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	
10964U008	WVZ22-0062 (M,1)	CATTLE	BONSMARA (1)	WVZ20-0120 (F,1)(Valid)	WVZ20-0021 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 10-Nov-2022 10:38

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10964U009	WVZ22-0063 (M,1)	CATTLE	BONSMARA (1)	WVZ10-0080 (F,1)(Valid)		PAR_C	Hair	DVmnSX : Dam Valid, Multiple Nominated Sires Excluded	
10964U010	WVZ22-0064 (F,1)	CATTLE	BONSMARA (1)	WVZ15-0097 (F,1)(Valid)	WVZ19-0014 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U011	WVZ22-0065 (M,1)	CATTLE	BONSMARA (1)	WVZ15-0074 (F,1)(Valid)	WVZ19-0014 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U012	WVZ22-0066 (F,1)	CATTLE	BONSMARA (1)	WVZ15-0010 (F,1)(Valid)	WVZ19-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U013	WVZ22-0067 (F,1)	CATTLE	BONSMARA (1)	WVZ19-0011 (F,1)(Valid)	WVZ19-0014 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U014	WVZ22-0068 (F,1)	CATTLE	BONSMARA (1)	WVZ19-0049 (F,1)(Valid)	WVZ19-0014 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U015	WVZ22-0069 (M,1)	CATTLE	BONSMARA (1)	WVZ20-0098 (F,1)(Valid)	WVZ20-0044 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U016	WVZ22-0070 (M,1)	CATTLE	BONSMARA (1)	WVZ16-0098 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U017	WVZ22-0071 (F,1)	CATTLE	BONSMARA (1)	JHK18-0105 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U018	WVZ22-0072 (F,1)	CATTLE	BONSMARA (1)	WVZ18-0042 (F,1)(Valid)	WVZ20-0021 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U019	WVZ22-0073 (M,1)	CATTLE	BONSMARA (1)	VV10-0317 (N/S,1)(Valid)	WVZ19-0014 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U020	WVZ22-0074 (M,1)	CATTLE	BONSMARA	WVZ11-0050 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 10-Nov-2022 10:38

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(1)					Dam Valid, Sire Valid	
10964U021	WVZ22-0075 (F,1)	CATTLE	BONSMARA (1)	WVZ20-0075 (F,1)(Valid)	WVZ20-0021 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U022	WVZ22-0076 (F,1)	CATTLE	BONSMARA (1)	WVZ18-0056 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U023	WVZ22-0078 (M,1)	CATTLE	BONSMARA (1)	WVZ09-0055 (F,1)(Valid)	WVZ19-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U024	WVZ22-0079 (M,1)	CATTLE	BONSMARA (1)	WVZ14-0016 (F,1)(Valid)	WVZ19-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U025	WVZ22-0080 (F,1)	CATTLE	BONSMARA (1)	WVZ20-0090 (F,1)(Valid)	WVZ20-0044 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U026	WVZ22-0081 (M,1)	CATTLE	BONSMARA (1)	WVZ20-0073 (F,1)(Valid)	WVZ20-0021 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U027	WVZ22-0082 (F,1)	CATTLE	BONSMARA (1)	WVZ13-0026 (F,1)(Valid)	WVZ19-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U028	WVZ22-0083 (M,1)	CATTLE	BONSMARA (1)	WVZ19-0079 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U029	WVZ22-0084 (M,1)	CATTLE	BONSMARA (1)	WVZ15-0060 (F,1)(Valid)	WVZ19-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U030	WVZ22-0085 (M,1)	CATTLE	BONSMARA (1)	WVZ15-0043 (F,1)(Valid)	WVZ19-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U031	WVZ22-0086 (M,1)	CATTLE	BONSMARA (1)	WVZ13-0038 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 10-Nov-2022 10:38

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10964U032	WVZ22-0087 (F,1)	CATTLE	BONSMARA (1)	WVZ14-0087 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U033	WVZ22-0088 (M,1)	CATTLE	BONSMARA (1)	WVZ13-0126 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U034	WVZ22-0089 (M,1)	CATTLE	BONSMARA (1)	JHK18-0066 (F,1)(Valid)	WVZ19-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U035	WVZ22-0090 (F,1)	CATTLE	BONSMARA (1)	WVZ08-0012 (F,1)(Valid)	WVZ19-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U036	WVZ22-0091 (F,1)	CATTLE	BONSMARA (1)	PHR07-0095 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U037	WVZ22-0092 (M,1)	CATTLE	BONSMARA (1)	WVZ19-0003 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U038	WVZ22-0093 (F,1)	CATTLE	BONSMARA (1)	WVZ19-0100 (F,1)(Valid)	WVZ20-0021 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U039	WVZ22-0094 (M,1)	CATTLE	BONSMARA (1)	WVZ15-0111 (F,1)(Valid)	WVZ19-0014 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U040	WVZ22-0095 (M,1)	CATTLE	BONSMARA (1)	WVZ19-0114 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U041	WVZ22-0096 (F,1)	CATTLE	BONSMARA (1)	WVZ17-0109 (F,1)(Valid)	WVZ19-0014 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U042	WVZ22-0097 (F,1)	CATTLE	BONSMARA (1)	WVZ20-0076 (F,1)(Valid)	WVZ20-0021 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U043	WVZ22-0098 (M,1)	CATTLE	BONSMARA (1)	WVZ20-0091 (F,1)(Valid)	WVZ20-0021 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 10-Nov-2022 10:38

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Valid	
10964U044	WVZ22-0100 (M,1)	CATTLE	BONSMARA (1)	WVZ17-0008 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U045	WVZ22-0101 (M,1)	CATTLE	BONSMARA (1)	WVZ16-0081 (F,1)(Valid)	WVZ19-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U046	WVZ22-0102 (M,1)	CATTLE	BONSMARA (1)	WVZ18-0018 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U047	WVZ22-0103 (F,1)	CATTLE	BONSMARA (1)	WVZ20-0116 (F,1)(Valid)	WVZ20-0021 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U048	WVZ22-0104 (F,1)	CATTLE	BONSMARA (1)	JHK16-0137 (F,1)(Valid)	WVZ19-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U049	WVZ22-0105 (M,1)	CATTLE	BONSMARA (1)	WVZ20-0097 (F,1)(Valid)	WVZ20-0021 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U050	WVZ22-0106 (M,1)	CATTLE	BONSMARA (1)	WVZ21-0007 (F,1)(Valid)		PAR_C	Hair	DV mNSX : Dam Valid, Multiple Nominated Sires Excluded	
10964U051	WVZ22-0107 (M,1)	CATTLE	BONSMARA (1)	JHK17-0050 (F,1)(Valid)	WVZ19-0014 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U052	WVZ22-0108 (M,1)	CATTLE	BONSMARA (1)	WVZ13-0085 (F,1)(Valid)	WVZ19-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U053	WVZ22-0109 (F,1)	CATTLE	BONSMARA (1)	WVZ17-0057 (F,1)(Valid)	WVZ19-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U054	WVZ22-0110 (F,1)	CATTLE	BONSMARA (1)	WVZ19-0001 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 10-Nov-2022 10:38

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10964U055	WVZ22-0111 (F,1)	CATTLE	BONSMARA (1)	JHK16-0141 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U056	WVZ22-0113 (M,1)	CATTLE	BONSMARA (1)	WVZ19-0068 (F,1)(Valid)	JG18-0039 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U057	WVZ22-0114 (M,1)	CATTLE	BONSMARA (1)	WVZ18-0046 (F,1)(Valid)	WVZ20-0044 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U058	WVZ22-0115 (M,1)	CATTLE	BONSMARA (1)	WVZ15-0049 (F,1)(Valid)	WVZ19-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10964U059	WVZ22-0116 (F,1)	CATTLE	BONSMARA (1)	WVZ19-0085 (F,1)(Valid)	WVZ20-0021 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 10-Nov-2022 10:38

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER