

Batch Detail Report

Batch : 10969U

Owner :Arthur de Villiers

Owner Email:amdev@zippnorth.co.za;amdev@intekom.co.za

Owner CellPhone No. :0825648912

Farm :Arthur De Villiers and Son

Account : ADV01

Origin : BONSMARA SA

Invoice To : Owner

Created : 2022-11-01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10969U001	AG22-0402 (M,1)	CATTLE	BONSMARA (1)	AG19-0210 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U002	AG22-0416 (F,1)	CATTLE	BONSMARA (1)	AG17-0036 (F,1)(Valid)	AG16-0409 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U003	AG22-0425 (F,1)	CATTLE	BONSMARA (1)	AG19-0492 (F,1)(Valid)	AG19-0291 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U004	AG22-0426 (M,1)	CATTLE	BONSMARA (1)	AG20-0212 (F,1)(Valid)	AG18-0136 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U005	AG22-0430 (F,1)	CATTLE	BONSMARA (1)	AG20-0067 (F,1)(Valid)	AG18-0136 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U006	AG22-0431 (F,1)	CATTLE	BONSMARA (1)	AG20-0101 (F,1)(Valid)	AG18-0846 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U007	AG22-0432 (F,1)	CATTLE	BONSMARA (1)	AG20-0536 (F,1)(Valid)	AG18-0945 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U008	AG22-0433 (F,1)	CATTLE	BONSMARA (1)	AG19-0934 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U009	AG22-0434 (F,1)	CATTLE	BONSMARA (1)	AG17-0247 (F,1)(Valid)	RHJ15-0002 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 16-Nov-2022 11:54

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Valid	
10969U010	AG22-0435 (M,1)	CATTLE	BONSMARA (1)	AG15-0392 (F,1)(Valid)	LAR16-0211 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U011	AG22-0436 (F,1)	CATTLE	BONSMARA (1)	AG16-0874 (F,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U012	AG22-0437 (M,1)	CATTLE	BONSMARA (1)	AG19-0125 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U013	AG22-0438 (M,1)	CATTLE	BONSMARA (1)	AG20-0435 (F,1)(Valid)	AG18-0945 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U014	AG22-0440 (M,1)	CATTLE	BONSMARA (1)	AG17-0098 (F,1)(Valid)	RHJ15-0002 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U015	AG22-0441 (M,1)	CATTLE	BONSMARA (1)	AG17-0173 (F,1)(Valid)	AG17-0222 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U016	AG22-0442 (M,1)	CATTLE	BONSMARA (1)	AG19-0893 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U017	AG22-0443 (F,1)	CATTLE	BONSMARA (1)	AG18-0938 (F,1)(Valid)	AG18-1077 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U018	AG22-0444 (M,1)	CATTLE	BONSMARA (1)	AG17-0257 (F,1)(Valid)	AG18-0935 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U019	AG22-0445 (F,1)	CATTLE	BONSMARA (1)	AG19-0301 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U020	AG22-0446 (F,1)	CATTLE	BONSMARA (1)	AG20-0710 (F,1)(Valid)	AG18-0905 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 16-Nov-2022 11:54

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10969U021	AG22-0447 (M,1)	CATTLE	BONSMARA (1)	AG20-0156 (F,1)(Valid)	AG18-0136 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U022	AG22-0449 (F,1)	CATTLE	BONSMARA (1)	AG19-0318 (F,1)(Valid)	AG18-0767 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U023	AG22-0450 (F,1)	CATTLE	BONSMARA (1)	AG19-0944 (F,1)(Valid)	AG16-0138 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U024	AG22-0451 (F,1)	CATTLE	BONSMARA (1)	AG20-0351 (F,1)(Valid)	AG18-0905 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U025	AG22-0452 (M,1)	CATTLE	BONSMARA (1)	AG18-0114 (F,1)(Valid)	AG18-0488 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U026	AG22-0453 (M,1)	CATTLE	BONSMARA (1)	AG18-0823 (F,1)(Valid)	AG18-0488 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U027	AG22-0454 (F,1)	CATTLE	BONSMARA (1)	AG17-0659 (F,1)(Valid)	AG18-0935 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U028	AG22-0458 (F,1)	CATTLE	BONSMARA (1)	AG15-0927 (N/S,1)(Valid)	AG16-0016 (N/S,1)(Valid) AG18-0723 (M,1)(Valid)	PAR_C	Hair	DV mNSV : Dam Valid, Multiple Nominated Sires Valid	
10969U029	AG22-0459 (F,1)	CATTLE	BONSMARA (1)	AG17-0238 (F,1)(Valid)	AG18-0935 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U030	AG22-0460 (F,1)	CATTLE	BONSMARA (1)	AG14-0380 (F,1)(Valid)	AG16-0409 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U031	AG22-0461 (M,1)	CATTLE	BONSMARA (1)	AG15-0654 (N/S,1)(Valid)	AG19-0169 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U032	AG22-0462 (F,1)	CATTLE	BONSMARA	AG14-0087 (F,1)(Valid)	AG15-0422 (M,1)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 16-Nov-2022 11:54

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(1)					Dam Valid, Sire Valid	
10969U033	AG22-0463 (M,1)	CATTLE	BONSMARA (1)	AG17-0022 (F,1)(Valid)	AG18-0935 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U034	AG22-0464 (M,1)	CATTLE	BONSMARA (1)	AG18-0896 (F,1)(Valid)	AG18-0488 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U035	AG22-0465 (F,1)	CATTLE	BONSMARA (1)	AG17-1046 (F,1)(Valid)	AG18-0257 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U036	AG22-0466 (F,1)	CATTLE	BONSMARA (1)	AG16-0518 (F,1)(Valid)	AG18-0747 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U037	AG22-0467 (F,1)	CATTLE	BONSMARA (1)	AG19-0751 (F,1)(Valid)	AG06-0204 (N/S,1)(Valid) AG16-0105 (M,1)(Valid)	PAR_C	Hair	DVmNSV : Dam Valid, Multiple Nominated Sires Valid	
10969U038	AG22-0468 (M,1)	CATTLE	BONSMARA (1)	AG19-0317 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U039	AG22-0469 (F,1)	CATTLE	BONSMARA (1)	AG19-0011 (F,1)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
10969U040	AG22-0480 (M,1)	CATTLE	BONSMARA (1)	AG19-0263 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U041	AG22-0481 (F,1)	CATTLE	BONSMARA (1)	AG19-0833 (F,1)(Valid)	AG09-0560 (N/S,1)(Valid) AG12-0404 (M,1)(Valid) AG13-0145 (M,1)(Valid) AG13-0153 (M,1)(Valid) AG19-0025 (M,1)(Valid)	PAR_C	Hair	DVmNSV : Dam Valid, Multiple Nominated Sires Valid	
10969U042	AG22-0482 (M,1)	CATTLE	BONSMARA (1)	AG19-1078 (F,1)(Valid)	AG16-0138 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 16-Nov-2022 11:54

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10969U043	AG22-0483 (M,1)	CATTLE	BONSMARA (1)	AG20-0438 (F,1)(Valid)	AG18-0136 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U044	AG22-0484 (M,1)	CATTLE	BONSMARA (1)	AG19-0298 (F,1)(Valid)	AG18-0279 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U045	AG22-0485 (M,1)	CATTLE	BONSMARA (1)	AG18-0873 (F,1)(Valid)	AG18-0488 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U046	AG22-0486 (M,1)	CATTLE	BONSMARA (1)	AG13-0267 (F,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U047	AG22-0487 (F,1)	CATTLE	BONSMARA (1)	AG17-0055 (F,1)(Valid)	AG17-0222 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U048	AG22-0490 (M,1)	CATTLE	BONSMARA (1)	AG20-0642 (F,1)(Valid)	AG18-0905 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U049	AG22-0491 (F,1)	CATTLE	BONSMARA (1)	AG20-0783 (F,1)(Valid)	AG18-0905 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U050	AG22-0492 (M,1)	CATTLE	BONSMARA (1)	AG15-0068 (F,1)(Valid)		PAR_C	Hair	DV _m NSV : Dam Valid, Multiple Nominated Sires Valid	
10969U051	AG22-0493 (F,1)	CATTLE	BONSMARA (1)	AG15-0456 (F,1)(Valid)	AG19-0037 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U052	AG22-0494 (F,1)	CATTLE	BONSMARA (1)	AG18-0399 (F,1)(Valid)	GT18-0060 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U053	AG22-0495 (M,1)	CATTLE	BONSMARA (1)	AG17-0722 (F,1)(Valid)	AG18-0265 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U054	AG22-0496 (M,1)	CATTLE	BONSMARA	AG16-0769 (F,1)(Valid)		PAR_C	Hair	DV _m NSX :	

Report Date : 16-Nov-2022 11:54

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(1)					Dam Valid, Multiple Nominated Sires Excluded	
10969U055	AG22-0497 (M,1)	CATTLE	BONSMARA (1)	AG19-0395 (F,1)(Valid)	AG18-0300 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U056	AG22-0498 (F,1)	CATTLE	BONSMARA (1)	AG17-0348 (F,1)(Valid)	AG19-0037 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U057	AG22-0499 (M,1)	CATTLE	BONSMARA (1)	AG17-0127 (F,1)(Valid)	AG18-0492 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U058	AG22-0500 (F,1)	CATTLE	BONSMARA (1)	AG17-0967 (F,1)(Valid)	AG17-0222 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U059	AG22-0501 (M,1)	CATTLE	BONSMARA (1)	FUZ14-0146 (F,1)(Valid)	AG16-0087 (M,1)(Valid) AG17-0019 (M,1)(Valid) AG17-0060 (M,1)(Valid)	PAR_C	Hair	DVmNSV : Dam Valid, Multiple Nominated Sires Valid	
10969U060	AG22-0502 (F,1)	CATTLE	BONSMARA (1)	AG21-0030 (F,1)(Valid)	AG17-0366 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U061	AG22-0503 (F,1)	CATTLE	BONSMARA (1)	AG16-0080 (F,1)(Valid)	AG17-0019 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U062	AG22-0504 (M,1)	CATTLE	BONSMARA (1)	AG19-0743 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U063	AG22-0505 (F,1)	CATTLE	BONSMARA (1)	AG20-0724 (F,1)(Valid)	AG18-0905 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U064	AG22-0506 (M,1)	CATTLE	BONSMARA (1)	AG15-0500 (F,1)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	

Report Date : 16-Nov-2022 11:54

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10969U065	AG22-0508 (F,1)	CATTLE	BONSMARA (1)	AG20-0518 (F,1)(Valid)	AG18-0945 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U066	AG22-0509 (M,1)	CATTLE	BONSMARA (1)	AG19-0950 (F,1)(Valid)	AG16-0858 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U067	AG22-0510 (M,1)	CATTLE	BONSMARA (1)	AG13-0286 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U068	AG22-0511 (M,1)	CATTLE	BONSMARA (1)	AG17-0316 (F,1)(Valid)	AG17-0222 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U069	AG22-0512 (F,1)	CATTLE	BONSMARA (1)	AG20-0530 (F,1)(Valid)	AG18-0905 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U070	AG22-0513 (M,1)	CATTLE	BONSMARA (1)	AG20-0268 (F,1)(Valid)	AG18-0945 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U071	AG22-0514 (M,1)	CATTLE	BONSMARA (1)	AG20-0488 (F,1)(Valid)	AG18-0905 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10969U072	AG22-0515 (M,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	

Report Date : 16-Nov-2022 11:54

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER