

Batch Detail Report

Created : 2022-02-22 0605931BON

Batch : 7890U
Owner : (IS)Schalk van der Merwe
Farm : Leeuwheuvel
Account : VDMES1
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7890U001	LHB21-0002 (F,1) ✓	CATTLE	BONSMARA (1)	LHB19-0086 (F,1)(Valid) ✓	LHB17-0184 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U002	LHB21-0003 (F,1) ✓	CATTLE	BONSMARA (1)		WAT17-0153 (M,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U003	LHB21-0004 (F,1) ✓	CATTLE	BONSMARA (1)		LHB18-0232 (M,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U004	LHB21-0005 (F,1) ✓	CATTLE	BONSMARA (1)		LHB17-0184 (M,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U005	LHB21-0006 (F,1) ✓	CATTLE	BONSMARA (1)		LHB17-0184 (M,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U006	LHB21-0007 (M,1) ✓	CATTLE	BONSMARA (1)		WAT17-0153 (M,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U007	LHB21-0008 (M,1)	CATTLE	BONSMARA (1)		WAT17-0153 (M,1)(Valid)	PAR_C	SV : Sire Valid	40983
7890U008	LHB21-0009 (F,1) ✓	CATTLE	BONSMARA (1)		LHB17-0184 (M,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U009	LHB21-0010 (M,1)	CATTLE	BONSMARA (1)	LHB18-0014 (F,1)(Valid)	BBM17-0203 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40983
7890U010	LHB21-0011 (F,1) ✓	CATTLE	BONSMARA (1)	LHB18-0023 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid	40983
7890U011	LHB21-0012 (F,1) ✓	CATTLE	BONSMARA (1)		LHB18-0232 (M,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983

Report Date : 23-Jun-2022 12:40

Page 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7890U012	LHB21-0013 (F,1) ✓	CATTLE	BONSMARA (1)	LHB18-0096 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U013	LHB21-0014 (M,1)	CATTLE	BONSMARA (1)	LHB18-0001 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40983
7890U014	LHB21-0015 (F,1) ✓	CATTLE	BONSMARA (1)	LHB19-0084 (F,1)(Not Valid)	WAT17-0153 (M,1)(Valid) ✓	PAR_C ✓	DXSV : Dam Excluded, Sire Valid	40983
7890U015	LHB21-0016 (F,1) * NOR	CATTLE	BONSMARA (1)	LHB18-0041 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40983
7890U016	LHB21-0017 (F,1) ✓	CATTLE	BONSMARA (1)	LHB18-0027 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U017	LHB21-0018 (F,1) ✓	CATTLE	BONSMARA (1)	LHB17-0236 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U018	LHB21-0019 (F,1)	CATTLE	BONSMARA (1)	LHB18-0059 (F,1)(Valid)	BBM17-0203 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40983
7890U019	LHB21-0020 (F,1) ✓	CATTLE	BONSMARA (1)		LHB18-0232 (M,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U020	LHB21-0021 (M,1) * NOR	CATTLE	BONSMARA (1)	LHB18-0293 (F,1)(Valid)	LHB18-0232 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40983
7890U021	LHB21-0022 (M,1)	CATTLE	BONSMARA (1)	LHB17-0320 (F,1)(Not Valid)	BBM17-0203 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	40983
7890U022	LHB21-0023 (M,1) ✓	CATTLE	BONSMARA (1)	LHB18-0119 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U023	LHB21-0024 (F,1) ✓	CATTLE	BONSMARA (1)	LHB17-0316 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983

Report Date : 23-Jun-2022 12:40

Page 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7890U024	LHB21-0025 (M,1) ✓	CATTLE	BONSMARA (1)	LHB17-0189 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U025	LHB21-0026 (F,1) ✓	CATTLE	BONSMARA (1)	LHB19-0161 (F,1)(Valid) ✓	WAT17-0153 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U026	LHB21-0027 (F,1) ✓	CATTLE	BONSMARA (1)	LHB18-0333 (F,1)(Valid) ✓	LHB18-0232 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U027	LHB21-0028 (M,1) ✓	CATTLE	BONSMARA (1)	LHB19-0175 (F,1)(Not Valid) ✓	LHB17-0184 (M,1)(Valid) ✓	PAR_C	DXSV : Dam Excluded, Sire Valid ✓	40983
7890U028	LHB21-0029 (M,1)	CATTLE	BONSMARA (1)	LHB17-0114 (F,1)(Valid)	BBM17-0203 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40983
7890U029	LHB21-0030 (F,1) ✓	CATTLE	BONSMARA (1)	LHB18-0003 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U030	LHB21-0031 (M,1)	CATTLE	BONSMARA (1)	LHB18-0031 (F,1)(Valid)	BBM17-0203 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40983
7890U031	LHB21-0032 (F,1) * NoP	CATTLE	BONSMARA (1)	LHB17-0179 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40983
7890U032	LHB21-0033 (M,1) ✓	CATTLE	BONSMARA (1)	LHB19-0181 (F,1)(Valid) ✓	WAT17-0153 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U033	LHB21-0034 (M,1) ✓	CATTLE	BONSMARA (1)	LHB18-0040 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U034	LHB21-0035 (F,1) ✓	CATTLE	BONSMARA (1)		LHB18-0232 (M,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U035	LHB21-0036 (M,1) ✓	CATTLE	BONSMARA (1)		LHB18-0232 (M,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983

Report Date : 23-Jun-2022 12:40

Page 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7890U036	LHB21-0037 (F,1)	CATTLE	BONSMARA (1)		LHB18-0232 (M,1)(Valid)	PAR_C	SV : Sire Valid	40983
7890U037	LHB21-0038 (F,1) ✓	CATTLE	BONSMARA (1)	LHB18-0359 (F,1)(Valid) ✓	LHB17-0184 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U038	LHB21-0039 (F,1) ✓	CATTLE	BONSMARA (1)	LHB18-0082 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U039	LHB21-0040 (M,1)	CATTLE	BONSMARA (1)	LHB18-0085 (F,1)(Valid)	BBM17-0203 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40983
7890U040	LHB21-0041 (F,1) * Vop	CATTLE	BONSMARA (1)	LHB19-0026 (F,1)(Valid)	LHB17-0184 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40983
7890U041	LHB21-0042 (F,1)	CATTLE	BONSMARA (1)	LHB17-0332 (F,1)(Valid)	LAR15-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40983
7890U042	LHB21-0043 (M,1)	CATTLE	BONSMARA (1)	LHB18-0044 (F,1)(Valid)	BBM17-0203 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40983
7890U043	LHB21-0044 (F,1) ✓	CATTLE	BONSMARA (1)	LHB17-0142 (F,1)(Valid) ✓	BG15-0016 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U044	LHB21-0045 (F,1) ✓	CATTLE	BONSMARA (1)	AEJ10-0118 (F,1)(Valid) ✓	VV14-0323 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U045	LHB21-0046 (F,1) ✓	CATTLE	BONSMARA (1)	LHB18-0019 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U046	LHB21-0047 (F,1) ✓	CATTLE	BONSMARA (1)	LHB13-0070 (F,1)(Valid) ✓	BG15-0016 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U047	LHB21-0048 (M,1) ✓	CATTLE	BONSMARA (1)			PAR_C	mNSX : Multiple Nominated Sires Excluded ✓	40983

Report Date : 23-Jun-2022 12:40

Page 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.

This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7890U048	LHB21-0049 (F,1) ✓	CATTLE	BONSMARA (1)	LHB18-0015 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U049	LHB21-0050 (F,1) ✓	CATTLE	BONSMARA (1)	LHB16-0171 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U050	LHB21-0051 (F,1) ✓	CATTLE	BONSMARA (1)	LHB18-0184 (F,1)(Not Valid)	WAT17-0153 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	40983
7890U051	LHB21-0052 (M,1) ✓	CATTLE	BONSMARA (1)	LHB17-0279 (F,1)(Valid) ✓	LAR15-0063 (N/S,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U052	LHB21-0053 (F,1) ✓	CATTLE	BONSMARA (1)	LHB18-0002 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U053	LHB21-0054 (F,1) ✓	CATTLE	BONSMARA (1)	LHB18-0021 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U054	LHB21-0055 (M,1) ✓	CATTLE	BONSMARA (1)	LHB18-0058 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U055	LHB21-0056 (M,1) ✓	CATTLE	BONSMARA (1)	LHB16-0262 (F,1)(Valid) ✓	BG15-0016 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U056	LHB21-0057 (F,1) ✓	CATTLE	BONSMARA (1)		LAR15-0063 (N/S,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U057	LHB21-0058 (F,1) ✓	CATTLE	BONSMARA (1)		BG15-0016 (M,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U058	LHB21-0059 (M,1) ✓	CATTLE	BONSMARA (1)		VV14-0323 (N/S,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U059	LHB21-0060 (M,1) ✓	CATTLE	BONSMARA (1)	LHB16-0029 (F,1)(Valid) ✓	VV14-0323 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U060	LHB21-0061 (F,1)	CATTLE	BONSMARA		VV14-0323 (M,1)(Valid)	PAR_C	SV :	40983

Report Date : 23-Jun-2022 12:40

Page 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Sire Valid	
7890U061	LHB21-0063 (M,1) ✓	CATTLE	BONSMARA (1)	LHB14-0209 (F,1)(Valid) ✓	LAR15-0063 (N/S,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U062	LHB21-0064 (M,1) ✓	CATTLE	BONSMARA (1)	✓	VV14-0323 (M,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U063	LHB21-0065 (F,1) ✓	CATTLE	BONSMARA (1)	LHB13-0034 (F,1)(Valid) ✓	LAR15-0063 (N/S,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U064	LHB21-0066 (M,1) ✓	CATTLE	BONSMARA (1)	LHB15-0182 (F,1)(Valid) ✓	VV14-0323 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U065	LHB21-0067 (F,1) ✓	CATTLE	BONSMARA (1)	LHB17-0313 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U066	LHB21-0068 (M,1) * NOR	CATTLE	BONSMARA (1)	LHB17-0234 (F,1)(Valid)	BG15-0016 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	40983
7890U067	LHB21-0069 (F,1) ✓	CATTLE	BONSMARA (1)	AEJ10-0093 (F,1)(Valid) ✓	LAR15-0063 (N/S,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U068	LHB21-0070 (M,1) ✓	CATTLE	BONSMARA (1)	LHB14-0088 (F,1)(Valid)	VV14-0323 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U069	LHB21-0071 (F,1) ✓	CATTLE	BONSMARA (1)	LHB12-0132 (F,1)(Valid) ✓	BG15-0016 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U070	LHB21-0072 (F,1) ✓	CATTLE	BONSMARA (1)	LHB18-0117 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U071	LHB21-0073 (F,1) ✓	CATTLE	BONSMARA (1)	LHB19-0172 (F,1)(Valid) ✓	WAT17-0153 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U072	LHB21-0074 (M,1)	CATTLE	BONSMARA	LHB17-0338 (F,1)(Valid)	VV14-0323 (M,1)(Valid)	PAR_C	DVSV :	40983

Report Date : 23-Jun-2022 12:40

Page 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Dam Valid, Sire Valid	
7890U073	LHB21-0075 (M,1) ✓	CATTLE	BONSMARA (1)		VV14-0323 (M,1)(Valid) ✓	PAR_C	SV : ✓ Sire Valid	40983
7890U074	LHB21-0076 (M,1) ✓	CATTLE	BONSMARA (1)		VV14-0323 (M,1)(Valid) ✓	PAR_C	SV : ✓ Sire Valid	40983
7890U075	LHB21-0077 (F,1) ✓	CATTLE	BONSMARA (1)	LHB15-0003 (F,1)(Valid) ✓	LAR15-0063 (N/S,1)(Valid) ✓	PAR_C	DVSV : ✓ Dam Valid, Sire Valid	40983
7890U076	LHB21-0079 (F,1) ✓	CATTLE	BONSMARA (1)	LHB18-0050 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : ✓ Dam Valid, Sire Valid	40983
7890U077	LHB21-0080 (M,1) ✓	CATTLE	BONSMARA (1)	LHB18-0054 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : ✓ Dam Valid, Sire Valid	40983
7890U078	LHB21-0081 (F,1)	CATTLE	BONSMARA (1)	LHB16-0185 (F,1)(Valid)	VV14-0323 (M,1)(Valid)	PAR_C	DVSV : ✓ Dam Valid, Sire Valid	40983
7890U079	LHB21-0082 (F,1) ✓	CATTLE	BONSMARA (1)	LHB18-0051 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : ✓ Dam Valid, Sire Valid	40983
7890U080	LHB21-0083 (M,1) ✓	CATTLE	BONSMARA (1)	LHB15-0221 (F,1)(Valid) ✓	BG15-0016 (M,1)(Valid) ✓	PAR_C	DVSV : ✓ Dam Valid, Sire Valid	40983
7890U081	LHB21-0084 (M,1) ✓	CATTLE	BONSMARA (1)	LHB19-0171 (F,1)(Valid) ✓	WAT17-0153 (M,1)(Valid) ✓	PAR_C	DVSV : ✓ Dam Valid, Sire Valid	40983
7890U082	LHB21-0085 (F,1)	CATTLE	BONSMARA (1)	LHB14-0026 (F,1)(Valid)	BG15-0016 (M,1)(Valid)	PAR_C	DVSV : ✓ Dam Valid, Sire Valid	40983
7890U083	LHB21-0086 (F,1)	CATTLE	BONSMARA (1)	LHB18-0079 (F,1)(Valid)	BBM17-0203 (M,1)(Valid)	PAR_C	DVSV : ✓ Dam Valid, Sire Valid	40983
7890U084	LHB21-0087 (M,1) ✓	CATTLE	BONSMARA	LHB17-0287 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : ✓	40983

Report Date : 23-Jun-2022 12:40

Page 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Dam Valid, Sire Valid ✓	
7890U085	LHB21-0088 (F,1) ✓	CATTLE	BONSMARA (1)		LAR15-0063 (N/S,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U086	LHB21-0089 (M,1) ✓	CATTLE	BONSMARA (1)		LAR15-0063 (N/S,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U087	LHB21-0090 (M,1) ✓	CATTLE	BONSMARA (1)	LHB17-0278 (F,1)(Valid) ✓	VV14-0323 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U088	LHB21-0091 (M,1) ✓	CATTLE	BONSMARA (1)		LHB17-0184 (M,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U089	LHB21-0092 (M,1) ✓	CATTLE	BONSMARA (1)	LHB14-0171 (F,1)(Valid) ✓	LAR15-0147 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U090	LHB21-0093 (F,1) ✓	CATTLE	BONSMARA (1)	LHB17-0291 (F,1)(Valid) ✓	BG15-0016 (M,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U091	LHB21-0094 (F,1) ✓	CATTLE	BONSMARA (1)	LHB13-0096 (F,1)(Valid) ✓	LAR15-0063 (N/S,1)(Valid) ✓	PAR_C	DVSV : Dam Valid, Sire Valid ✓	40983
7890U092	LHB21-0095 (F,1) ✓	CATTLE	BONSMARA (1)		LAR15-0063 (N/S,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U093	LHB21-0097 (F,1) ✓	CATTLE	BONSMARA (1)		LHB17-0184 (M,1)(Valid) ✓	PAR_C	SV : Sire Valid ✓	40983
7890U094	LHB21-0098 (M,1) ✓	CATTLE	BONSMARA (1)	LHB12-0136 (F,1)(Valid) ✓		PAR_C	DVNSX : Dam Valid, Multiple Nominated Sires Excluded ✓	40983
7890U095	LHB21-0096 (N/S,1) ✓	CATTLE	BONSMARA (1)			ST_C	Store : Store this sample	01

Report Date : 23-Jun-2022 12:40

Page 8

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER