

Batch Detail Report

Batch : 7481U

Owner : SP Olivier

Owner Email: julia.olivier68@gmail.com; mooihoek.sp@gmail.com

Owner CellPhone No. : +27-83-667-7542

Farm : Optimum Bonsmaras/Corneliasrus

Account : WIPH01

Invoice To : Owner

Created : 2022-01-25

SAMPLE	ANIMAL	SPECIES	BREED	DAR	SIRE	TEST	Tissue Type	RESULT	MATCH
7481U001	SP21-0069 (M,1)	CATTLE	BONSMARA (1)	OPT18-0044 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U002	SP21-0068 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U003	SP21-0067 (M,1)	CATTLE	BONSMARA (1)	OPT10-0089 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U003	SP21-0067 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U003	SP21-0067 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U003	SP21-0067 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U004	SP21-0066 (F,1)	CATTLE	BONSMARA (1)	OPT18-0009 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U005	SP21-0065 (M,1)	CATTLE	BONSMARA (1)	OPT19-0061 (F,1)(Valid)	OLI18-0167 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U006	SP21-0064 (F,1)	CATTLE	BONSMARA (1)	OPT19-0068 (F,1)(Valid)	OLI18-0167 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U007	SP21-0063 (M,1)	CATTLE	BONSMARA		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV :	40737

Report Date : 02-Dec-2022 14:19

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	STREET	DATA	NRG	TEST	Result Type	RESULT	VOICE
7481U007	SP21-0063 (M,1)	CATTLE	(1) BONSMARA (1)			DMG-1_C	Hair	Sire Valid F94NOR : Myostatin - F94L Normal	
7481U007	SP21-0063 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U007	SP21-0063 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	HER01 : Repeat sample is requested	
7481U008	SP21-0062 (F,1)	CATTLE	BONSMARA (1)	OPT19-0067 (F,1)(Valid)	OL18-0167 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U009	SP21-0061 (M,1)	CATTLE	BONSMARA (1)	OPT18-0032 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U009	SP21-0061 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U009	SP21-0061 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U009	SP21-0061 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U010	SP21-0060 (F,1)	CATTLE	BONSMARA (1)		OPT19-0122 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U011	SP21-0070 (F,1)	CATTLE	BONSMARA (1)		LAR12-0033 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U012	SP21-0071 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U012	SP21-0071 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	

Report Date : 02-Dec-2022 14:19

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DOB	SIRE	TEST	Tissue Type	RESULT	ADDRESS
7481U012	SP21-0071 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U012	SP21-0071 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U013	SP21-0073 (M,1)	CATTLE	BONSMARA (1)	OPT19-0077 (F,1)(Valid)	OLI19-0167 (M,1)(Valid)	PAR_C	Hair	DVSV : Dain Valid, Sire Valid	40737
7481U013	SP21-0073 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U013	SP21-0073 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U013	SP21-0073 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	HER01 : Repeat sample is requested	
7481U014	SP21-0072 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U015	SP21-0074 (F,1)	CATTLE	BONSMARA (1)		OPT19-0113 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U016	SP21-0075 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U016	SP21-0075 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U016	SP21-0075 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U016	SP21-0075 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U017	SP21-0076 (F,1)	CATTLE	BONSMARA	OPT16-0058 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV :	40737

Report Date : 02-Dec-2022 14:19

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAY	STR	TEST	TISSUE TYPE	RESULT	INVOICE
			(1)					Dam Valid, Sire Valid	
7481U018	SP21-0077 (M,1)	CATTLE	BONSMARA (1)		LAR12-0033 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U018	SP21-0077 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U018	SP21-0077 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U018	SP21-0077 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	m8NOR : Myostatin - m821 Normal	
7481U019	SP21-0078 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U020	SP21-0079 (M,1)	CATTLE	BONSMARA (1)	OPT10-0135 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U021	SP21-0080 (F,1)	CATTLE	BONSMARA (1)	OPT16-0082 (F,1)(Valid)	OPT17-0038 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U022	SP21-0081 (M,1)	CATTLE	BONSMARA (1)	OLI12-0150 (F,1)(Valid)	OPT17-0038 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U022	SP21-0081 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U022	SP21-0081 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U022	SP21-0081 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	HER01 : Repeat sample is requested	
7481U023	SP21-0082 (F,1)	CATTLE	BONSMARA	OPT19-0172 (F,1)(Valid)	OLI18-0167 (M,1)(Valid)	PAR_C	Hair	DVSV :	40737

Report Date : 02-Dec-2022 14:19

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	ORIG	DOB	SIRE	TEST	Tissue Type	RESULT	BIPOIDS
			(1)					Dam Valid, Sire Valid	
7481U024	SP21-0083 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U025	SP21-0084 (F,1)	CATTLE	BONSMARA (1)	OPT19-0208 (F,1)(Valid)	OPT19-0071 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U026	SP21-0085 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U026	SP21-0085 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U026	SP21-0085 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U026	SP21-0085 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	mt8NOR : Myostatin - mt821 Normal	
7481U027	SP21-0086 (F,1)	CATTLE	BONSMARA (1)	OPT17-0108 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U028	SP21-0087 (M,1)	CATTLE	BONSMARA (1)	OPT18-0076 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U028	SP21-0087 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U028	SP21-0087 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U028	SP21-0087 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	mt8NOR : Myostatin - mt821 Normal	
7481U029	SP21-0088 (F,1)	CATTLE	BONSMARA	OPT17-0098 (F,1)(Valid)	OLI18-0131 (M,1)(Valid)	PAR_C	Hair	DVSV :	40737

Report Date : 02-Dec-2022 14:19

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(1)					Dam Valid, Sire Valid	
7481U030	SP21-0090 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U031	SP21-0092 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U032	SP21-0093 (M,1)	CATTLE	BONSMARA (1)	OPT16-0106 (F,1)(Not Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	40737
7481U033	SP21-0094 (F,1)	CATTLE	BONSMARA (1)	OPT10-0231 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U034	SP21-0095 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U034	SP21-0095 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U034	SP21-0095 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U034	SP21-0095 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt521 Normal	
7481U035	SP21-0096 (F,1)	CATTLE	BONSMARA (1)	OPT18-0072 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U036	SP21-0097 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U037	SP21-0098 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U038	SP21-0099 (M,1)	CATTLE	BONSMARA (1)	OPT19-0353 (F,1)(Valid)	OPT19-0035 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	QAIN	SEX	TEST	Tissue Type	RESULT	INVOICE
7481U039	SP21-0100 (F,1)	CATTLE	BONSMARA (1)	DBP14-0433 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U040	SP21-0101 (M,1)	CATTLE	BONSMARA (1)	DBP14-0203 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U040	SP21-0101 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U040	SP21-0101 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U040	SP21-0101 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U041	SP21-0102 (F,1)	CATTLE	BONSMARA (1)	DBP11-0050 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U042	SP21-0103 (M,1)	CATTLE	BONSMARA (1)	OPT19-0161 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U042	SP21-0103 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U042	SP21-0103 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U042	SP21-0103 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U043	SP21-0104 (F,1)	CATTLE	BONSMARA (1)	OPT15-0103 (F,1)(Valid)	OLI18-0131 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U044	SP21-0105 (M,1)	CATTLE	BONSMARA (1)	OPT15-0138 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	40737

Report Date : 02-Dec-2022 14:19

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
7481U044	SP21-0105 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	Valid F94NOR : Myostatin - F94L Normal	
7481U044	SP21-0105 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U044	SP21-0105 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U045	SP21-0105 (F,1)	CATTLE	BONSMARA (1)	OPT17-0062 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U046	SP21-0107 (M,1)	CATTLE	BONSMARA (1)	OPT18-0123 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U046	SP21-0107 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U046	SP21-0107 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U046	SP21-0107 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U047	SP21-0108 (F,1)	CATTLE	BONSMARA (1)		LAR12-0033 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U048	SP21-0109 (M,1)	CATTLE	BONSMARA (1)		LAR12-0033 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U048	SP21-0109 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U048	SP21-0109 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X	

Report Date : 02-Dec-2022 14:19

Page : 8

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	SIRE	DAM	Sire	TEST	Panel Type	RESULTS	INVOICE
7481U048	SP21-0109 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	Normal nt8NOR : Myostatin - nt821 Normal	
7481U049	SP21-0110 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U050	SP21-0111 (M,1)	CATTLE	BONSMARA (1)		LAR12-0033 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U050	SP21-0111 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U050	SP21-0111 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U050	SP21-0111 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U051	SP21-0112 (F,1)	CATTLE	BONSMARA (1)		LAR12-0033 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U052	SP21-0113 (M,1)	CATTLE	BONSMARA (1)	DBP15-0441 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U052	SP21-0113 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U052	SP21-0113 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U052	SP21-0113 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U053	SP21-0114 (F,1)	CATTLE	BONSMARA (1)		LAR12-0033 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 9

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DOB	SNR	TEST	Tissue Type	RESULT	INVOICE
7481U054	SP21-0115 (M,1)	CATTLE	BONSMARA (1)	DBP10-0053 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U055	SP21-0116 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U056	SP21-0117 (M,1)	CATTLE	BONSMARA (1)	DBP15-0441 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U057	SP21-0118 (F,1)	CATTLE	BONSMARA (1)	OPT19-0343 (F,1)(Valid)	OPT19-0035 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U058	SP21-0119 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U059	SP21-0129 (M,1)	CATTLE	BONSMARA (1)	OPT19-0330 (F,1)(Valid)	OPT19-0128 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U060	SP21-0120 (F,1)	CATTLE	BONSMARA (1)	OPT16-0035 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U061	SP21-0121 (M,1)	CATTLE	BONSMARA (1)	OPT16-0121 (F,1)(Valid)	OPT17-0038 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U061	SP21-0121 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U061	SP21-0121 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U061	SP21-0121 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U062	SP21-0122 (F,1)	CATTLE	BONSMARA (1)	OPT17-0166 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 10

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Exhibit Type	RESULT	INVOICE
7481U063	SP21-0123 (M,1)	CATTLE	BONSMARA (1)		LAR12-0033 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U063	SP21-0123 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U063	SP21-0123 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U063	SP21-0123 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U064	SP21-0124 (F,1)	CATTLE	BONSMARA (1)		LAR12-0033 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U065	SP21-0125 (M,1)	CATTLE	BONSMARA (1)	OPT19-0046 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U065	SP21-0125 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U065	SP21-0125 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U065	SP21-0125 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U066	SP21-0126 (F,1)	CATTLE	BONSMARA (1)	OPT16-0127 (F,1)(Valid)	OPT17-0038 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U067	SP21-0127 (M,1)	CATTLE	BONSMARA (1)	OPT18-0075 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U068	SP21-0128 (F,1)	CATTLE	BONSMARA (1)	OPT18-0033 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 11

Unistel report these results on the premise that the biological samples received are from the individual's nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

EXAMPLE	ANIMAL	SPECIES	ORIGIN	DCM	STR	TEST	Tissue Type	RESULT	INVOICE
7481U069	SP21-0130 (F,1)	CATTLE	BONSMARA (1)	OPT16-0084 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U070	SP21-0131 (M,1)	CATTLE	BONSMARA (1)		LAR12-0033 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U070	SP21-0131 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U070	SP21-0131 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U070	SP21-0131 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U071	SP21-0132 (F,1)	CATTLE	BONSMARA (1)	OPT19-0118 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U072	SP21-0133 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U072	SP21-0133 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U072	SP21-0133 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U072	SP21-0133 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U073	SP21-0134 (F,1)	CATTLE	BONSMARA (1)	DBP15-0103 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U074	SP21-0135 (M,1)	CATTLE	BONSMARA (1)	OPT16-0026 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 12

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	JOURNAL	SPECIES	SUBSET	DATA	SIRE	TUBT	Tissue Type	RESULT	INVOICE
7481U075	SP21-0136 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U076	SP21-0137 (M,1)	CATTLE	BONSMARA (1)	OPT17-0041 (F,1)(Valid)	OPT19-0060 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U076	SP21-0137 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U076	SP21-0137 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U076	SP21-0137 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U077	SP21-0138 (F,1)	CATTLE	BONSMARA (1)	OPT18-0165 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U078	SP21-0139 (M,1)	CATTLE	BONSMARA (1)		LAR12-0033 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U078	SP21-0139 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U078	SP21-0139 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U078	SP21-0139 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U079	SP21-0140 (F,1)	CATTLE	BONSMARA (1)	DBP14-0172 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U080	SP21-0142 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U081	SP21-0143 (M,1)	CATTLE	BONSMARA	DBP09-0304 (F,1)(Valid)	OLI18-0181 (M,1)(Valid)	PAR_C	Hair	DVSV :	40737

Report Date : 02-Dec-2022 14:19

Page : 13

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	STRID	DAM	DATE	TEST	Turno Type	RESULT	INVOICE
			(1)					Dam Valid, Sire Valid	
7481U081	SP21-0143 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U081	SP21-0143 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U081	SP21-0143 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U082	SP21-0144 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U083	SP21-0188 (F,1)	CATTLE	BONSMARA (1)	DBP10-0160 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U084	SP21-0167 (M,1)	CATTLE	BONSMARA (1)	DBP15-0044 (F,1)(Valid)	OPT17-0038 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U084	SP21-0187 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U084	SP21-0167 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U084	SP21-0167 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U085	SP21-0166 (F,1)	CATTLE	BONSMARA (1)	OPT16-0240 (F,1)(Valid)	OL118-0131 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U086	SP21-0165 (M,1)	CATTLE	BONSMARA (1)		LAR12-0033 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U087	SP21-0184 (F,1)	CATTLE	BONSMARA	OPT19-0309 (F,1)(Valid)	OPT19-0035 (M,1)(Valid)	PAR_C	Hair	DVSV :	40737

Report Date : 02-Dec-2022 14:19

Page : 14

Under report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SP20158	BREED	D/CN	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(1)					Dam Valid, Sire Valid	
7481U088	SP21-0163 (M,1)	CATTLE	BONSMARA (1)	OPT19-0079 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U088	SP21-0163 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U088	SP21-0163 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U088	SP21-0163 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	HER01 : Repeat sample is requested	
7481U089	SP21-0162 (F,1)	CATTLE	BONSMARA (1)	DFP09-0014 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U090	SP21-0161 (M,1)	CATTLE	BONSMARA (1)	DBP15-0019 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U091	SP21-0180 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U092	SP21-0159 (M,1)	CATTLE	BONSMARA (1)	OPT19-0370 (F,1)(Valid)	OPT19-0035 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U092	SP21-0159 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U092	SP21-0159 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U092	SP21-0159 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	

Report Date : 02-Dec-2022 14:19

Page : 15

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	INDIVID	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
7481U093	SP21-0158 (F,1)	CATTLE	BONSMARA (1)	OPT17-0231 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U094	SP21-0157 (M,1)	CATTLE	BONSMARA (1)	OPT17-0009 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U094	SP21-0157 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U094	SP21-0157 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U094	SP21-0157 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U095	SP21-0158 (F,1)	CATTLE	BONSMARA (1)	OPT19-0116 (F,1)(Valid)	OLH7-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U096	SP21-0155 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U096	SP21-0155 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U096	SP21-0155 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U096	SP21-0155 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U097	SP21-0153 (M,1)	CATTLE	BONSMARA (1)		LAR12-0033 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U097	SP21-0153 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	

Report Date : 02-Dec-2022 14:19

Page : 16

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	NORMAL	SPECIES	STRIPS	DATE	SIRE	TEST	Thick & Thin	RESULT	INVOICE
7481U097	SP21-0153 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U097	SP21-0153 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U098	SP21-0154 (F,1)	CATTLE	BONSMARA (1)	OPT19-0092 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U099	SP21-0152 (F,1)	CATTLE	BONSMARA (1)	OPT19-0139 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U100	SP21-0151 (M,1)	CATTLE	BONSMARA (1)	OPT19-0148 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U100	SP21-0151 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U100	SP21-0151 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U100	SP21-0151 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U101	SP21-0150 (F,1)	CATTLE	BONSMARA (1)	DBP14-0184 (F,1)(Valid)	OPT17-0038 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U102	SP21-0149 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U103	SP21-0148 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U104	SP21-0147 (M,1)	CATTLE	BONSMARA (1)	DBP14-0144 (F,1)(Valid)	OPT19-0113 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 17

Unistel report these results on the premise that the biological samples received are from the individual(s) nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SEX	TEST	Tissue Type	RESULT	REFERENCE
7481U104	SP21-0147 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U104	SP21-0147 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U104	SP21-0147 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U105	SP21-0146 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U106	SP21-0145 (M,1)	CATTLE	BONSMARA (1)	OPT19-0044 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U107	SP21-0188 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U108	SP21-0187 (M,1)	CATTLE	BONSMARA (1)	OPT19-0275 (F,1)(Valid)	OPT19-0052 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U109	SP21-0186 (F,1)	CATTLE	BONSMARA (1)	DBP11-0046 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U110	SP21-0185 (M,1)	CATTLE	BONSMARA (1)	OPT19-0054 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U110	SP21-0185 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U110	SP21-0185 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U110	SP21-0185 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	

Report Date : 02-Dec-2022 14:19

Page : 18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
7481U111	SP21-0184 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U112	SP21-0183 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U112	SP21-0183 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U112	SP21-0183 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U112	SP21-0183 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U113	SP21-0182 (F,1)	CATTLE	BONSMARA (1)	DBP14-0335 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U114	SP21-0179 (M,1)	CATTLE	BONSMARA (1)	OPT16-0162 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U114	SP21-0179 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U114	SP21-0179 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U114	SP21-0179 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U115	SP21-0180 (F,1)	CATTLE	BONSMARA (1)	OPT19-0083 (F,1)(Valid)	GLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U116	SP21-0178 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U117	SP21-0177 (M,1)	CATTLE	BONSMARA	OPT16-0138 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV :	40737

Report Date : 02-Dec-2022 14:19

Page : 19

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	SPECID	DAM	SIRE	TEST	TISSUE TYPE	RESULTS	INFORM
7481U117	SP21-0177 (M,1)	CATTLE	(1) BONSMARA (1)			DMG-1_C	Hair	Dam Valid, Sire Valid F94NOR : Myostatin - F94L Normal	
7481U117	SP21-0177 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U117	SP21-0177 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U118	SP21-0176 (F,1)	CATTLE	BONSMARA (1)	DBP15-0248 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U119	SP21-0175 (M,1)	CATTLE	BONSMARA (1)	OPT19-0058 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U119	SP21-0175 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U119	SP21-0175 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U119	SP21-0175 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U120	SP21-0174 (F,1)	CATTLE	BONSMARA (1)	DBP14-0017 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U121	SP21-0173 (M,1)	CATTLE	BONSMARA (1)	OPT19-0065 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U122	SP21-0172 (F,1)	CATTLE	BONSMARA (1)	OPT19-0066 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 20

Unistel reports these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SIZE	TEST	Tissue Type	RESULT	NOTES
7481U123	SP21-0171 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U124	SP21-0170 (F,1)	CATTLE	BONSMARA (1)	OPT19-0136 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U125	SP21-0169 (M,1)	CATTLE	BONSMARA (1)	DBP09-0178 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U125	SP21-0169 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U125	SP21-0169 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U125	SP21-0169 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U126	SP21-0189 (M,1)	CATTLE	BONSMARA (1)		OPT19-0113 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U126	SP21-0189 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U126	SP21-0189 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U126	SP21-0189 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U127	SP21-0190 (F,1)	CATTLE	BONSMARA (1)	OPT19-0037 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U128	SP21-0191 (M,1)	CATTLE	BONSMARA (1)	OPT19-0097 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 21

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	REFERENCE
7481U129	SP21-0192 (F,1)	CATTLE	BONSMARA (1)	OPT18-0320 (F,1)(Valid)	OPT18-0035 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U130	SP21-0193 (M,1)	CATTLE	BONSMARA (1)		OPT18-0074 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U131	SP21-0217 (M,1)	CATTLE	BONSMARA (1)	OPT18-0070 (F,1)(Valid)	OPT18-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U132	SP21-0216 (F,1)	CATTLE	BONSMARA (1)	DBP15-0012 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U133	SP21-0215 (M,1)	CATTLE	BONSMARA (1)	OPT18-0150 (F,1)(Valid)	OPT18-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U134	SP21-0214 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U135	SP21-0213 (M,1)	CATTLE	BONSMARA (1)	OPT18-0319 (F,1)(Valid)	OPT18-0035 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U135	SP21-0213 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U135	SP21-0213 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U135	SP21-0213 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U138	SP21-0212 (F,1)	CATTLE	BONSMARA (1)	DBP15-0302 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U137	SP21-0211 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U138	SP21-0210 (F,1)	CATTLE	BONSMARA	OPT18-0175 (F,1)(Valid)	OPT17-0038 (M,1)(Valid)	PAR_C	Hair	DVSV :	40737

Report Date : 02-Dec-2022 14:19

Page : 22

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	STRID	QAM	QMS	TEST	Result Type	RESULT	REFERENCE
			(1)					Dam Valid, Sire Valid	
7481U139	SP21-0209 (M,1)	CATTLE	BONSMARA (1)	OPT19-0232 (F,1)(Valid)	OPT19-0052 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U139	SP21-0209 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U139	SP21-0209 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U139	SP21-0209 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U140	SP21-0208 (F,1)	CATTLE	BONSMARA (1)	OPT19-0327 (F,1)(Valid)	OPT19-0128 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U141	SP21-0207 (M,1)	CATTLE	BONSMARA (1)	OPT19-0290 (F,1)(Valid)	OPT19-0035 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U142	SP21-0206 (F,1)	CATTLE	BONSMARA (1)		OPT19-0074 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U143	SP21-0205 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U143	SP21-0205 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U143	SP21-0205 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U143	SP21-0205 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U144	SP21-0204 (F,1)	CATTLE	BONSMARA	OPT16-0041 (F,1)(Valid)	OPT17-0038 (M,1)(Valid)	PAR_C	Hair	DVSV :	40737

Report Date : 02-Dec-2022 14:19

Page : 23

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE ID	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	TEST TYPE	RESULT	REFERENCE
			(1)					Dam Valid, Sire Valid	
7481U145	SP21-0203 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U146	SP21-0202 (F,1)	CATTLE	BONSMARA (1)	OPT19-0035 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U147	SP21-0201 (M,1)	CATTLE	BONSMARA (1)	OPT16-0210 (F,1)(Valid)	LAI12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U147	SP21-0201 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U147	SP21-0201 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U147	SP21-0201 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U148	SP21-0200 (F,1)	CATTLE	BONSMARA (1)	OPT18-0309 (F,1)(Valid)	OLI18-0131 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U149	SP21-0199 (M,1)	CATTLE	BONSMARA (1)	OPT19-0221 (F,1)(Valid)	OPT19-0052 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U149	SP21-0199 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U149	SP21-0199 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U149	SP21-0199 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	

Report Date : 02-Dec-2022 14:19

Page : 24

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	REPORT TYPE	RESULT	INVOICE
7481U150	SP21-0198 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U151	SP21-0197 (M,1)	CATTLE	BONSMARA (1)		OPT19-0074 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U152	SP21-0196 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U153	SP21-0195 (M,1)	CATTLE	BONSMARA (1)	DBP15-0101 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U154	SP21-0194 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U155	SP21-0241 (M,1)	CATTLE	BONSMARA (1)		OPT19-0113 (M,1)(Valid) OPT19-0122 (M,1)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	40737
7481U156	SP21-0240 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U157	SP21-0239 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U157	SP21-0239 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U157	SP21-0239 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U157	SP21-0239 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U158	SP21-0238 (F,1)	CATTLE	BONSMARA (1)		OPT19-0074 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U159	SP21-0237 (M,1)	CATTLE	BONSMARA (1)		OPT19-0060 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U159	SP21-0237 (M,1)	CATTLE	BONSMARA			DMG-1_C	Hair	F94NOR :	

Report Date : 02-Dec-2022 14:19

Page : 25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	PREED	DAW	ENC	TEST	Time - Type	RESULT	INVOICE
			(1)					Myostatin - F94L Normal	
7481U159	SP21-0237 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U159	SP21-0237 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U160	SP21-0236 (F,1)	CATTLE	BONSMARA (1)	OPT17-0133 (F,1)(Valid)	OPT19-0060 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U161	SP21-0235 (M,1)	CATTLE	BONSMARA (1)	OPT19-0321 (F,1)(Valid)	OPT19-0071 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U162	SP21-0234 (F,1)	CATTLE	BONSMARA (1)	OPT19-0146 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U163	SP21-0233 (M,1)	CATTLE	BONSMARA (1)	OPT16-0126 (F,1)(Valid)	OPT17-0038 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U164	SP21-0232 (F,1)	CATTLE	BONSMARA (1)	DBP14-0208 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U165	SP21-0231 (M,1)	CATTLE	BONSMARA (1)		OPT19-0074 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U166	SP21-0230 (F,1)	CATTLE	BONSMARA (1)	DBP14-0224 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U167	SP21-0229 (M,1)	CATTLE	BONSMARA (1)	OPT17-0222 (F,1)(Valid)	OPT19-0060 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U168	SP21-0227 (M,1)	CATTLE	BONSMARA (1)	OPT16-0077 (F,1)(Valid)	OPT17-0038 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 26

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	POURAN	SPECIES	GTRED	DA9	SRV	T203	Tissue Type	RESULT	INVOICE
7481U168	SP21-0227 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Mycostatin - F94L Normal	
7481U168	SP21-0227 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Mycostatin - Q204X Normal	
7481U168	SP21-0227 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	n18NOR : Mycostatin - n1821 Normal	
7481U169	SP21-0228 (F,1)	CATTLE	BONSMARA (1)	OPT19-0050 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U170	SP21-0228 (F,1)	CATTLE	BONSMARA (1)			ST_C	Hair	Store : Store this sample	01
7481U171	SP21-0228 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U172	SP21-0228 (M,1)	CATTLE	BONSMARA (1)	OPT18-0214 (F,1)(Valid)	OPT18-0318 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U173	SP21-0224 (F,1)	CATTLE	BONSMARA (1)		LAR12-0033 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U174	SP21-0223 (M,1)	CATTLE	BONSMARA (1)	OPT19-0262 (F,1)(Valid)	OPT19-0128 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U175	SP21-0222 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U176	SP21-0221 (M,1)	CATTLE	BONSMARA (1)	OPT19-0307 (F,1)(Valid)	OPT19-0128 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U177	SP21-0220 (F,1)	CATTLE	BONSMARA (1)	OPT19-0216 (F,1)(Valid)	OPT19-0052 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U178	SP21-0219 (M,1)	CATTLE	BONSMARA (1)	OPT18-0206 (F,1)(Valid)	OPT18-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	40737

Report Date : 02-Dec-2022 14:19

Page : 27

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	ORIGID	LOD	STR	TEST	TEST Type	RESULT	INVOICE
7481U178	SP21-0219 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	Valid F94NOR : Myostatin - F94L Normal	
7481U178	SP21-0219 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U178	SP21-0219 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U179	SP21-0218 (F,1)	CATTLE	BONSMARA (1)	OPT19-0289 (F,1)(Valid)	OPT19-0052 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U180	SP21-0242 (F,1)	CATTLE	BONSMARA (1)	OPT19-0090 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U181	SP21-0243 (M,1)	CATTLE	BONSMARA (1)	DBP08-0038 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U181	SP21-0243 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U181	SP21-0243 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U181	SP21-0243 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U182	SP21-0244 (F,1)	CATTLE	BONSMARA (1)	OPT19-0138 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U183	SP21-0245 (M,1)	CATTLE	BONSMARA (1)	OPT18-0151 (F,1)(Valid)	OPT18-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 28

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

CATTLE	ANIMAL	SPECIES	BREED	DATE	TIME	TEST	Tissue Type	RESULT	INVOICE
7481U183	SP21-0245 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin F94L Normal	
7481U183	SP21-0245 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U183	SP21-0245 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin nt821 Normal	
7481U184	SP21-0246 (F,1)	CATTLE	BONSMARA (1)		OPT19-0113 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U185	SP21-0247 (M,1)	CATTLE	BONSMARA (1)	OPT17-0027 (F,1)(Valid)	OPT19-0360 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U186	SP21-0248 (F,1)	CATTLE	BONSMARA (1)		OPT17-0338 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U187	SP21-0249 (M,1)	CATTLE	BONSMARA (1)	OPT19-0354 (F,1)(Valid)	OPT19-0128 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U188	SP21-0250 (F,1)	CATTLE	BONSMARA (1)	OPT18-0297 (F,1)(Valid)	OPT18-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U189	SP21-0251 (M,1)	CATTLE	BONSMARA (1)	OPT19-0220 (F,1)(Valid)	OPT19-0371 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U190	SP21-0252 (F,1)	CATTLE	BONSMARA (1)		OPT18-0152 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U191	SP21-0253 (M,1)	CATTLE	BONSMARA (1)	OPT19-0304 (F,1)(Valid)	OPT19-0371 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U192	SP21-0254 (F,1)	CATTLE	BONSMARA (1)	OPT19-0395 (F,1)(Valid)	OPT19-0128 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U193	SP21-0256 (F,1)	CATTLE	BONSMARA		OPT17-0338 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 29

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
7481U194	SP21-0257 (M,1)	CATTLE	(1) BONSMARA (1)	OPT19-0110 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	Sire Valid DVSV : Dam Valid, Sire Valid	40737
7481U194	SP21-0257 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U194	SP21-0257 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U194	SP21-0257 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U195	SP21-0256 (F,1)	CATTLE	BONSMARA (1)	OPT18-0010 (F,1)(Valid)	OPT19-0060 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U196	SP21-0259 (M,1)	CATTLE	BONSMARA (1)		OPT18-0152 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U196	SP21-0259 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U196	SP21-0259 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U196	SP21-0259 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U197	SP21-0260 (F,1)	CATTLE	BONSMARA (1)		OPT19-0113 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U198	SP21-0261 (M,1)	CATTLE	BONSMARA (1)	OPT19-0432 (F,1)(Valid)	OPT19-0128 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U198	SP21-0261 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L	

Report Date : 02-Dec-2022 14:19

Page : 30

Unistel report these results on the premise that the biological samples received are from the individual's nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	SEX	SIRE	TEST	TURNIN TYPE	RESULT	INVOICE
7481U198	SP21-0261 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Normal Q20NOR : Myostatin - Q204X Normal	
7481U198	SP21-0261 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U199	SP21-0263 (M,1)	CATTLE	BONSMARA (1)		OPT18-0152 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U200	SP21-0264 (F,1)	CATTLE	BONSMARA (1)		OPT19-0360 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U201	SP21-0265 (M,1)	CATTLE	BONSMARA (1)	OPT19-0063 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U201	SP21-0265 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U201	SP21-0265 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q20+X Heterozygote	
7481U201	SP21-0265 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	HER01 : Repeat sample is requested	
7481U202	SP21-0266 (F,1)	CATTLE	BONSMARA (1)		OPT18-0152 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U203	SP21-0267 (M,1)	CATTLE	BONSMARA (1)	OPT19-0223 (F,1)(Valid)	OPT19-0128 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U204	SP21-0292 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U205	SP21-0291 (M,1)	CATTLE	BONSMARA (1)	OPT19-0130 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 31

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	ORIGIN	DATE	CHIPS	TEST	Sample Type	RESULT	REFERENCE
7481U206	SP21-0290 (F,1)	CATTLE	BONSMARA (1)	OPT17-0151 (F,1)(Valid)	OPT19-0060 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U207	SP21-0259 (M,1)	CATTLE	BONSMARA (1)	OPT18-0285 (F,1)(Valid)	OPT18-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U207	SP21-0289 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U207	SP21-0289 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U207	SP21-0289 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U208	SP21-0287 (M,1)	CATTLE	BONSMARA (1)	OPT18-0071 (F,1)(Valid)	OPT18-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U209	SP21-0286 (F,1)	CATTLE	BONSMARA (1)	OPT18-0147 (F,1)(Valid)	OPT18-0318 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U210	SP21-0285 (M,1)	CATTLE	BONSMARA (1)	OPT17-0145 (F,1)(Valid)	OPT19-0060 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U210	SP21-0285 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U210	SP21-0285 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U210	SP21-0285 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U211	SP21-0284 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 32

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SCOTTLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	TURNOUT	RESULT	INVOICE
7481U212	SP21-0283 (M,1)	CATTLE	BONSMARA (1)		OPT19-0060 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U212	SP21-0283 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U212	SP21-0283 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U212	SP21-0283 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	rt8NOR : Myostatin - rt821 Normal	
7481U213	SP21-0282 (F,1)	CATTLE	BONSMARA (1)	OPT18-0057 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U214	SP21-0281 (M,1)	CATTLE	BONSMARA (1)	OPT19-0234 (F,1)(Valid)	OPT19-0052 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U215	SP21-0280 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U216	SP21-0279 (M,1)	CATTLE	BONSMARA (1)	OPT17-0218 (F,1)(Valid)	OPT19-0060 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U217	SP21-0278 (F,1)	CATTLE	BONSMARA (1)	OPT19-0278 (F,1)(Valid)	OPT19-0035 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U218	SP21-0277 (M,1)	CATTLE	BONSMARA (1)	OPT18-0156 (F,1)(Valid)	OPT18-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U219	SP21-0276 (F,1)	CATTLE	BONSMARA (1)		OPT19-0113 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U220	SP21-0275 (M,1)	CATTLE	BONSMARA (1)		OPT19-0113 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U221	SP21-0274 (F,1)	CATTLE	BONSMARA (1)	OPT19-0286 (F,1)(Valid)	OPT19-0071 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	40737

Report Date : 02-Dec-2022 14:19

Page : 33

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DM2	DM3	TEST	Marker Type	RESULT	INVOICE
7481U222	SP21-0273 (M,1)	CATTLE	BONSMARA (1)	OPT19-0412 (F,1)(Valid)	OPT19-0128 (M,1)(Valid)	PAR_C	Hair	Valid DVS : Dam Valid, Sire Valid	40737
7481U222	SP21-0273 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U222	SP21-0273 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U222	SP21-0273 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	ni8NOR : Myostatin - ni821 Normal	
7481U223	SP21-0272 (F,1)	CATTLE	BONSMARA (1)	OPT18-0029 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVS : Dam Valid, Sire Valid	40737
7481U224	SP21-0271 (M,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	NSR : No Sample Received	01
7481U225	SP21-0270 (F,1)	CATTLE	BONSMARA (1)		OPT19-0113 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U226	SP21-0269 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U227	SP21-0268 (F,1)	CATTLE	BONSMARA (1)	OPT19-0325 (F,1)(Valid)	OPT19-0371 (M,1)(Valid)	PAR_C	Hair	DVS : Dam Valid, Sire Valid	40737
7481U228	SP21-0318 (F,1)	CATTLE	BONSMARA (1)	OPT18-0099 (F,1)(Valid)	OPT18-0042 (M,1)(Valid)	PAR_C	Hair	DVS : Dam Valid, Sire Valid	40737
7481U229	SP21-0317 (M,1)	CATTLE	BONSMARA (1)		OPT18-0318 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U229	SP21-0317 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	

Report Date : 02-Dec-2022 14:19

Page : 34

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates International scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SP2188	STR22	DAM	STR5	TS31	Tissue Type	RESULT	AVGUC2
7481U229	SP21-0317 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U229	SP21-0317 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U230	SP21-0316 (F,1)	CATTLE	BONSMARA (1)	OPT19-0024 (F,1)(Valid)	OPT18-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U231	SP21-0315 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U232	SP21-0314 (F,1)	CATTLE	BONSMARA (1)	OPT18-0095 (F,1)(Valid)	OPT18-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U233	SP21-0313 (M,1)	CATTLE	BONSMARA (1)		OPT18-0152 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U234	SP21-0311 (M,1)	CATTLE	BONSMARA (1)	OPT19-0248 (F,1)(Valid)	OPT19-0071 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U235	SP21-0310 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U236	SP21-0309 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U237	SP21-0308 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U238	SP21-0307 (M,1)	CATTLE	BONSMARA (1)	OPT16-0227 (F,1)(Valid)	OPT18-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U239	SP21-0306 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U240	SP21-0305 (M,1)	CATTLE	BONSMARA (1)		OPT19-0069 (M,1)(Valid) OPT19-0113 (M,1)(Valid) OPT19-0122 (M,1)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 35

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	SEX/ID	DAM	DATE	TEST	Tissue Type	RESULT	ENVOIR
7481U241	SP21-0304 (F,1)	CATTLE	BONSMARA (1)		OPT18-0074 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U242	SP21-0303 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U243	SP21-0302 (F,1)	CATTLE	BONSMARA (1)	OPT17-0153 (F,1)(Valid)	OPT18-0060 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U244	SP21-0301 (M,1)	CATTLE	BONSMARA (1)		OLI18-0181 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U244	SP21-0301 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U244	SP21-0301 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U244	SP21-0301 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
7481U245	SP21-0300 (F,1)	CATTLE	BONSMARA (1)		OLI15-0181 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U246	SP21-0299 (M,1)	CATTLE	BONSMARA (1)	DBP15-0185 (F,1)(Valid)	OPT19-0106 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U247	SP21-0298 (F,1)	CATTLE	BONSMARA (1)	OPT18-0094 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U248	SP21-0295 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U248	SP21-0295 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U248	SP21-0295 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	

Report Date : 02-Dec-2022 14:19

Page : 36

Unistel report these results on the promise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	SEXED	DAM	SIRE	TEST	Panel Type	RESULTS	INVOICE
7481U248	SP21-0295 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U249	SP21-0297 (M,1)	CATTLE	BONSMARA (1)	OPT18-0228 (F,1)(Valid)	OPT18-0042 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U249	SP21-0297 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U249	SP21-0297 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U249	SP21-0297 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
7481U250	SP21-0294 (F,1)	CATTLE	BONSMARA (1)	OPT17-0187 (F,1)(Valid)	OPT18-0060 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U251	SP21-0293 (M,1)	CATTLE	BONSMARA (1)		OPT18-0152 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U252	SP21-0320 (F,1)	CATTLE	BONSMARA (1)		OPT18-0152 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U253	SP21-0319 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U254	SP21-0321 (M,1)	CATTLE	BONSMARA (1)	OPT18-0001 (F,1)(Valid)	OPT18-0318 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U255	SP21-0322 (F,1)	CATTLE	BONSMARA (1)	DBP14-0149 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U256	SP21-0323 (M,1)	CATTLE	BONSMARA (1)		OPT18-0042 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U257	SP21-0324 (F,1)	CATTLE	BONSMARA (1)		OLI18-0217 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 37

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

CATTLE	ANIMAL	SPECIES	BREED	DOB	STR	TEST	TEST TYPE	RESULT	REFERENCE
7481U258	SP21-0325 (M,1)	CATTLE	BONSMARA (1)	OPT17-0123 (F,1)(Valid)	OPT19-0060 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U258	SP21-0325 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U258	SP21-0325 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U258	SP21-0325 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal	
7481U259	SP21-0326 (F,1)	CATTLE	BONSMARA (1)	OPT18-0265 (F,1)(Valid)	OPT18-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U260	SP21-0327 (M,1)	CATTLE	BONSMARA (1)		OPT18-0042 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U281	SP21-0328 (F,1)	CATTLE	BONSMARA (1)		OPT19-0113 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U282	SP21-0329 (M,1)	CATTLE	BONSMARA (1)	OPT19-0420 (F,1)(Valid)	OPT19-0128 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U263	SP21-0330 (F,1)	CATTLE	BONSMARA (1)	OPT16-0207 (F,1)(Valid)	OLI18-0131 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U264	SP21-0332 (F,1)	CATTLE	BONSMARA (1)	OPT17-0238 (F,1)(Valid)	OPT19-0060 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U265	SP21-0334 (F,1)	CATTLE	BONSMARA (1)		OPT19-0113 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U286	SP21-0335 (M,1)	CATTLE	BONSMARA (1)	OPT17-0242 (F,1)(Valid)	OPT19-0060 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U267	SP21-0336 (F,1)	CATTLE	BONSMARA	OPT17-0243 (F,1)(Valid)	OPT19-0060 (M,1)(Valid)	PAR_C	Hair	DVSV :	40737

Report Date : 02-Dec-2022 14:19

Page : 38

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DOB	SIRE	DEAT	Donor Type	RESULTS	INVOICE
			(1)					Dam Valid, Sire Valid	
7481U268	SP21-0337 (M,1)	CATTLE	BONSMARA (1)	OPT17-0071 (F,1)(Valid)	OPT19-0060 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U269	SP21-0338 (F,1)	CATTLE	BONSMARA (1)		OPT18-0152 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U270	SP21-0339 (M,1)	CATTLE	BONSMARA (1)		OPT18-0042 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U271	SP21-0340 (F,1)	CATTLE	BONSMARA (1)	OPT18-0139 (F,1)(Valid)	OPT18-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U272	SP21-0341 (M,1)	CATTLE	BONSMARA (1)		OPT18-0042 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U273	SP21-0342 (F,1)	CATTLE	BONSMARA (1)	OPT17-0056 (F,1)(Valid)	OPT19-0060 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U274	SP21-0343 (M,1)	CATTLE	BONSMARA (1)	OPT19-0185 (F,1)(Valid)	OPT19-0071 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U275	SP21-0344 (F,1)	CATTLE	BONSMARA (1)	DBP09-0210 (F,1)(Valid)	OPT17-0038 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U276	SP21-0363 (F,1)	CATTLE	BONSMARA (1)	OPT19-0237 (F,1)(Valid)	OPT19-0071 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U277	SP21-0367 (M,1)	CATTLE	BONSMARA (1)	OPT19-0186 (F,1)(Valid)	OPT19-0052 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U278	SP21-0366 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U279	SP21-0365 (M,1)	CATTLE	BONSMARA (1)		OPT18-0152 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 39

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	SEXED	DAM	SIRE	TEST	HAIR TYPE	RESULT	REFERENCE
7481U280	SP21-0364 (F,1)	CATTLE	BONSMARA (1)	OPT118-0238 (F,1)(Valid)	OPT18-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U281	SP21-0363 (M,1)	CATTLE	BONSMARA (1)	OPT18-0174 (F,1)(Valid)	OPT18-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U282	SP21-0362 (F,1)	CATTLE	BONSMARA (1)		OLI18-0217 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U283	SP21-0361 (M,1)	CATTLE	BONSMARA (1)		OPT18-0162 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U284	SP21-0360 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U285	SP21-0359 (M,1)	CATTLE	BONSMARA (1)		OLI18-0181 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U285	SP21-0359 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94J Normal	
7481U285	SP21-0359 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
7481U285	SP21-0359 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8HET : Myostatin - nt82 Heterozygote	
7481U286	SP21-0358 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U257	SP21-0357 (M,1)	CATTLE	BONSMARA (1)	OPT16-0010 (F,1)(Valid)	OPT19-0106 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U288	SP21-0356 (F,1)	CATTLE	BONSMARA (1)	OPT18-0095 (F,1)(Valid)	OLI17-0174 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U289	SP21-0355 (M,1)	CATTLE	BONSMARA (1)		OLI18-0181 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 40

Unistel report these results on the promise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	CA1	CA2	CA3	Trace Type	RESULT	INFO-06	
7481U290	SP21-0354 (F,1)	CATTLE	BONSMARA (1)			OPT18-0042 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U291	SP21-0353 (M,1)	CATTLE	BONSMARA (1)			OLI18-0217 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U292	SP21-0352 (F,1)	CATTLE	BONSMARA (1)			OPT19-0060 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U293	SP21-0351 (M,1)	CATTLE	BONSMARA (1)	OPT18-0326 (F,1)(Valid)		OPT16-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U294	SP21-0350 (F,1)	CATTLE	BONSMARA (1)			OPT19-0060 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U295	SP21-0349 (M,1)	CATTLE	BONSMARA (1)			OLI18-0217 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U296	SP21-0348 (F,1)	CATTLE	BONSMARA (1)			OPT18-0152 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U297	SP21-0347 (M,1)	CATTLE	BONSMARA (1)	OPT17-0114 (F,1)(Valid)		OPT19-0060 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U298	SP21-0346 (F,1)	CATTLE	BONSMARA (1)			OPT17-0038 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U299	SP21-0345 (M,1)	CATTLE	BONSMARA (1)	EMH10-0135 (F,1)(Valid)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U299	SP21-0345 (M,1)	CATTLE	BONSMARA (1)				DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
7481U299	SP21-0345 (M,1)	CATTLE	BONSMARA (1)				DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
7481U299	SP21-0345 (M,1)	CATTLE	BONSMARA (1)				DMG-3_C	Hair	n82NOR : Myostatin - n821 Normal	

Report Date : 02-Dec-2022 14:19

Page : 41

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Trials Type	RESULT	REFERENCE
7481U300	SP21-0370 (F,1)	CATTLE	BONSMARA (1)	DBP14-0195 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U301	SP21-0372 (F,1)	CATTLE	BONSMARA (1)	OPT19-0114 (F,1)(Valid)	BG18-0172 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U302	SP21-0374 (F,1)	CATTLE	BONSMARA (1)		OLI18-0217 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U303	SP21-0375 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U304	SP21-0378 (F,1)	CATTLE	BONSMARA (1)	WVW09-0053 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U305	SP21-0380 (F,1)	CATTLE	BONSMARA (1)		OPT18-0152 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U306	SP21-0382 (F,1)	CATTLE	BONSMARA (1)	OPT18-0311 (F,1)(Valid)	OLI18-0131 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U307	SP21-0384 (F,1)	CATTLE	BONSMARA (1)	OPT19-0312 (F,1)(Valid)	OPT19-0128 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U308	SP21-0386 (F,1)	CATTLE	BONSMARA (1)		OPT19-0113 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U309	SP21-0388 (F,1)	CATTLE	BONSMARA (1)	OPT19-0224 (F,1)(Valid)	OPT19-0071 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U310	SP21-0390 (F,1)	CATTLE	BONSMARA (1)	OPT19-0195 (F,1)(Valid)	OPT19-0052 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U311	SP21-0392 (F,1)	CATTLE	BONSMARA (1)		OLI18-0181 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737
7481U312	SP21-0394 (F,1)	CATTLE	BONSMARA (1)	OPT19-0303 (F,1)(Valid)	OPT19-0035 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 42

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
7481U313	SP21-0396 (F,1)	CATTLE	BONSMARA (1)	OPT18-0207 (F,1)(Valid)	OPT18-0152 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U314	SP21-0398 (F,1)	CATTLE	BONSMARA (1)	OPT18-0040 (F,1)(Valid)	LAR12-0033 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U315	SP21-0333 (M,1)	CATTLE	BONSMARA (1)	DFP08-0055 (F,1)(Valid)	OPT17-0034 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40737
7481U316	SP21-0089 (N/S,1)	CATTLE	BONSMARA (1)		OLI17-0174 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	40737

Report Date : 02-Dec-2022 14:19

Page : 43

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER