

Batch Detail Report

Batch : 472U
 Created : 08-May-2020 12:04
 Owner : JS Marais
 Farm : Olive Hill
 Account : MARJS1
 Origin : BONSMARA SA

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
472U001	JSM2020-0011	CATTLE	BONSMARA		VV03-0346 (M,1)(Valid)	PAT_C	SV : Sire Valid	
472U002	JSM2020-0012	CATTLE	BONSMARA		VV03-0346 (M,1)(Valid)	PAT_C	SV : Sire Valid	
472U003	JSM2020-0013	CATTLE	BONSMARA		VV03-0346 (M,1)(Valid)	PAT_C	SV : Sire Valid	
472U004	JSM2020-0014	CATTLE	BONSMARA		VV03-0346 (M,1)(Valid)	PAT_C	SV : Sire Valid	
472U005	JSM2020-0015	CATTLE	BONSMARA		V16-0117 (M,1)(Valid)	PAT_C	SV : Sire Valid	
472U006	JSM2020-0016	CATTLE	BONSMARA		VV03-0346 (M,1)(Valid)	PAT_C	SV : Sire Valid	
472U007	JSM2020-0017	CATTLE	BONSMARA		LAR07-0234 (M,1)(Not Valid)	PAT_C	SX : Sire Excluded	
472U008	JSM2020-0018	CATTLE	BONSMARA		JSM16-0007 (M,1)(Not Valid) JSM17-0165 (M,1)(Not Valid) JSM17-0176 (M,1)(Not Valid)	PAT_C	mNSX : Multiple Nominated Sires Excluded	
472U009	JSM2020-0019	CATTLE	BONSMARA		JSM16-0007 (M,1)(Not Valid) JSM17-0165 (M,1)(Not Valid) JSM17-0176 (M,1)(Not Valid)	PAT_C	mNSX : Multiple Nominated Sires Excluded	
472U010	JSM2020-0020	CATTLE	BONSMARA		JSM16-0007 (M,1)(Not Valid) JSM17-0165 (M,1)(Not Valid) JSM17-0176 (M,1)(Not Valid)	PAT_C	mNSX : Multiple Nominated Sires Excluded	
472U011	JSM2020-0021	CATTLE	BONSMARA		JSM16-0007 (M,1)(Valid)	PAT_C	SV : Sire Valid	
472U012	JSM2020-0022	CATTLE	BONSMARA		JSM17-0038 (M,1)(Not Valid) JSM17-0077 (M,1)(Not Valid)	PAT_C	mNSX : Multiple Nominated Sires Excluded	

Report Date : 14-May-2020 09:52

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
 MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
472U013	JSM2020-0023	CATTLE	BONSMARA		CSW13-0195 (M,1)(Valid)	PAT_C	SV : Sire Valid	

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR