

Batch Detail Report

Batch : 482U
Created :11-May-2020 10:10
Owner :Frans Odendaal
Farm :Oribilaagte - Varsfontein Beef
Account : ODEF01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
482U001	WO17-0061	CATTLE	BEEFMASTE R	WO12-0649 (F,31)(Valid)	WO14-0253 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34468
482U002	WO17-0156	CATTLE	BEEFMASTE R		WO12-0552 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U003	WO17-0216	CATTLE	BEEFMASTE R		WO14-0749 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U004	WO17-0584	CATTLE	BEEFMASTE R		WO14-0253 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U005	WO17-0592	CATTLE	BEEFMASTE R		WO16-0926 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U006	WO17-0655	CATTLE	BEEFMASTE R	WO12-0395 (F,31)(Valid)	WO09-0427 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34468
482U007	WO17-0677	CATTLE	BEEFMASTE R		WO15-0471 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U008	WO17-0680	CATTLE	BEEFMASTE R		5X515-0166 (U,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U009	WO17-0909	CATTLE	BEEFMASTE R			PAR_C	mNSX : Multiple Nominated Sires Excluded	34468
482U010	WO17-0980	CATTLE	BEEFMASTE R		WO16-0031 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U011	WO17-1003	CATTLE	BEEFMASTE R		WO15-0010 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U012	WO17-1109	CATTLE	BEEFMASTE R		WO14-0253 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468

Report Date : 08-Jun-2020 08:51

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
482U013	WO17-1112	CATTLE	BEEFMASTE R	WO13-0133 (F,31)(Valid)	WO12-0032 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34468
482U014	WO17-1207	CATTLE	BEEFMASTE R		WO12-0217 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U015	WO18-0008	CATTLE	BEEFMASTE R		WO12-0217 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U016	WO18-0068	CATTLE	BEEFMASTE R	WO10-0059 (F,31)(Valid)	WO12-0552 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34468
482U017	WO18-0317	CATTLE	BEEFMASTE R		WO12-0217 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U018	WO18-0547	CATTLE	BEEFMASTE R		WO14-0740 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U019	WO18-0799	CATTLE	BEEFMASTE R		WO16-0129 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U020	WO16-0141	CATTLE	BEEFMASTE R			PAR_C	mNSX : Multiple Nominated Sires Excluded	34468
482U021	WO16-0224	CATTLE	BEEFMASTE R		MS13-0026 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U022	WO16-0463	CATTLE	BEEFMASTE R			PAR_C	mNSX : Multiple Nominated Sires Excluded	34468
482U023	WO16-0524	CATTLE	BEEFMASTE R		WO12-0032 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U024	WO16-0758	CATTLE	BEEFMASTE R			PAR_C	mNSX : Multiple Nominated Sires Excluded	34468
482U025	WO17-0031	CATTLE	BEEFMASTE R		WO12-0552 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U026	WO17-0078	CATTLE	BEEFMASTE R	WO12-0850 (F,31)(Not Valid)	WO12-0552 (M,31)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	34468

Report Date : 08-Jun-2020 08:51

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
482U027	WO17-0107	CATTLE	BEEFMASTE R		WO14-0146 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U028	WO17-0160	CATTLE	BEEFMASTE R		WO14-0253 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U029	WO17-0314	CATTLE	BEEFMASTE R		Z12-0262 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U030	WO17-0320	CATTLE	BEEFMASTE R		WO12-0032 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U031	WO17-0537	CATTLE	BEEFMASTE R		WO12-0217 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U032	WO17-0567	CATTLE	BEEFMASTE R	WO15-0570 (F,31)(Valid)	WO14-0749 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34468
482U033	WO17-0667	CATTLE	BEEFMASTE R	WO12-0573 (F,31)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	34468
482U034	WO17-0794	CATTLE	BEEFMASTE R	WO13-0691 (F,31)(Valid)	Z12-0262 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34468
482U035	WO17-0923	CATTLE	BEEFMASTE R		WO14-0052 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U036	WO17-0939	CATTLE	BEEFMASTE R		BOS12-2400 (U,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U037	WO17-1048	CATTLE	BEEFMASTE R		FXF10-0072 (U,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U038	WO17-1101	CATTLE	BEEFMASTE R		WO09-0427 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U039	WO18-0043	CATTLE	BEEFMASTE R		WO15-0461 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U040	WO18-0052	CATTLE	BEEFMASTE R		WO10-0016 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U041	WO18-0063	CATTLE	BEEFMASTE R		WO10-0016 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468

Report Date : 08-Jun-2020 08:51

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
482U042	WO18-0102	CATTLE	BEEFMASTE R		Z12-0262 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U043	WO18-0174	CATTLE	BEEFMASTE R		WO15-0252 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U044	WO18-0237	CATTLE	BEEFMASTE R		WO15-0340 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U045	WO18-0253	CATTLE	BEEFMASTE R	WO10-0264 (F,31)(Valid)	WO15-0461 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34468
482U046	WO18-0262	CATTLE	BEEFMASTE R		Z12-0262 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U047	WO18-0274	CATTLE	BEEFMASTE R		WO13-0225 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U048	WO18-0352	CATTLE	BEEFMASTE R	WO12-0433 (F,31)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	34468
482U049	WO18-0425	CATTLE	BEEFMASTE R		MS13-0026 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U050	WO18-0474	CATTLE	BEEFMASTE R		WO12-0552 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U051	WO18-0513	CATTLE	BEEFMASTE R		WO15-0270 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U052	WO18-0516	CATTLE	BEEFMASTE R	WO12-0580 (F,31)(Valid)	WO12-0032 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34468
482U053	WO18-0548	CATTLE	BEEFMASTE R		WO15-0340 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U054	WO18-0582	CATTLE	BEEFMASTE R	WO10-0361 (F,31)(Valid)	WO14-0740 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34468
482U055	WO18-0641	CATTLE	BEEFMASTE R		WO13-0225 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U056	WO18-0715	CATTLE	BEEFMASTE	WO12-0613 (F,31)(Valid)	WO14-0179 (M,31)(Not Valid)	PAR_C	DVSVX :	34468

Report Date : 08-Jun-2020 08:51

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			R				Dam Valid, Sire Excluded	
482U057	WO18-0764	CATTLE	BEEFMASTE R		WO14-0755 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U058	WO18-0825	CATTLE	BEEFMASTE R		WO14-0184 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U059	WO18-0898	CATTLE	BEEFMASTE R	WO12-0512 (F,31)(Valid)	WO12-0032 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34468
482U060	WO18-0917	CATTLE	BEEFMASTE R		WO16-0048 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U061	WO18-0988	CATTLE	BEEFMASTE R		WO14-0184 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U062	WO18-1124	CATTLE	BEEFMASTE R		WO16-0129 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468
482U063	WO18-1127	CATTLE	BEEFMASTE R			PAR_C	mNSX : Multiple Nominated Sires Excluded	34468
482U064	WO17-0745	CATTLE	BEEFMASTE R		WO14-0179 (M,31)(Valid)	PAR_C	SV : Sire Valid	34468

Report Date : 08-Jun-2020 08:51

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR