

Batch Detail Report

Batch : 11486U

Owner : Arthur de Villiers

Farm : Arthur De Villiers and Son

Account : ADV01

Origin : BONSMARA SA

Invoice To : Owner

0697582 BCN

Created : 2022-12-09

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
11486U001	AG22-0630 (M,1)	CATTLE	BONSMARA (1)	AG20-0076 (F,1)(Valid)	GZV18-0115 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U002	AG22-0699 (M,1)	CATTLE	BONSMARA (1)	AG19-0438 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U003	AG22-0709 (M,1)	CATTLE	BONSMARA (1)	AG19-1059 (F,1)(Valid)	AG16-0138 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U004	AG22-0712 (M,1)	CATTLE	BONSMARA (1)	AG20-0254 (F,1)(Valid)	AG18-0945 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U005	AG22-0713 (F,1)	CATTLE	BONSMARA (1)	AG20-0620 (F,1)(Valid)	GZV18-0115 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U006	AG22-0714 (M,1)	CATTLE	BONSMARA (1)	AG19-0204 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U007	AG22-0715 (M,1)	CATTLE	BONSMARA (1)	AG15-0337 (F,1)(Valid)	AG19-0037 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U008	AG22-0716 (M,1)	CATTLE	BONSMARA (1)	AG16-0267 (F,1)(Valid)	AG18-0486 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U009	AG22-0717 (F,1)	CATTLE	BONSMARA (1)	AG16-0232 (F,1)(Valid)	AG16-0409 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 04-Jan-2023 12:56

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
11486U010	AG22-0718 (F,1)	CATTLE	BONSMARA (1)	AG16-0217 (F,1)(Valid)	AG16-0409 (M,1)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	
11486U011	AG22-0719 (F,1)	CATTLE	BONSMARA (1)	AG15-0161 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U012	AG22-0720 (M,1)	CATTLE	BONSMARA (1)	AG20-0395 (F,1)(Valid)	AG18-0274 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U013	AG22-0721 (F,1)	CATTLE	BONSMARA (1)	AG15-0424 (F,1)(Valid)	AG18-0486 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U014	AG22-0722 (F,1)	CATTLE	BONSMARA (1)	AG15-0496 (F,1)(Valid)	AG19-0037 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U015	AG22-0723 (M,1)	CATTLE	BONSMARA (1)	AG15-0749 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U016	AG22-0724 (F,1)	CATTLE	BONSMARA (1)	AG17-0224 (F,1)(Valid)	AG16-0409 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U017	AG22-0725 (M,1)	CATTLE	BONSMARA (1)	AG19-0452 (F,1)(Valid)	KBS18-0004 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U018	AG22-0726 (F,1)	CATTLE	BONSMARA (1)	AG19-0638 (F,1)(Valid)	AG18-0993 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U019	AG22-0727 (M,1)	CATTLE	BONSMARA (1)	AG18-0854 (F,1)(Valid)	AG18-0488 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U020	AG22-0730 (F,1)	CATTLE	BONSMARA (1)	RHJ15-0001 (F,1)(Valid)	AG16-0409 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 04-Jan-2023 12:56

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
11486U021	AG22-0731 (M,1)	CATTLE	BONSMARA (1)	AG18-0241 (F,1)(Valid)	AG18-0488 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U022	AG22-0732 (M,1)	CATTLE	BONSMARA (1)	AG13-0398 (F,1)(Valid)	AG18-0890 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U023	AG22-0733 (F,1)	CATTLE	BONSMARA (1)	AG15-0398 (F,1)(Valid)	AG16-0409 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U024	AG22-0734 (M,1)	CATTLE	BONSMARA (1)	AG13-0025 (F,1)(Valid)	AG19-0437 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U025	AG22-0735 (F,1)	CATTLE	BONSMARA (1)	AG16-0149 (F,1)(Valid)	SBB18-0006 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U026	AG22-0736 (F,1)	CATTLE	BONSMARA (1)	AG20-0627 (F,1)(Valid)	AG18-0945 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U027	AG22-0737 (F,1)	CATTLE	BONSMARA (1)	AG20-0447 (F,1)(Valid)	GZV18-0115 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U028	AG22-0739 (M,1)	CATTLE	BONSMARA (1)	AG18-0892 (F,1)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
11486U029	AG22-0740 (M,1)	CATTLE	BONSMARA (1)	AG20-0287 (F,1)(Valid)	GJN19-0127 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U030	AG22-0741 (M,1)	CATTLE	BONSMARA (1)	AG16-0246 (F,1)(Valid)	AG18-0747 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U031	AG22-0742 (F,1)	CATTLE	BONSMARA (1)	AG15-0903 (F,1)(Valid)	AG18-0747 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U032	AG22-0743 (M,1)	CATTLE	BONSMARA	AG16-0102 (F,1)(Valid)	AG18-0747 (M,1)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 04-Jan-2023 12:56

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(1)					Dam Valid, Sire Valid	
11486U033	AG22-0744 (F,1)	CATTLE	BONSMARA (1)	AG20-0792 (F,1)(Valid)	AG18-0945 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U034	AG22-0745 (M,1)	CATTLE	BONSMARA (1)	AG15-0271 (F,1)(Valid)	AG17-0019 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U035	AG22-0746 (F,1)	CATTLE	BONSMARA (1)	AG20-0547 (F,1)(Valid)	AG18-0274 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U036	AG22-0748 (M,1)	CATTLE	BONSMARA (1)	FUZ14-0060 (F,1)(Valid)	AG18-0486 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U037	AG22-0749 (M,1)	CATTLE	BONSMARA (1)	AG13-0217 (F,1)(Valid)	AG16-0409 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U038	AG22-0750 (M,1)	CATTLE	BONSMARA (1)	AG17-0354 (F,1)(Valid)	RHJ15-0002 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U039	AG22-0751 (M,1)	CATTLE	BONSMARA (1)	AG15-0295 (F,1)(Valid)	AG18-0747 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U040	AG22-0752 (F,1)	CATTLE	BONSMARA (1)	AG18-0636 (F,1)(Valid)	AG18-0488 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U041	AG22-0753 (F,1)	CATTLE	BONSMARA (1)	AG13-0084 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U042	AG22-0754 (F,1)	CATTLE	BONSMARA (1)	AG13-0376 (F,1)(Valid)	AG18-0747 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U043	AG22-0755 (M,1)	CATTLE	BONSMARA (1)	AG18-0338 (F,1)(Valid)	AG17-0366 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 04-Jan-2023 12:56

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
11486U044	AG22-0756 (F,1)	CATTLE	BONSMARA (1)	AG16-0818 (F,1)(Valid)	SBB18-0006 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U045	AG22-0757 (F,1)	CATTLE	BONSMARA (1)	AG17-0577 (F,1)(Valid)	RHJ15-0002 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U046	AG22-0758 (M,1)	CATTLE	BONSMARA (1)	RHJ16-0026 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U047	AG22-0759 (M,1)	CATTLE	BONSMARA (1)	AG15-0858 (F,1)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
11486U048	AG22-0760 (M,1)	CATTLE	BONSMARA (1)	AG14-0243 (F,1)(Valid)	AG16-0409 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U049	AG22-0761 (M,1)	CATTLE	BONSMARA (1)	AG21-0015 (F,1)(Valid)	AG18-0274 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U050	AG22-0762 (F,1)	CATTLE	BONSMARA (1)	AG16-0432 (F,1)(Valid)	AG19-0037 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U051	AG22-0763 (F,1)	CATTLE	BONSMARA (1)	AG19-0111 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U052	AG22-0764 (F,1)	CATTLE	BONSMARA (1)	AG16-0465 (F,1)(Valid)	SBB18-0006 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U053	AG22-0765 (M,1)	CATTLE	BONSMARA (1)	AG19-0844 (F,1)(Valid)	AG17-0366 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U054	AG22-0766 (F,1)	CATTLE	BONSMARA (1)	AG20-0154 (F,1)(Valid)	GZV18-0115 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U055	AG22-0767 (F,1)	CATTLE	BONSMARA	AG20-0528 (F,1)(Not Valid)	AG18-0136 (M,1)(Valid)	PAR_C	Hair	DXSV :	

Report Date : 04-Jan-2023 12:56

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(1)					Dam Excluded, Sire Valid	
11486U056	AG22-0768 (M,1)	CATTLE	BONSMARA (1)	AG17-0336 (F,1)(Valid)	AG18-0486 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U057	AG22-0769 (M,1)	CATTLE	BONSMARA (1)	AG16-0002 (F,1)(Valid)	AG16-0409 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U058	AG22-0780 (F,1)	CATTLE	BONSMARA (1)	AG15-0785 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U059	AG22-0781 (M,1)	CATTLE	BONSMARA (1)	AG15-0523 (F,1)(Valid)	AG17-0019 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U060	AG22-0782 (M,1)	CATTLE	BONSMARA (1)	AG17-1000 (F,1)(Valid)	AG16-0409 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U061	AG22-0783 (M,1)	CATTLE	BONSMARA (1)	AG13-0424 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U062	AG22-0784 (F,1)	CATTLE	BONSMARA (1)	AG17-0221 (F,1)(Valid)	AG18-0492 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U063	AG22-0785 (M,1)	CATTLE	BONSMARA (1)	AG14-0357 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U064	AG22-0786 (F,1)	CATTLE	BONSMARA (1)	AG20-0432 (F,1)(Valid)	AG18-0945 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U065	AG22-0787 (F,1)	CATTLE	BONSMARA (1)	AG20-0397 (F,1)(Valid)	AG18-0274 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U066	AG22-0788 (F,1)	CATTLE	BONSMARA (1)	AG20-0508 (F,1)(Valid)	AG18-0274 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 04-Jan-2023 12:56

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
11486U067	AG22-0789 (M,1)	CATTLE	BONSMARA (1)	AG17-0875 (F,1)(Valid)	AG18-0935 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U068	AG22-0790 (F,1)	CATTLE	BONSMARA (1)	AG13-0081 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U069	AG22-0791 (M,1)	CATTLE	BONSMARA (1)	AG15-0321 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U070	AG22-0792 (F,1)	CATTLE	BONSMARA (1)	AG15-0463 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U071	AG22-0793 (F,1)	CATTLE	BONSMARA (1)	AG20-0659 (F,1)(Valid)	AG18-0136 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U072	AG22-0794 (M,1)	CATTLE	BONSMARA (1)	AG19-0237 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U073	AG22-0795 (M,1)	CATTLE	BONSMARA (1)	AG20-0782 (F,1)(Valid)	AG18-0905 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U074	AG22-0796 (M,1)	CATTLE	BONSMARA (1)	AG19-0737 (F,1)(Valid)	AG18-0279 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U075	AG22-0797 (M,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	HER02 : Test to be repeated by lab	
11486U076	AG22-0799 (M,1)	CATTLE	BONSMARA (1)	AG16-0110 (F,1)(Valid)	AG17-0019 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U077	AG22-0800 (F,1)	CATTLE	BONSMARA (1)	AG18-0340 (F,1)(Valid)	AG18-0488 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U078	AG22-0801 (M,1)	CATTLE	BONSMARA (1)		AJF13-0331 (M,1)(Valid) AG18-0290 (M,1)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated	

Report Date : 04-Jan-2023 12:56

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Sires Valid	
11486U079	AG22-0802 (M,1)	CATTLE	BONSMARA (1)	AG17-0491 (F,1)(Valid)	RHJ15-0002 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U080	AG22-0804 (M,1)	CATTLE	BONSMARA (1)	AG19-0763 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U081	AG22-0805 (F,1)	CATTLE	BONSMARA (1)	AG19-0913 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11486U082	AG22-0806 (F,1)	CATTLE	BONSMARA (1)	AG14-0291 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 04-Jan-2023 12:56

Page : 8

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER