

Batch Detail Report

0678594 BON

Batch : 11586U

Owner : Absalom Nkosi

Farm : Gubuda Bonsmara

Account : NKOA01

Origin : PRIVATE

Invoice To : Owner

Created : 2022-12-20

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
11586U001	AV21-0028 (F,1)	CATTLE	BONSMARA (1)	HAS17-0098 (N/S,1)(Valid)	BLN16-0027 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11586U002	AV21-0028 (F,1)	CATTLE	BONSMARA (1)			ST_C	Hair	Store : Store this sample	
11586U003	AV21-0031 (F,1)	CATTLE	BONSMARA (1)		HCO13-0198 (M,1)(Valid) AV19-0038 (M,1)(Valid) AV19-0044 (M,1)(Valid) AV19-0032 (M,1)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
11586U004	AV21-0040 (F,1)	CATTLE	BONSMARA (1)		AG17-0193 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U005	AV21-0041 (F,1)	CATTLE	BONSMARA (1)	HAS15-0002 (N/S,1)(Valid)	AG14-0084 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11586U006	AV21-0041 (F,1)	CATTLE	BONSMARA (1)			ST_C	Hair	Store : Store this sample	
11586U007	AV21-0047 (F,1)	CATTLE	BONSMARA (1)		BLN15-0017 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U008	AV21-0048 (F,1)	CATTLE	BONSMARA (1)		AG14-0574 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U009	AV21-0049 (F,1)	CATTLE	BONSMARA (1)	AG15-0700 (F,1)(Valid)	AG14-0084 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11586U010	AV21-0050 (F,1)	CATTLE	BONSMARA (1)	AG08-0399 (F,1)(Valid)	AG14-0084 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 16-Jan-2023 13:10

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
11586U011	AV21-0052 (F,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	Valid	
11586U012	AV21-0056 (F,1)	CATTLE	BONSMARA (1)		AG17-0193 (M,1)(Valid)	PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
11586U013	AV21-0059 (F,1)	CATTLE	BONSMARA (1)		AG14-0574 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U014	<u>AV21-0062 (F,1)</u>	CATTLE	BONSMARA (1)		AG14-0084 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U015	<u>AV21-0066 Sample = 2022 66 (F,1)</u>	CATTLE	BONSMARA (1)		AV19-0032 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U016	AV21-0067 (F,1)	CATTLE	BONSMARA (1)	HAS16-0048 (N/S,1)(Valid)		PAR_C	Hair	DV mNSX : Dam Valid, Multiple Nominated Sires Excluded	
11586U017	<u>AV21-0068 (F,1)</u>	CATTLE	BONSMARA (1)		AG14-0084 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U018	AV21-0069 (F,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	HER02 : Test to be repeated by lab	
11586U019	<u>AV21-0091 Sample = 2022 91 (F,1)</u>	CATTLE	BONSMARA (1)		LAR15-0423 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U020	AV21-0070 (F,1)	CATTLE	BONSMARA (1)		SYF16-0057 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U021	AV21-0073 (F,1)	CATTLE	BONSMARA (1)		SYF16-0057 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U022	<u>AV21-0093 (F,1)</u>	CATTLE	BONSMARA (1)	HAS14-0022 (N/S,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11586U023	AV21-0077 (F,1)	CATTLE	BONSMARA (1)		SYF16-0057 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 16-Jan-2023 13:10

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
11586U024	AV21-0078 (F,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	HER02 : Test to be repeated by lab	
11586U025	AV21-0081 (F,1)	CATTLE	BONSMARA (1)		SYF16-0057 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U026	AV21-0087 (F,1)	CATTLE	BONSMARA (1)		LAR15-0423 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U027	AV21-0089 (F,1)	CATTLE	BONSMARA (1)	RGR06-0067 (F,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11586U028	AV21-0189 (F,1)	CATTLE	BONSMARA (1)	RGR06-0067 (F,1)(Not Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
11586U029	AV22-0002 (F,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	NSR : No Sample Received	
11586U030	AV22-0003 (F,1)	CATTLE	BONSMARA (1)		AG14-0574 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U031	AV22-0008 (F,1)	CATTLE	BONSMARA (1)		LAR15-0423 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U032	AV22-0011 (F,1)	CATTLE	BONSMARA (1)		BLN18-0052 (M,1)(Not Valid)	PAR_C	Hair	SX : Sire Excluded	
11586U033	AV22-0014 (F,1)	CATTLE	BONSMARA (1)		LAR15-0423 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U034	AV22-0018 (F,1)	CATTLE	BONSMARA (1)	HAS13-0204 (N/S,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11586U035	AV22-0019 (F,1)	CATTLE	BONSMARA (1)		AG14-0574 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U036	AV22-0017 (F,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	

Report Date : 16-Jan-2023 13:10

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
11586U037	AV22-0022 (F,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
11586U038	<u>AV22-0025 (F,1)</u>	CATTLE	BONSMARA (1)		AV19-0180 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U039	<u>AV21-0032 (M,1)</u>	CATTLE	BONSMARA (1)		HCO13-0198 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U040	<u>AV21-0033 (M,1)</u>	CATTLE	BONSMARA (1)		HCO13-0198 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U041	<u>AV21-0034 (M,1)</u>	CATTLE	BONSMARA (1)		SYF16-0057 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U042	AV21-0036 (M,1)	CATTLE	BONSMARA (1)		AG17-0193 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U043	AV21-0037 (M,1)	CATTLE	BONSMARA (1)		AG14-0574 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U044	AV21-0042 (M,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	PU : Profile (Unistel)	
11586U045	AV21-0051 (M,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	PU : Profile (Unistel)	
11586U046	AV21-0053 (M,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	NSR : No Sample Received	
11586U047	<u>AV21-0057 (M,1)</u>	CATTLE	BONSMARA (1)		BLN15-0017 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U048	AV21-0058 (M,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	PU : Profile (Unistel)	
11586U049	<u>AV21-0061 (M,1)</u>	CATTLE	BONSMARA (1)	AG12-0162 (F,1)(Valid)	AG14-0084 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11586U050	AV21-0063 (M,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	HER02 : Test to be repeated by lab	

Report Date : 16-Jan-2023 13:10

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
11586U051	AV21-0065 (M,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	NSR : No Sample Received	
11586U052	AV21-0071 (M,1)	CATTLE	BONSMARA (1)		SYF16-0057 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U053	AV21-0074 (M,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
11586U054	AV21-0075 (M,1)	CATTLE	BONSMARA (1)	HAS10-0125 (F,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11586U055	AV21-0079 (M,1)	CATTLE	BONSMARA (1)	SYF15-0185 (N/S,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11586U056	AV21-0084 (M,1)	CATTLE	BONSMARA (1)	AG10-0450 (F,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11586U057	AV21-0095 (M,1)	CATTLE	BONSMARA (1)		BLN17-0014 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U058	AV21-0086 (M,1)	CATTLE	BONSMARA (1)		SYF16-0057 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U059	AV21-0085 (M,1)	CATTLE	BONSMARA (1)		AV19-0032 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U060	AV21-0088 (M,1)	CATTLE	BONSMARA (1)		SYF16-0057 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U061	AV21-0090 (M,1)	CATTLE	BONSMARA (1)		AG14-0574 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U062	AV21-0092 (M,1)	CATTLE	BONSMARA (1)		AG14-0574 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U063	AV22-0001 (M,1)	CATTLE	BONSMARA (1)		LAR15-0423 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U064	AV22-0004 (M,1)	CATTLE	BONSMARA		LAR15-0423 (M,1)(Valid)	PAR_C	Hair	SV :	

Report Date : 16-Jan-2023 13:10

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(1)					Sire Valid	
11586U065	AV22-0005 (M,1)	CATTLE	BONSMARA (1)	HAS13-0198 (F,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11586U066	AV22-0006 (M,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	NSR : No Sample Received	
11586U067	AV22-0007 (M,1)	CATTLE	BONSMARA (1)		BLN17-0079 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U068	AV22-0009 (M,1)	CATTLE	BONSMARA (1)		BLN18-0052 (M,1)(Not Valid)	PAR_C	Hair	SX : Sire Excluded	
11586U069	AV22-0010 (M,1)	CATTLE	BONSMARA (1)		AG17-0193 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U070	AV22-0012 (M,1)	CATTLE	BONSMARA (1)		AG17-0193 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U071	AV22-0013 (M,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	NSR : No Sample Received	
11586U072	AV22-0015 (M,1)	CATTLE	BONSMARA (1)		BLN20-0018 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U073	AV22-0016 (M,1)	CATTLE	BONSMARA (1)	SYF13-0051 (F,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11586U074	AV22-0020 (M,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	NSR : No Sample Received	
11586U075	AV22-0021 (M,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	NSR : No Sample Received	
11586U076	AV22-0023 (M,1)	CATTLE	BONSMARA (1)		LAR15-0423 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
11586U077	AV22-0024 (M,1)	CATTLE	BONSMARA			PAR_C	Hair	NSR :	

Report Date : 16-Jan-2023 13:10

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
11586U078	AV22-0026 (M,1)	CATTLE	(1) BONSMARA (1)		HCO13-0198 (M,1)(Valid) AV19-0032 (M,1)(Valid)	PAR_C	Hair	No Sample Received mNSV : Multiple Nominated Sires Valid	
11586U079	AV22-0027 (M,1)	CATTLE	BONSMARA (1)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
11586U080	27 Female (F,1)	CATTLE	BONSMARA (1)			ST_C	Hair	Store : Store this sample	
11586U081	14 Female (F,1)	CATTLE	BONSMARA (1)			ST_C	Hair	Store : Store this sample	

Report Date : 16-Jan-2023 13:10

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER