

Batch Detail Report

Batch : 10108U
Owner : D/L Ralfe
Farm : Up George Farms
Account : RALFD1
Origin : PRIVATE
Invoice To : Owner

Created : 2022-08-19

— 0512088 BUN —

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10108U00 1	LAR20-0032 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U00 1	LAR20-0032 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U00 1	LAR20-0032 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U00 2	LAR20-0040 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U00 2	LAR20-0040 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U00 2	LAR20-0040 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U00 3	LAR20-0042 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U00 3	LAR20-0042 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U00 3	LAR20-0042 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10108U00 4	LAR20-0044 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U00 4	LAR20-0044 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U00 4	LAR20-0044 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U00 5	LAR20-0045 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U00 5	LAR20-0045 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U00 5	LAR20-0045 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U00 6	LAR20-0050 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U00 6	LAR20-0050 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U00 6	LAR20-0050 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U00 7	LAR20-0051 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U00 7	LAR20-0051 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U00 7	LAR20-0051 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Normal	
10108U008	LAR20-0075 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U008	LAR20-0075 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U008	LAR20-0075 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U009	LAR20-0083 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U009	LAR20-0083 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U009	LAR20-0083 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U010	LAR20-0086 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U010	LAR20-0086 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U010	LAR20-0086 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U011	LAR20-0093 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U011	LAR20-0093 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10108U01 1	LAR20-0093 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U01 2	LAR20-0097 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U01 2	LAR20-0097 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U01 2	LAR20-0097 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U01 3	LAR20-0110 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U01 3	LAR20-0110 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U01 3	LAR20-0110 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U01 4	LAR20-0118 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U01 4	LAR20-0118 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U01 4	LAR20-0118 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U01 5	LAR20-0127 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U01 5	LAR20-0127 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Normal	
10108U01 5	LAR20-0127 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U01 6	LAR20-0156 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U01 6	LAR20-0156 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U01 6	LAR20-0156 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U01 7	LAR20-0159 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U01 7	LAR20-0159 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U01 7	LAR20-0159 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U01 8	LAR20-0161 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U01 8	LAR20-0161 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U01 8	LAR20-0161 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U01 9	LAR20-0166 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error.
Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10108U01 9	LAR20-0165 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U01 9	LAR20-0165 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U02 0	LAR20-0173 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U02 0	LAR20-0173 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U02 0	LAR20-0173 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U02 1	LAR20-0185 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U02 1	LAR20-0185 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U02 1	LAR20-0185 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U02 2	LAR20-0186 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U02 2	LAR20-0186 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U02 2	LAR20-0186 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U02 3	LAR20-0199 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Normal	
10108U02 3	LAR20-0199 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U02 3	LAR20-0199 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U02 4	LAR20-0208 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U02 4	LAR20-0208 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U02 4	LAR20-0208 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U02 5	LAR20-0213 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U02 5	LAR20-0213 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U02 5	LAR20-0213 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U02 6	LAR20-0223 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U02 6	LAR20-0223 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U02 6	LAR20-0223 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10108U02 7	LAR20-0232 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U02 7	LAR20-0232 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U02 7	LAR20-0232 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U02 8	LAR20-0238 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U02 8	LAR20-0238 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U02 8	LAR20-0238 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U02 9	LAR20-0239 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U02 9	LAR20-0239 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U02 9	LAR20-0239 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U03 0	LAR20-0247 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U03 0	LAR20-0247 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U03 0	LAR20-0247 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Normal	
10108U03 1	LAR20-0252 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U03 1	LAR20-0252 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U03 1	LAR20-0252 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U03 2	LAR20-0270 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U03 2	LAR20-0270 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U03 2	LAR20-0270 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U03 3	LAR20-0271 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U03 3	LAR20-0271 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U03 3	LAR20-0271 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U03 4	LAR20-0273 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U03 4	LAR20-0273 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10108U03 4	LAR20-0273 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U03 5	LAR20-0276 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U03 5	LAR20-0276 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U03 5	LAR20-0276 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U03 6	LAR20-0277 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U03 6	LAR20-0277 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U03 6	LAR20-0277 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U03 7	LAR20-0288 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U03 7	LAR20-0288 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U03 7	LAR20-0288 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U03 8	LAR20-0290 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U03 8	LAR20-0290 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X	

Unistel report these results on the premise that the biological samples received are from the individual(s) nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Normal	
10108U03 8	LAR20-0290 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U03 9	LAR20-0294 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U03 9	LAR20-0294 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U03 9	LAR20-0294 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8HET : Myostatin - nt821 Heterozygote	
10108U04 0	LAR20-0295 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U04 0	LAR20-0295 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U04 0	LAR20-0295 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U04 1	LAR20-0302 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U04 1	LAR20-0302 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U04 1	LAR20-0302 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U04 2	LAR20-0303 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10108U04 2	LAR20-0303 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U04 2	LAR20-0303 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U04 3	LAR20-0313 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U04 3	LAR20-0313 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U04 3	LAR20-0313 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U04 4	LAR20-0319 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U04 4	LAR20-0319 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U04 4	LAR20-0319 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U04 5	LAR20-0321 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U04 5	LAR20-0321 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U04 5	LAR20-0321 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U04 6	LAR20-0322 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error.
Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Normal	
10108U04 6	LAR20-0322 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U04 6	LAR20-0322 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U04 7	LAR20-0323 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U04 7	LAR20-0323 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U04 7	LAR20-0323 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U04 8	LAR20-0329 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U04 8	LAR20-0329 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U04 8	LAR20-0329 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U04 9	LAR20-0330 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U04 9	LAR20-0330 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U04 9	LAR20-0330 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10108U05 0	LAR20-0332 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U05 0	LAR20-0332 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U05 0	LAR20-0332 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U05 1	LAR20-0333 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U05 1	LAR20-0333 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U05 1	LAR20-0333 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U05 2	LAR20-0346 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U05 2	LAR20-0346 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U05 2	LAR20-0346 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U05 3	LAR20-0351 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U05 3	LAR20-0351 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U05 3	LAR20-0351 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Normal	
10108U05 4	LAR20-0356 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U05 4	LAR20-0356 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U05 4	LAR20-0356 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U05 5	LAR20-0359 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U05 5	LAR20-0359 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U05 5	LAR20-0359 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U05 6	LAR20-0364 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U05 6	LAR20-0364 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U05 6	LAR20-0364 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U05 7	LAR20-0378 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U05 7	LAR20-0378 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10108U05 7	LAR20-0378 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U05 8	LAR20-0384 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U05 8	LAR20-0384 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U05 8	LAR20-0384 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U05 9	LAR20-0395 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	NSR : No Sample Received	
10108U05 9	LAR20-0395 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	NSR : No Sample Received	
10108U05 9	LAR20-0395 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	NSR : No Sample Received	
10108U06 0	LAR20-0396 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U06 0	LAR20-0396 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U06 0	LAR20-0396 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U06 1	LAR20-0399 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U06 1	LAR20-0399 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U06	LAR20-0399 (F,1)	CATTLE	BONSMARA			DMG-3_C	nt8NOR :	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1			(1)				Myostatin - nt821 Normal	
10108U06 2	LAR20-0401 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U06 2	LAR20-0401 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U06 2	LAR20-0401 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U06 3	LAR20-0404 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U06 3	LAR20-0404 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U06 3	LAR20-0404 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U06 4	LAR20-0411 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U06 4	LAR20-0411 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U06 4	LAR20-0411 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U06 5	LAR20-0420 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U06 5	LAR20-0420 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10108U06 5	LAR20-0420 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U06 6	LAR20-0426 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U06 6	LAR20-0426 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U06 6	LAR20-0426 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U06 7	LAR20-0434 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U06 7	LAR20-0434 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U06 7	LAR20-0434 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U06 8	LAR20-0436 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U06 8	LAR20-0436 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U06 8	LAR20-0436 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U06 9	LAR20-0437 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U06 9	LAR20-0437 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates International scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Heterozygote	
10108U06 9	LAR20-0437 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U07 0	LAR20-0438 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U07 0	LAR20-0438 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U07 0	LAR20-0438 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U07 1	LAR20-0462 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U07 1	LAR20-0462 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U07 1	LAR20-0462 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U07 2	LAR20-0464 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U07 2	LAR20-0464 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U07 2	LAR20-0464 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U07 3	LAR20-0473 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10108U07 3	LAR20-0473 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U07 3	LAR20-0473 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U07 4	LAR20-0478 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U07 4	LAR20-0478 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U07 4	LAR20-0478 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U07 5	LAR20-0486 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U07 5	LAR20-0486 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U07 5	LAR20-0486 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U07 6	LAR20-0488 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U07 6	LAR20-0488 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U07 6	LAR20-0488 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U07 7	LAR20-0489 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10108U07 7	LAR20-0489 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Normal Q20NOR : Myostatin - Q204X Normal	
10108U07 7	LAR20-0489 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U07 8	LAR20-0494 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U07 8	LAR20-0494 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U07 8	LAR20-0494 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U07 9	LAR20-0495 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U07 9	LAR20-0495 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U07 9	LAR20-0495 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U08 0	LAR20-0500 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U08 0	LAR20-0500 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U08 0	LAR20-0500 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error.
Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10108U08 1	LAR20-0504 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U08 1	LAR20-0504 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U08 1	LAR20-0504 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U08 2	LAR20-0511 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U08 2	LAR20-0511 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U08 2	LAR20-0511 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U08 3	LAR20-0518 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U08 3	LAR20-0518 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U08 3	LAR20-0518 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U08 4	LAR20-0519 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U08 4	LAR20-0519 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U08 4	LAR20-0519 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Normal	
10108U08 5	LAR20-0524 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U08 5	LAR20-0524 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U08 5	LAR20-0524 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U08 6	LAR20-0527 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U08 6	LAR20-0527 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U08 6	LAR20-0527 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U08 7	LAR20-0533 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U08 7	LAR20-0533 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U08 7	LAR20-0533 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U08 8	LAR20-0539 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U08 8	LAR20-0539 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10108U08 8	LAR20-0539 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U08 9	LAR20-0540 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U08 9	LAR20-0540 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U08 9	LAR20-0540 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U09 0	LAR20-0545 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U09 0	LAR20-0545 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U09 0	LAR20-0545 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U09 1	LAR20-0546 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U09 1	LAR20-0546 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U09 1	LAR20-0546 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U09 2	LAR21-0001 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U09 2	LAR21-0001 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RÉSULT	INVOICE
							Heterozygote	
10108U09 2	LAR21-0001 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U09 3	LAR21-0002 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U09 3	LAR21-0002 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U09 3	LAR21-0002 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U09 4	LAR21-0003 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U09 4	LAR21-0003 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U09 4	LAR21-0003 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U09 5	LAR21-0004 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U09 5	LAR21-0004 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U09 5	LAR21-0004 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U09 6	LAR21-0016 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10108U09 6	LAR21-0016 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U09 6	LAR21-0016 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U09 7	LAR21-0023 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U09 7	LAR21-0023 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U09 7	LAR21-0023 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U09 8	LAR21-0025 (F,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U09 8	LAR21-0025 (F,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U09 8	LAR21-0025 (F,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U10 0	LAR22-0101 (N/S,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U10 0	LAR22-0101 (N/S,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U10 0	LAR22-0101 (N/S,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	
10108U10 1	LAR05-0151 (N/S,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Normal	
10108U10 1	LAR05-0151 (N/S,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20NOR : Myostatin - Q204X Normal	
10108U10 1	LAR05-0151 (N/S,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8HET : Myostatin - nt821 Heterozygote	
10108U10 2	LAR22-0023 (N/S,1)	CATTLE	BONSMARA (1)			DMG-1_C	F94NOR : Myostatin - F94L Normal	
10108U10 2	LAR22-0023 (N/S,1)	CATTLE	BONSMARA (1)			DMG-2_C	Q20HET : Myostatin - Q204X Heterozygote	
10108U10 2	LAR22-0023 (N/S,1)	CATTLE	BONSMARA (1)			DMG-3_C	nt8NOR : Myostatin - nt821 Normal	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error.
Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER