



Created : 2022-11-01

Batch Detail Report

Owner Email: j1@coetzeeattorneys.com | j12@coetzee.co.za

Owner CellPhone No. : 0827717167

Farm : Corcia Simmentalers/Santas Bloemhof

Account : COEJP1

Origin : PRIVATE

Invoice To : Owner

Batch : 10971U

10971U001	COE18-0101 (F,85)	CATTLE	SANTA GERTRUDIS (85)	PAR_C	Hair	HERD2 : Test to be repeated by lab	SV : Sire Valid
10971U002	COE19-0101 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid
10971U003	COE19-0121 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH13-0096 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid
10971U004	COE19-0126 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid
10971U005	COE19-0130 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid
10971U006	COE19-0135 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid
10971U007	COE19-0137 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid
10971U008	COE19-0141 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH13-0096 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid
10971U009	COE19-0146 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH13-0096 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid

Report Date : 15-Nov-2022 11:26

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Should gross negligence be proven the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

10971U010	COE19-0147 (F,85)	CATTLE	(85) SANTA GERTRUDIS (85)	JH13-0096 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
10971U011	COE19-0148 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JC13-0111 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
10971U012	COE19-0151 (F,85)	CATTLE	SANTA GERTRUDIS (85)					
10971U013	COE19-0155 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH13-0096 (M,85)(Valid)	PAR_C	Hair	HER02 : Test to be repeated by lab SV : Sire Valid	
10971U014	COE19-0159 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
10971U015	COE19-0161 (F,85)	CATTLE	SANTA GERTRUDIS (85)	COE16-0031 (F,85)(Valid)	JH13-0096 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid
10971U016	COE19-0162 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH13-0096 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10971U017	COE19-0164 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH13-0096 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
10971U018	COE19-0171 (F,85)	CATTLE	SANTA GERTRUDIS (85)	COE12-0148 (F,85)(Valid)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
10971U019	COE19-0187 (F,85)	CATTLE	SANTA GERTRUDIS (85)	COE17-0151 (F,85)(Valid)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid
10971U020	COE19-0199 (F,85)	CATTLE	SANTA GERTRUDIS (85)	COE13-0044 (F,85)(Valid)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded DVSV : Dam Valid, Sire Valid

Report Date : 15-Nov-2022 11:26

Report Date : 15-Nov-2022 11:26

Unisiel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/requestee. This Certificate replaces all previously issued certificates. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisiel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unisiel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

10971U021	COE20-0011 (F,85)	CATTLE	SANTA GERTRUDIS (85)	COE17-0182 (F,85)(Valid)	PAR_C	Hair	DVnNSX : Dam Valid, Multiple Nominated Sires Excluded	
10971U022	COE20-0014 (F,85)	CATTLE	SANTA GERTRUDIS (85)	COE17-0169 (F,85)(Valid)	PAR_C	Hair	DVnNSX : Dam Valid, Multiple Nominated Sires Excluded	
10971U023	COE20-0015 (F,85)	CATTLE	SANTA GERTRUDIS (85)	COE17-0166 (F,85)(Valid)	PAR_C	Hair	DVnNSX : Dam Valid, Multiple Nominated Sires Excluded	
10971U024	COE20-0022 (F,85)	CATTLE	SANTA GERTRUDIS (85)		PAR_C	Hair	DVnNSX : Dam Valid, Multiple Nominated Sires Excluded	
10971U025	COE20-0032 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	HER02 : Test to be repeated by lab	
10971U026	COE20-0033 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
10971U027	COE20-0039 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH15-0100 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
10971U028	COE20-0048 (F,85)	CATTLE	SANTA GERTRUDIS (85)	COE15-0194 (F,85)(Valid)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	DVnSV : Dam Valid, Sire Valid
10971U029	COE20-0055 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
10971U030	COE20-0059 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
10971U031	COE20-0064 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH13-0065 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
				JH12-0044 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 15-Nov-2022 11:26

Report Date : 15-Nov-2022 11:26

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/requestee. This Certificate replaces all previously issued certificates. Should gross negligence be proven the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG companion testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

10971U032	COE20-0065 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH15-0100 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
10971U033	COE20-0068 (F,85)	CATTLE	SANTA GERTRUDIS (85)	COE15-0161 (F,85)(Valid)	JH15-0100 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
10971U034	COE20-0087 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
10971U035	COE20-0095 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH13-0065 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
10971U036	COE20-0101 (F,85)	CATTLE	SANTA GERTRUDIS (85)	COE15-0228 (F,85)(Valid)	JC13-0111 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
10971U037	COE20-0102 (F,85)	CATTLE	SANTA GERTRUDIS (85)		PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
10971U038	COE20-0104 (F,85)	CATTLE	SANTA GERTRUDIS (85)		PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
10971U039	COE20-0105 (F,85)	CATTLE	SANTA GERTRUDIS (85)		PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
10971U040	COE20-0106 (F,85)	CATTLE	SANTA GERTRUDIS (85)		PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
10971U041	COE20-0108 (F,85)	CATTLE	SANTA GERTRUDIS (85)		PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
10971U042	COE20-0110 (F,85)	CATTLE	SANTA GERTRUDIS (85)		PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
10971U043	COE20-0111 (F,85)	CATTLE	SANTA GERTRUDIS (85)		PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	

Report Date : 15-Nov-2022 11:26

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

10971U055	COE20-0144 (F,85)	CATTLE	SANTA GERTRUDIS (85)	COE11-0136 (F,85)(Valid)	JH13-0065 (M,85)(Valid)	PAR_C	Hair	DVSV: Dam Valid, Sire Valid
10971U056	COE20-0146 (F,85)	CATTLE	SANTA GERTRUDIS (85)		JH13-0066 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U057	COE20-0149 (F,85)	CATTLE	SANTA GERTRUDIS (85)		JH12-0044 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U058	COE20-0152 (F,85)	CATTLE	SANTA GERTRUDIS (85)		JH13-0065 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U059	COE20-0157 (F,85)	CATTLE	SANTA GERTRUDIS (85)		JH13-0065 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U060	COE20-0163 (F,85)	CATTLE	SANTA GERTRUDIS (85)		JH13-0065 (M,85)(Valid)	PAR_C	Hair	mNSX: Multiple Nominated Sires Excluded
10971U061	COE20-0165 (F,85)	CATTLE	SANTA GERTRUDIS (85)		JH15-0100 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U062	COE20-0166 (F,85)	CATTLE	SANTA GERTRUDIS (85)		JH13-0065 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U063	COE20-0167 (F,85)	CATTLE	SANTA GERTRUDIS (85)	COE17-0062 (F,85)(Valid)	JC13-0111 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U064	COE20-0168 (F,85)	CATTLE	SANTA GERTRUDIS (85)		JH12-0044 (M,85)(Valid)	PAR_C	Hair	DVSV: Dam Valid, Sire Valid
10971U065	COE20-0169 (F,85)	CATTLE	SANTA GERTRUDIS (85)		JH13-0065 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U066	COE20-0172 (F,85)	CATTLE	SANTA GERTRUDIS (85)		JH12-0044 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid

Report Date : 15-Nov-2022 11:26

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/ requestee. This Certificate replaces all previously issued certificates. Should gross negligence be proven the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

10971U067	COE20-0174 (F,85)	CATTLE	(85) SANTA GERTRUDIS (85)	JH15-0100 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U068	COE20-0177 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH13-0065 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U069	COE20-0181 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH13-0065 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U070	COE20-0186 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH15-0100 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U071	COE20-0191 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH15-0100 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U072	COE20-0193 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH15-0100 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U073	COE20-0194 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH15-0100 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U074	COE20-0195 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH15-0100 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U075	COE20-0198 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U076	COE20-0206 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH15-0100 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid
10971U077	COE20-0210 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JH12-0044 (M,85)(Valid)	PAR_C	Hair	SV: Sire Valid

Report Date : 15-Nov-2022 11:26

Unisiel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Should gross negligence be proven the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisiel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unisiel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

10971U078	COE20-0212 (F.85)	CATTLE	SANTA GERTRUDIS (85)	JH15-0100 (M.85)(Valid)	PAR_C	Hair	SV : Sire Valid
10971U079	COE20-0216 (F.85)	CATTLE	SANTA GERTRUDIS (85)	COE13-0044 (F.85)(Valid)	JH15-0100 (M.85)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
10971U080	COE20-0219 (F.85)	CATTLE	SANTA GERTRUDIS (85)	JH15-0100 (M.85)(Valid)	PAR_C	Hair	SV : Sire Valid
10971U081	COE20-0222 (F.85)	CATTLE	SANTA GERTRUDIS (85)	COE12-0148 (F.85)(Valid)	JH15-0100 (M.85)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
10971U082	COE20-0223 (F.85)	CATTLE	SANTA GERTRUDIS (85)	COE17-0154 (F.85)(Valid)	JH15-0100 (M.85)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
10971U083	COE20-0229 (F.85)	CATTLE	SANTA GERTRUDIS (85)	JH15-0100 (M.85)(Valid)	PAR_C	Hair	SV : Sire Valid
10971U084	COE20-0233 (F.85)	CATTLE	SANTA GERTRUDIS (85)	JH12-0044 (M.85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
10971U085	COE20-0234 (F.85)	CATTLE	SANTA GERTRUDIS (85)	COE16-0044 (F.85)(Valid)	JH13-0065 (M.85)(Valid)	PAR_C	Hair

Report Date : 15-Nov-2022 11:26

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error.

Please note: Some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER