

Subject: Vansia Dna uitslae

From: "Jm Steyn" <vansia@mics.co.za>

Date: 2023/02/20, 07:28 pm

To: "Marietjie Delport" <marietjie@studbook.co.za>, "Linette Cloete" <lcloete@angus.org.za>


Goeie dag.

Vind asb aangeheg Dna uitslae van bulle.

Verander dan asb bulle JMS 21 349 en JMS 21 350 se vaars na RCM 14 122 soos bewys met Dna.

Baie dankie

JM



Vriendelike Groete / Kind Regards

JM Steyn Boerdery PTY Ltd

I Kantoor: 056 515 2663 | E-pos : vansia@mics.co.za

I Johan Steyn: 072 334 3990 | Dan Steyn: 084 477 7750 | JM Steyn: 072 408 5699

Posadres : Posbus 775, Bothaville 9660 | Adres : Plaas Van Wyksrust, Bothaville 9660

BTW nr : 4480279001 | Reg nr: 2016/475879/07

—Attachments:—

Angus Dna uitslae Feb 2023.pdf

4,4 MB

12035U011	JMS21-0322 (M,23)	CATTLE	ANGUS (23)	BLV INTREPID (M,23)(Valid)	PAR_C	Hair	SV Sire Valid
12035U011	JMS21-0322 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	FG4NOR : Myostatin - FG4L Normal
12035U011	JMS21-0322 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR : Myostatin - Q20cX Normal
12035U011	JMS21-0322 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	PR4NOR : Myostatin - PR4L Normal
12035U012	JMS21-0324 (M,23)	CATTLE	ANGUS (23)	FRANCHISE 6205 (M,23)(Valid)	PAR_C	Hair	SV Sire Valid
12035U012	JMS21-0324 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	FG4NOR : Myostatin - FG4L Myostatin - FG4L

Report Date : 20-Feb-2023 13:08

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

12035U012	JMS21-0324 (M,23)	CATTLE	ANGUS (23)					Normal
				DMG-2_C	Hair			Q20NOR : Myostatin - Q204X Normal
12035U012	JMS21-0324 (M,23)	CATTLE	ANGUS (23)					n18NOR : Myostatin - n1821 Normal
				DMG-3_C	Hair			
12035U013	JMS21-0323 (M,23)	CATTLE	ANGUS (23)	BLW INTREPID (M,23)(Valid)				SV : Sire Valid
				PAR_C	Hair			
12035U013	JMS21-0323 (M,23)	CATTLE	ANGUS (23)					F94NOR : Myostatin - F94L Normal
				DMG-1_C	Hair			
12035U013	JMS21-0323 (M,23)	CATTLE	ANGUS (23)					Q20NOR : Myostatin - Q204X Normal
				DMG-2_C	Hair			
12035U013	JMS21-0323 (M,23)	CATTLE	ANGUS (23)					n18NOR : Myostatin - n1821 Normal
				DMG-3_C	Hair			
12035U014	JMS21-0326 (M,23)	CATTLE	ANGUS (23)	BLW INTREPID (M,23)(Valid)				SV : Sire Valid
				PAR_C	Hair			
12035U014	JMS21-0326 (M,23)	CATTLE	ANGUS (23)					F94NOR : Myostatin - F94L Normal
				DMG-1_C	Hair			
12035U014	JMS21-0326 (M,23)	CATTLE	ANGUS (23)					Q20NOR : Myostatin - Q204X Normal
				DMG-2_C	Hair			
12035U014	JMS21-0326 (M,23)	CATTLE	ANGUS (23)					n18NOR : Myostatin - n1821 Normal
				DMG-3_C	Hair			
12035U015	JMS21-0329 (M,23)	CATTLE	ANGUS (23)	CALIDAD 130Y (M,23)(Valid)				SV : Sire Valid
				PAR_C	Hair			
12035U015	JMS21-0329 (M,23)	CATTLE	ANGUS (23)					F94NOR : Myostatin - F94L Normal
				DMG-1_C	Hair			

Report Date : 20-Feb-2023 13:08

CHARNÉ ROSSOUW

DIVISION MANAGER

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

12035U015	JMS21-0329 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
12035U015	JMS21-0329 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	nB8NOR : Myostatin - nB821 Normal
12035U016	JMS21-0328 (M,23)	CATTLE	ANGUS (23)	CALUDAD 130Y (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid
12035U016	JMS21-0328 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal
12035U016	JMS21-0328 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
12035U016	JMS21-0328 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	nB8NOR : Myostatin - nB821 Normal
12035U017	JMS21-0330 (M,23)	CATTLE	ANGUS (23)	FRANCHISE 6305 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid
12035U017	JMS21-0330 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal
12035U017	JMS21-0330 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
12035U017	JMS21-0330 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	nB8NOR : Myostatin - nB821 Normal
12035U018	JMS21-0331 (M,23)	CATTLE	ANGUS (23)	FRANCHISE 6305 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid
12035U018	JMS21-0331 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal
12035U018	JMS21-0331 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR :

Report Date : 20-Feb-2023 13:08

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

12035U018	JMS21-0331 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	Myostatin - Q204X Normal
							m8NOR : Myostatin - m821 Normal
12035U019	JMS21-0332 (M,23)	CATTLE	ANGUS (23)	CALIDAD 130V (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid
12035U019	JMS21-0332 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal
12035U019	JMS21-0332 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
12035U019	JMS21-0332 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	m8NOR : Myostatin - m821 Normal
12035U020	JMS21-0338 (M,23)	CATTLE	ANGUS (23)	RCM114-0122 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid
12035U020	JMS21-0338 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal
12035U020	JMS21-0338 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
12035U020	JMS21-0339 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	m8NOR : Myostatin - m821 Normal
12035U021	JMS21-0339 (M,23)	CATTLE	ANGUS (23)	RCM114-0122 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid
12035U021	JMS21-0339 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal
12035U021	JMS21-0339 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR : Myostatin - Q204X

Report Date : 20-Feb-2023 13:08

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

12035U021	JMS21-0339 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	Normal n8NOR : Myostatin - n821 Normal
12035U022	JMS21-0341 (M,23)	CATTLE	ANGUS (23)	RCM14-0122 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid
12035U022	JMS21-0341 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal
12035U022	JMS21-0341 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
12035U022	JMS21-0341 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	n8NOR : Myostatin - n821 Normal
12035U023	JMS21-0343 (M,23)	CATTLE	ANGUS (23)	RCM14-0122 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid
12035U023	JMS21-0343 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal
12035U023	JMS21-0343 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
12035U023	JMS21-0343 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	n8NOR : Myostatin - n821 Normal
12035U024	JMS21-0345 (M,23)	CATTLE	ANGUS (23)	RCM14-0122 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid
12035U024	JMS21-0345 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal
12035U024	JMS21-0345 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal

Report Date : 20-Feb-2023 13:08

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

12035U024	JMS21-0346 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	m8NOR : Myostatin - m821 Normal
12035U025	JMS21-0346 (M,23)	CATTLE	ANGUS (23)	RCM14-0122 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid
12035U025	JMS21-0346 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal
12035U025	JMS21-0346 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
12035U025	JMS21-0346 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	m8NOR : Myostatin - m821 Normal
12035U026	JMS21-0347 (M,23)	CATTLE	ANGUS (23)	CATTLEAD - 0347 (M,23)(Valid) RCM14-0122 (M,23)(Valid)	PAR_C	Hair	m1NSV : Multiple Nonrelated Sires Valid
12035U026	JMS21-0347 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal
12035U026	JMS21-0347 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
12035U026	JMS21-0347 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	m8NOR : Myostatin - m821 Normal
12035U027	JMS21-0349 (M,23)	CATTLE	ANGUS (23)	RCM14-0122 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid
12035U027	JMS21-0349 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal
12035U027	JMS21-0349 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal

Report Date : 20-Feb-2023 13:08

Unistel report these results on the premise that the biological samples received are from the individual(s) nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

12035U027	JMS21-0349 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal
12035U028	JMS21-0350 (M,23)	CATTLE	ANGUS (23)	FCM114-0122 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid
12035U028	JMS21-0350 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal
12035U028	JMS21-0350 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR : Myostatin - Q20<X Normal
12035U028	JMS21-0350 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal
12035U029	JMS21-0352 (M,23)	CATTLE	ANGUS (23)	JMS18-0158 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid
12035U029	JMS21-0352 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal
12035U029	JMS21-0352 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR : Myostatin - Q20<X Normal
12035U029	JMS21-0352 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal
12035U030	JMS21-0353 (M,23)	CATTLE	ANGUS (23)	JMS18-0158 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid
12035U030	JMS21-0353 (M,23)	CATTLE	ANGUS (23)		DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal
12035U030	JMS21-0353 (M,23)	CATTLE	ANGUS (23)		DMG-2_C	Hair	Q20NOR : Myostatin - Q20<X Normal
12035U030	JMS21-0353 (M,23)	CATTLE	ANGUS (23)		DMG-3_C	Hair	n18NOR :

Report Date : 20-Feb-2023 13:08

Page : 9

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER