

Batch Detail Report

Batch : 275U
 Created :23-Mar-2020 10:56
 Owner :Arthur de Villiers
 Farm :Arthur De Villiers and Son
 Account : ADV01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
275U004	BS19-0002	CATTLE	BONSMARA	AG14-0195 (F,1)\(Valid)	AG11-0252 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34221
275U005	BS19-0005	CATTLE	BONSMARA	AG14-0137 (F,1)\(Valid)		PAR_C	DVrNSX : Dam Valid, Multiple Nominated Sires Excluded	34221
275U006	BS19-0007	CATTLE	BONSMARA	AG14-0183 (F,1)\(Valid)	AG11-0252 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34221
275U007	BS19-0009	CATTLE	BONSMARA	BS16-0001 (U,1)\(Valid)	BS16-0003 (U,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34221
275U008	BS19-0016	CATTLE	BONSMARA		AG11-0252 (M,1)\(Valid)	PAR_C	SV : Sire Valid.	34221
275U009	BS19-0019	CATTLE	BONSMARA		AG11-0252 (M,1)\(Valid)	PAR_C	SV : Sire Valid.	34221
275U010	BS19-0024	CATTLE	BONSMARA	AG14-0189 (F,1)\(Not Valid)	AG11-0252 (M,1)\(Valid) BS16-0003 (U,1)\(Valid)	PAR_C	DXmNSV : Dam Excluded, Multiple Nominated Sires Valid	34221
275U011	BS19-0026	CATTLE	BONSMARA	AG14-0189 (F,1)\(Valid)	AG11-0252 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34221
275U012	BS20-0002	CATTLE	BONSMARA	AG14-0225 (F,1)\(Valid)	AG11-0252 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34221
275U013	BS20-0003	CATTLE	BONSMARA	AG14-0010 (F,1)\(Valid)	BS16-0003 (U,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34221

Report Date : 07-May-2020 08:15

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
 MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
275U014	BS20-0004	CATTLE	BONSMARA	AG14-0164 (F,1)\(Valid)	AG11-0252 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34221
275U015	BS20-0005	CATTLE	BONSMARA	VV01-0182 (F,1)\(Valid)	BS16-0003 (U,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34221
275U016	BS20-0006	CATTLE	BONSMARA		AG11-0252 (M,1)\(Valid)	PAR_C	SV : Sire Valid.	34221
275U017	BS20-0007	CATTLE	BONSMARA	AG14-0061 (F,1)\(Valid)	AG11-0252 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34221
275U018	BS20-0008	CATTLE	BONSMARA		AG11-0252 (M,1)\(Valid)	PAR_C	SV : Sire Valid.	34221

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR