

Batch Detail Report

Batch : 130U
Created : 06-Mar-2020 08:10
Owner : HD Watson
Farm : Glenside Farm
Account : WATHD1

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
130U001	VOVA17-0009 (M,31)	CATTLE	BEEFMASTER (31)			PAR_C	mNSX : Nominated Sires Excluded	34147
130U002	VOVA17-0114 (M,31)	CATTLE	BEEFMASTER (31)			PAR_C	mNSX : Nominated Sires Excluded	34147
130U003	VOVA17-0116 (M,31)	CATTLE	BEEFMASTER (31)		5X512-0243 (M,31)(Valid)	PAR_C	SV : Sire Valid.	34147
130U004	VOVA17-0134 (M,31)	CATTLE	BEEFMASTER (31)		BOS07-7216 (M,31)(Valid)	PAR_C	SV : Sire Valid	34147
130U005	VOVA17-0135 (M,31)	CATTLE	BEEFMASTER (31)	5X513-0266 (F,UNK_C)(Valid)	RLR12-0090 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34147
130U006	VOVA17-0161 (M,31)	CATTLE	BEEFMASTER (31)		TRADITION (M,91)(Valid)	PAR_C	SV : Sire Valid.	34147
130U007	VOVA17-0164 (M,31)	CATTLE	BEEFMASTER (31)	WO06-0304 (F,31)(Valid)	5X512-0243 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34147
130U008	VOVA17-0179 (M,31)	CATTLE	BEEFMASTER (31)		VOVA14-0023 (M,UNK_C)(Valid)	PAR_C	SV : Sire Valid.	34147
130U009	VOVA17-0195 (M,31)	CATTLE	BEEFMASTER (31)		5X512-0243 (M,31)(Valid)	PAR_C	SV : Sire Valid.	34147
130U010	VOVA18-0043 (M,31)	CATTLE	BEEFMASTER (31)		TRADITION (M,91)(Valid)	PAR_C	SV : Sire Valid.	34147
130U011	VOVA18-0077 (M,31)	CATTLE	BEEFMASTER (31)		RLR12-0090 (M,31)(Valid)	PAR_C	SV : Sire Valid.	34147
130U012	VOVA18-0155 (M,31)	CATTLE	BEEFMASTER (31)	4X411-0485 (F,91)(Valid)	BOS06-6369 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire	34147

Report Date : 24-Jun-2020 13:50

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Valid	

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR