

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
459U156	WAT19-0248	CATTLE	BONSMARA		BG17-0036 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U157	WAT19-0251	CATTLE	BONSMARA		WAT17-0167 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U158	WAT19-0252	CATTLE	BONSMARA		WAT17-0557 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U159	WAT19-0259	CATTLE	BONSMARA		BG16-0010 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U160	WAT19-0260	CATTLE	BONSMARA		BG15-0016 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U161	WAT19-0262	CATTLE	BONSMARA		BG15-0016 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U162	WAT19-0263	CATTLE	BONSMARA		WAT16-0141 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U163	WAT19-0264	CATTLE	BONSMARA		BG17-0082 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U164	WAT19-0265	CATTLE	BONSMARA		WAT17-0458 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U165	WAT19-0266	CATTLE	BONSMARA		WAT17-0167 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U166	WAT19-0275	CATTLE	BONSMARA		WAT17-0167 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U167	WAT19-0276	CATTLE	BONSMARA		WAT17-0167 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U168	WAT19-0277	CATTLE	BONSMARA		WAT17-0557 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U169	WAT19-0280	CATTLE	BONSMARA		WAT17-0557 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U170	WAT19-0281	CATTLE	BONSMARA		BG15-0016 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U171	WAT19-0286	CATTLE	BONSMARA		WAT16-0141 (M,1)(Valid)	PAT_C	SV : Sire Valid	

Report Date : 26-May-2020 11:03

Page 11

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR