

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
459U172	WAT19-0287	CATTLE	BONSMARA		BG15-0016 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U173	WAT19-0288	CATTLE	BONSMARA		WAT16-0141 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U174	WAT19-0289	CATTLE	BONSMARA		WAT15-0288 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U175	WAT19-0290	CATTLE	BONSMARA		WAT15-0288 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U176	WAT19-0291	CATTLE	BONSMARA		BG15-0016 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U177	WAT19-0294	CATTLE	BONSMARA		WAT15-0288 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U178	WAT19-0296	CATTLE	BONSMARA		BG16-0010 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U179	WAT19-0297	CATTLE	BONSMARA		BG15-0016 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U180	WAT19-0298	CATTLE	BONSMARA		BG16-0010 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U181	WAT19-0299	CATTLE	BONSMARA		WAT16-0141 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U182	WAT19-0300	CATTLE	BONSMARA		WAT17-0167 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U183	WAT19-0301	CATTLE	BONSMARA		WAT17-0167 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U184	WAT19-0302	CATTLE	BONSMARA		BG17-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U185	WAT19-0303	CATTLE	BONSMARA		BG17-0280 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U186	WAT19-0304	CATTLE	BONSMARA		BG17-0036 (M,1)(Valid)	PAT_C	SV : Sire Valid	
459U187	WAT19-0305	CATTLE	BONSMARA		WAT17-0167 (M,1)(Valid)	PAT_C	SV : Sire Valid	

Report Date : 26-May-2020 11:03

Page 12

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR