

| SAMPLE  | ANIMAL     | SPECIES | BREED    | DAM | SIRE                    | TEST  | RESULT             | INVOICE |
|---------|------------|---------|----------|-----|-------------------------|-------|--------------------|---------|
| 459U220 | WAT19-0437 | CATTLE  | BONSMARA |     | BG15-0016 (M,1)(Valid)  | PAT_C | SV :<br>Sire Valid |         |
| 459U221 | WAT19-0440 | CATTLE  | BONSMARA |     | WAT17-0240 (M,1)(Valid) | PAT_C | SV :<br>Sire Valid |         |
| 459U222 | WAT19-0448 | CATTLE  | BONSMARA |     | WAT17-0557 (M,1)(Valid) | PAT_C | SV :<br>Sire Valid |         |
| 459U223 | WAT19-0449 | CATTLE  | BONSMARA |     | BG17-0010 (M,1)(Valid)  | PAT_C | SV :<br>Sire Valid |         |
| 459U224 | WAT19-0467 | CATTLE  | BONSMARA |     | BG15-0016 (M,1)(Valid)  | PAT_C | SV :<br>Sire Valid |         |
| 459U225 | WAT19-0470 | CATTLE  | BONSMARA |     | BG17-0010 (M,1)(Valid)  | PAT_C | SV :<br>Sire Valid |         |
| 459U226 | WAT19-0490 | CATTLE  | BONSMARA |     | WAT16-0141 (M,1)(Valid) | PAT_C | SV :<br>Sire Valid |         |
| 459U227 | WAT19-0492 | CATTLE  | BONSMARA |     | GZV15-0020 (M,1)(Valid) | PAT_C | SV :<br>Sire Valid |         |
| 459U228 | WAT19-0493 | CATTLE  | BONSMARA |     | WAT15-0288 (M,1)(Valid) | PAT_C | SV :<br>Sire Valid |         |
| 459U229 | WAT19-0494 | CATTLE  | BONSMARA |     | BG17-0082 (M,1)(Valid)  | PAT_C | SV :<br>Sire Valid |         |
| 459U230 | WAT19-0495 | CATTLE  | BONSMARA |     | BG15-0016 (M,1)(Valid)  | PAT_C | SV :<br>Sire Valid |         |
| 459U231 | WAT19-0510 | CATTLE  | BONSMARA |     | BG15-0016 (M,1)(Valid)  | PAT_C | SV :<br>Sire Valid |         |
| 459U232 | WAT19-0511 | CATTLE  | BONSMARA |     | BG15-0016 (M,1)(Valid)  | PAT_C | SV :<br>Sire Valid |         |
| 459U233 | WAT19-0543 | CATTLE  | BONSMARA |     | BG15-0016 (M,1)(Valid)  | PAT_C | SV :<br>Sire Valid |         |
| 459U234 | WAT19-0544 | CATTLE  | BONSMARA |     | BG17-0036 (M,1)(Valid)  | PAT_C | SV :<br>Sire Valid |         |
| 459U235 | WAT19-0545 | CATTLE  | BONSMARA |     | WAT17-0167 (M,1)(Valid) | PAT_C | SV :<br>Sire Valid |         |

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX  
MANAGING DIRECTOR