

Subject: FW: Verdere regstelling met lab uitslae

From: "Droughtmaster SA" <office@droughtmastersa.co.za>

Date: 2023/03/28, 12:48 pm

To: "'Marietjie Delport'" <marietjie@studbook.co.za>

From: Waterford Droughtmasters <waterforddroughtmasters@gmail.com>

Sent: Friday, March 10, 2023 9:13 AM

To: Droughtmaster Kantoor <office@droughtmasterafrica.co.za>

Cc: Carl Crous <crouscarl@gmail.com>; Ian Currin Droughtmasters <iancurrin@gmail.com>

Subject: Verdere regstelling met lab uitslae

More Liezel

Aangeheg is info van diere wat ek vir Jacque gestuur het, maar wat hy nie reggemaak het nie.

Ek weet julle kantoor is nog nie 100% in werking nie, maar ek stuur dit solank vir jou aan.

Jy sal sie dat ek elke dier afsonderlik vir jou by die lab se uitsae gesit het, miskien werk dit makliker so vir jou. Laat weet
ASSEBLIEF INDIEN JY DIT ANDERS WIL HE

Groete
Callie

Attachments:

✓ 19-0112KPB Batch-10284U005 (1)18 19 KPB.pdf	27,5 KB
✓ WBT19-0047Batch-9836U019 (1)(17 18 19 20) (2) - Copy.pdf	61,3 KB
✓ WBT19-0115 Batch-9836U015 (1)(17 18 19 20) (2).pdf	61,3 KB
✓ WBT20-0016 Batch-9508U153.pdf	289 KB
✓ WBT20-0032 Batch-9508U089 navraag diere(20 21) (3).pdf	30,7 KB
✓ WBT20-0044 Batch-10317U002 (1)(20 21) - Copy.pdf	52,3 KB
✓ WBT20-0052 Batch-9508U075_(20)Query(klaar).pdf	32,4 KB
✓ WBT20-0067 Batch-9508U098.pdf	289 KB
✓ WBT20-0068 Batch-9508U158.pdf	289 KB
✓ WBT20-0090 Batch-9508U082.pdf	289 KB

✓ WBT20-0095 Batch-9508U104.pdf	289 KB
✓ WBT20-0096 Batch-9508U160.pdf	289 KB
✓ WBT20-0100 Batch-10317U009 (1)(20 21).pdf	52,3 KB
✓ WBT20-0101 Batch-9508U162.pdf	289 KB
✓ WBT20-0122 Batch-9508U165_(20)Query(klaar).pdf	32,4 KB
✓ WBT20-0133 Batch-9508U088 - Copy.pdf	289 KB
✓ WBT20-0146 Batch-11032U025.pdf	21,6 KB
✓ WBT20-0156 Batch-11417U010.pdf	18,3 KB
✓ WBT21-0087 Batch-9508U044(21-0087).pdf	19,2 KB
✓ WBT21-0093 Batch-9508U050-navraag (1)(21) (1).pdf	30,7 KB
✓ WBT21-0094 Batch-9508U051-navraag (3)(21).pdf	30,7 KB
✓ WBT21-0098 Batch-9508U111-navraag (1)(21) (1).pdf	30,7 KB
WBT21-0107 Batch-10317U017 (20 21) (1).pdf	48,7 KB
Deregistreer asseblief wbt 16.docx	11,8 KB
Verander geslag asseblief.docx	11,9 KB

Verander geslag asseblief

Wbt20-0042 is n vers

Deregistreer asseblief wbt 16-0012

Batch Detail Report

Created : 2022-09-01

Batch : 10284U
Owner : Carl Crous
Farm : Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	GRBID	DAM	SIRE	TEST	RESULT	INTERPRE
10284U001	WBT18-0091 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0014 (F,186)(Valid)	ZON14-0011 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
10284U002	KPB18-0004 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0177 (F,91)(Not Valid)	ZON14-0011 (M,91)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
10284U003	WBT20-0090 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0277 (F,91)(Valid)	HOT17-0383 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
10284U004	KPB21-0001 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0068 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
X 10284U005	KPB19-0112 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT15-0010 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
10284U006	KPB19-0003 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0068 (F,91)(Valid)	CSA15-0031 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
10284U007	KPB21-0002 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0098 (F,91)(Valid)	TOP16-0117 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 19-Sep-2022 10:21

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	DRUGD	DATA	SIRE	TEST	RESULT	INVOICES
9836U010	WB119-0097 (F,91)	CATTLE	DROUGHT MASTER (91)	WB116-0047 (F,91)(Valid)	TOP15-0102 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U011	WB119-0051 (F,91)	CATTLE	DROUGHT MASTER (91)		CSA15-0031 (M,91)(Valid)	PAR_C	SV : Sire Valid	
9836U012	WB119-0043 (F,91)	CATTLE	DROUGHT MASTER (91)	WB113-0036 (F,186)(Not Valid)	CSA15-0031 (M,91)(Valid)	PAR_C	DVSV : Dam Excluded, Sire Valid	
9836U013	WB119-0041 (F,91)	CATTLE	DROUGHT MASTER (91)		CSA15-0054 (M,91)(Valid)	PAR_C	SV : Sire Valid	
9836U014	20-0004 (F,91)	CATTLE	DROUGHT MASTER (91)	WB116-0075 (F,91)(Valid)	TOP15-0102 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
X 9836U015	19-0115 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	TOP15-0101 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U016	WB119-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT14-0119 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U017	WB120-0045 (M,91)	CATTLE	DROUGHT MASTER (91)	C13-0004 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U018	WB119-0087 (F,91)	CATTLE	DROUGHT MASTER (91)	WB113-0050 (F,186)(Valid)	TOP15-0102 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
X 9836U019	WB119-0047 (F,91)	CATTLE	DROUGHT MASTER (91)	WB113-0020 (F,186)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U020	WB119-0056 (F,91)	CATTLE	DROUGHT MASTER (91)	WB113-0028 (F,186)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U021	WB119-0027 (F,91)	CATTLE	DROUGHT MASTER (91)		CSA15-0054 (M,91)(Valid)	PAR_C	SV : Sire Valid	
9836U022	WB118-0091 (F,91)	CATTLE	DROUGHT			PAR_C	NSR :	

Report Date : 10-Aug-2022 10:48

Unstet report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.
Disclaimer:
While every reasonable effort is made to prevent faulty results, Unstet Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue type	RESULT	INVOICE
9508U067	WBT20-0023 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	NSR : No Sample Received	01
9508U068	WBT20-0024 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	NSR : No Sample Received	01
9508U069	WBT20-0031 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	HER03 : Repeat requested - no roots on hair	01
9508U070	WBT20-0034 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT17-0017 (F,91)(Valid)	CSA15-0031 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	42418
9508U071	WBT20-0036 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	HER03 : Repeat requested - no roots on hair	01
9508U072	WBT20-0038 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	NSR : No Sample Received	01
9508U073	WBT20-0039 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT13-0039 (F,186)(Valid)	CSA15-0031 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	42418
9508U074	WBT20-0050 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	HER03 : Repeat requested - no roots on hair	01
9508U075	WBT20-0052 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT17-0133 (F,91)(Valid)	CSA15-0031 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	42418
9508U076	WBT20-0063 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0054 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	42418
9508U077	WBT20-0072 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0054 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	42418
9508U078	WBT20-0073 (F,186)	CATTLE	AFRICA DROU GHTMASTER		CT2-0001 (M,186)(Valid)	PAR_C	Hair	SV : Sire Valid	42418

Report Date : 02-Mar-2023 14:52

Unisiel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unisiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the sample tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisiel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unisiel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	ORIGEO	DAM	SIRE	TEST	Tissue Type	RESULT	INVCODE
9508U079	WBT20-0076 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0054 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	42418
9508U080	WBT20-0082 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		GRB16-0006 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	42418
9508U081	WBT20-0087 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	HER03 : Repeat requested - no roots on hair	01
9508U082	WBT20-0090 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	HOT16-0277 (F,91)(Valid)	HOT17-0383 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	42418
9508U083	WBT20-0091 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0054 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	42418
9508U084	WBT20-0110 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	NSR : No Sample Received	01
9508U085	WBT20-0116 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		C11-0500 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	42418
9508U086	WBT20-0128 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	NSR : No Sample Received	01
9508U087	WBT20-0129 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	NSR : No Sample Received	01
9508U088	WBT20-0133 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	OW17-0287 (F,91)(Valid)	OW14-0481 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	42418
9508U089	WBT20-0032 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	C13-0014 (F,91)(Valid)	TOP16-0117 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	42418

Report Date : 02-Mar-2023 14:52

Unisiel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unisiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in percentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisiel Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unisiel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SIZE	TEST	Tissue Type	RESULT	INVOICE
9508U148	WBT21-0037 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	Valid NSR: No Sample Received	01
9508U149	WBT20-0005 (N/S,186)	CATTLE	AFRICA DROU GHTMASTER (186)			ST_C	Hair	Store: Store this sample	01
9508U150	WBT20-0064 (N/S,186)	CATTLE	AFRICA DROU GHTMASTER (186)			ST_C	Hair	Store: Store this sample	01
9508U151	WBT20-0084 (N/S,186)	CATTLE	AFRICA DROU GHTMASTER (186)			ST_C	Hair	Store: Store this sample	01
9508U152	WBT20-0131 (N/S,186)	CATTLE	AFRICA DROU GHTMASTER (186)			ST_C	Hair	Store: Store this sample	01
9508U153	WBT20-0016 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT13-0037 (F,91)(Valid)	TOP15-0102 (M,91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid	42418
9508U154	WBT20-0042 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	C10-0083 (F,91)(Valid)	OW14-0522 (M,91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid	42418
9508U155	WBT20-0043 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	HEP03: Repeat requested - no roots on hair	01
9508U156	WBT20-0046 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	HEP03: Repeat requested - no roots on hair	01
9508U157	WBT20-0056 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		TOP16-0117 (M,91)(Valid)	PAR_C	Hair	SV: Sire Valid	42418
9508U158	WBT20-0068 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT16-0116 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid	42418

Report Date : 02-Mar-2023 14:52

Page : 14

Unistei report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistei Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistei Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistei Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Created : 2022-09-05

Batch : 10317U
Owner : Carl Crous
Owner Email: crouscarl@gmail.com;waterfordroughtmasters@gmail.com

Owner CellPhone No. :+27-82-573-4569
Farm : Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	GREEN	DAM	SIRE	TEST	TEQUA Type	RESULT	INVOICE
10317U001	WBT1-0039 (F.91)	CATTLE	DROUGHT MASTER (91)	WBT18-0058 (F.91)\(Valid)	HOT18-0443 (M.186)\(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	42947
10317U002	WBT1-0044 (F.91)	CATTLE	DROUGHT MASTER (91)	WBT19-0017 (F.186)\(Valid)	HOT18-0443 (M.186)\(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	42947
10317U003	WBT1-0047 (M.91)	CATTLE	DROUGHT MASTER (91)	WBT13-0038 (F.186)\(Valid)	TOP17-0175 (M.91)\(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	42947
10317U004	WBT1-0035 (F.91)	CATTLE	DROUGHT MASTER (91)	WBT19-0027 (F.91)\(Valid)		PAR_C	HAIR	DVMSX : Dam Valid, Multiple Nominated Sires Excluded	42947
10317U005	WBT1-0036 (M.91)	CATTLE	DROUGHT MASTER (91)	WBT18-0055 (F.91)\(Valid)		PAR_C	HAIR	DVMSX : Dam Valid, Multiple Nominated Sires Excluded	42947
10317U006	WBT20-0086 (F.91)	CATTLE	DROUGHT MASTER (91)		TOP16-0117 (M.91)\(Valid)	PAR_C	HAIR	SV : Sire Valid	42947
10317U007	WBT20-0046 (M.91)	CATTLE	DROUGHT MASTER (91)	C13-0004 (F.91)\(Valid)	CSA15-0054 (M.91)\(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	42947
10317U008	WBT20-0050 (F.91)	CATTLE	DROUGHT MASTER (91)	WBT17-0130 (F.91)\(Valid)	CSA15-0054 (M.91)\(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	42947
10317U009	WBT20-0100 (F.91)	CATTLE	DROUGHT	WBT13-0024 (F.186)\(Not	WBT17-0134 (M.91)\(Valid)	PAR_C	HAIR	DXSV :	42947

Report Date : 05-Oct-2022 14:30

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2022-07-04

Batch : 9508U
Owner : Carl Crous
Farm : Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	ENTERED	DATE	SIUE	TEST	Tissue Type	RESULT	REFERENCE
9508U075	WBT20-0052 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT17-0133 (F,91)(Valid)	CSA15-0031 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	42418
9508U151	WBT20-0084 (N/S,186)	CATTLE	AFRICA DROU GHTMASTER (186)			ST_G	Hair	Store : Store this sample	01
9508U157	WBT20-0056 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		TOP16-0117 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	42418
9508U160	WBT20-0096 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT17-0060 (F,186)(Valid)	CSA15-0031 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	42418
9508U162	WBT20-0101 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	GRB14-0079 (F,91)(Valid)	GRB16-0022 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	42418
9508U163	WBT20-0104 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	42418
9508U164	WBT20-0107 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	42418
9508U165	WBT20-0122 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT13-0060 (F,186)(Valid)	WBT17-0073 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	42418
9508U166	WBT20-0123 (F,186)	CATTLE	AFRICA DROU GHTMASTER			PAR_C	Hair	mNSX : Multiple Nominated	42418

Report Date : 24-Jan-2023 11:40

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SEX	TEST	Tissue Type	RESULT	INVOICE
9508U090	WBT20-0035 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0054 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	42418
9508U091	WBT20-0044 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0054 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	42418
9508U092	WBT20-0045 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		TOP16-0117 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	42418
9508U093	WBT20-0046 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	C13-0004 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	42418
9508U094	WBT20-0048 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT16-0074 (F,91)(Not Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	42418
9508U095	WBT20-0060 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT13-0028 (F,186)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	42418
9508U096	WBT20-0065 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0054 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	42418
9508U097	WBT20-0066 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT16-0074 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	42418
9508U098	WBT20-0067 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	LVR13-0012 (F,91)(Valid)	TOP16-0104 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	42418
9508U099	WBT20-0069 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	HER03 : Repeat requested - no roots on hair	01
9508U100	WBT20-0075 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	HER03 : Repeat requested - no roots on hair	01
9508U101	WBT20-0077 (M,186)	CATTLE	AFRICA DROU GHTMASTER	HOT14-0119 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	42418

Report Date : 02-Mar-2023 14:52

Unisel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unisel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unisel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	PLAN	GRADE	TEST	Tissue type	RESULT	INVOICE
9508U148	WBT21-0037 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	Valid NSR: No Sample Received	01
9508U149	WBT20-0005 (N/S,186)	CATTLE	AFRICA DROU GHTMASTER (186)			ST_C	Hair	Store: Store this sample	01
9508U150	WBT20-0064 (N/S,186)	CATTLE	AFRICA DROU GHTMASTER (186)			ST_C	Hair	Store: Store this sample	01
9508U151	WBT20-0084 (N/S,186)	CATTLE	AFRICA DROU GHTMASTER (186)			ST_C	Hair	Store: Store this sample	01
9508U152	WBT20-0131 (N/S,186)	CATTLE	AFRICA DROU GHTMASTER (186)			ST_C	Hair	Store: Store this sample	01
9508U153	WBT20-0016 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT13-0037 (F,91)(Valid)	TOP15-0102 (M,91)(Valid)	PAR_C	Hair	DVSV: Dam Valid, Sire Valid	42418
9508U154	WBT20-0042 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	C10-0083 (F,91)(Valid)	OW14-0522 (M,91)(Valid)	PAR_C	Hair	DVSV: Dam Valid, Sire Valid	42418
9508U155	WBT20-0043 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	HEP03: Repeat requested - no roots on hair	01
9508U156	WBT20-0046 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	Hair	HEH03: Repeat requested - no roots on hair	01
9508U157	WBT20-0056 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		TOP16-0117 (M,91)(Valid)	PAR_C	Hair	SV: Sire Valid	42418
9508U158	WBT20-0068 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT16-0116 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Hair	DVSV: Dam Valid, Sire Valid	42418

Report Date : 02-Mar-2023 14:52

Page : 14

Unisiel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unisiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisiel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unisiel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

9508U079	WB120-0076 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	CSA15-0054 (M,91)(Valid)	PAR_C	SV: Sire Valid
9508U080	WB120-0082 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	GRB16-0006 (M,91)(Valid)	PAR_C	SV: Sire Valid
9508U081	WB120-0087 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		PAR_C	HER03: Repeat requested - no roots on hair
9508U082	WB120-0090 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		PAR_C	mNSX: Multiple Nominated Sires Excluded
9508U083	WB120-0091 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	CSA15-0054 (M,91)(Valid)	PAR_C	SV: Sire Valid
9508U084	WB120-0110 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		PAR_C	NSR: No Sample Received
9508U085	WB120-0116 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	C11-0500 (M,91)(Valid)	PAR_C	SV: Sire Valid
9508U086	WB120-0128 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		PAR_C	NSR: No Sample Received
9508U087	WB120-0129 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		PAR_C	NSR: No Sample Received
X 9508U088	WB120-0133 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		PAR_C	mNSX: Multiple Nominated Sires Excluded
9508U089	WB120-0032 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	TOP16-0117 (M,91)(Valid)	PAR_C	SV: Sire Valid
9508U090	WB120-0035 (M,186)	CATTLE	AFRICA DROU GHTMASTER	CSA15-0054 (M,91)(Valid)	PAR_C	SV: Sire Valid

Report Date : 01-Aug-2022 13:11

Unisiel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unisiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

9508U102	WB120-0092 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0049 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U103	WB120-0094 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		GRB16-0042 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U104	WB120-0095 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		C12-0001 (M,186)(Not Valid)	PAR_C	SX : Sire Excluded
9508U105	WB120-0103 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		GRB17-0007 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U106	WB120-0112 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		VOVA17-0017 (N/S,91)(Valid)	PAR_C	SV : Sire Valid
9508U107	WB120-0119 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		C12-0001 (M,91)(Not Valid)	PAR_C	SX : Sire Excluded
9508U108	WB121-0004 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	C10-0202 (F,91)(Valid)	C07-0355 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
9508U109	WB121-0009 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	C10-0202 (F,91)(Valid)	C07-0355 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
9508U110	WB121-0051 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WB16-0077 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
9508U111	WB121-0098 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WB19-0065 (F,186)(Valid)	WB19-0004 (M,186)(Not Valid)	PAR_C	DVSV : Dam Valid, Sire Excluded
9508U112	WB121-0099 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WB19-0038 (F,186)(Valid)	WB19-0067 (M,186)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
9508U113	WB122-0002 (F,186)	CATTLE	AFRICA DROU GHTMASTER	WB16-0034 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid

Report Date : 01-Aug-2022 13:11

Unstiel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unstiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

9508U102	WB120-0092 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		CSA15-0049 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U103	WB120-0094 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		GRB16-0042 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U104	WB120-0095 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		C12-0001 (M,186)(Not Valid)	PAR_C	SX : Sire Excluded
9508U105	WB120-0103 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		GRB17-0007 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U106	WB120-0112 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		VOVA17-0017 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U107	WB120-0119 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)		C12-0001 (M,91)(Not Valid)	PAR_C	SX : Sire Excluded
9508U108	WB121-0004 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	C10-0202 (F,91)(Valid)	C07-0355 (M,91)(Valid)	PAR_C	DVSV : Darn Valid, Sire Valid
9508U109	WB121-0009 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	C10-0202 (F,91)(Valid)	C07-0355 (M,91)(Valid)	PAR_C	DVSV : Darn Valid, Sire Valid
9508U110	WB121-0051 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WB116-0077 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	DVSV : Darn Valid, Sire Valid
9508U111	WB121-0098 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WB119-0065 (F,186)(Valid)	WB119-0004 (M,186)(Not Valid)	PAR_C	DVSV : Darn Valid, Sire Excluded
9508U112	WB121-0099 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WB119-0038 (F,186)(Valid)	WB119-0067 (M,186)(Valid)	PAR_C	DVSV : Darn Valid, Sire Valid
9508U113	WB122-0002 (F,186)	CATTLE	AFRICA DROU GHTMASTER	WB116-0034 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	DVSV : Darn Valid, Sire

Report Date : 01-Aug-2022 13:11

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

9508U160	WB120-0096 (F,186)	CATTLE	(186)	WB117-0060 (F,186)(Valid)	CSA15-0031 (M,91)(Valid)	PAR_C	no roots on hair DVSX : Dam Valid, Sire Valid
9508U161	WB120-0100 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WB118-0015 (F,186)(Not Valid)		PAR_C	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded
9508U162	WB120-0101 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	GRB14-0079 (F,91)(Valid)	GRB16-0022 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid
9508U163	WB120-0104 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		WB117-0023 (M,91)(Not Valid)	PAR_C	SX : Sire Excluded
9508U164	WB120-0107 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	mNSX : Multiple Nominated Sires Excluded
9508U165	WB120-0122 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WB113-0050 (F,186)(Valid)	CT1-0034 (M,91)(Not Valid)	PAR_C	DVSX : Dam Valid, Sire Excluded
9508U166	WB120-0123 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	PU : Profile (Unistel)
9508U167	WB121-0036 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	NSR : No Sample Received
9508U168	WB121-0047 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	NSR : No Sample Received
9508U169	WB121-0035 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	NSR : No Sample Received
9508U170	WB121-0039 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)			PAR_C	NSR : No Sample Received

Report Date : 01-Aug-2022 13:11

Page 15

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

9508U079	WBT20-0076 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	CSA15-0054 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U080	WBT20-0082 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	GRB16-0006 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U081	WBT20-0087 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		PAR_C	HEP03: Repeat requested - no roots on hair
9508U082	WBT20-0090 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		PAR_C	mNSX : Multiple Nominated Sires Excluded
9508U083	WBT20-0091 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	CSA15-0054 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U084	WBT20-0110 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		PAR_C	NSR : No Sample Received
9508U085	WBT20-0116 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	C11-0500 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U086	WBT20-0128 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		PAR_C	NSR : No Sample Received
9508U087	WBT20-0129 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		PAR_C	NSR : No Sample Received
9508U088	WBT20-0133 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		PAR_C	mNSX : Multiple Nominated Sires Excluded
9508U089	WBT20-0032 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	TOP16-0117 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U090	WBT20-0035 (M,186)	CATTLE	AFRICA DROU GHTMASTER	CSA15-0054 (M,91)(Valid)	PAR_C	SV : Sire Valid

Report Date : 01-Aug-2022 13:11

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

9508U045	WBT21-0088 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	TOP17-0175 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U046	WBT21-0089 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	OW17-0395 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U047	WBT21-0090 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	TOP17-0175 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U048	WBT21-0091 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	HOT18-0443 (M,186)(Valid)	PAR_C	SV : Sire Valid
9508U049	WBT21-0092 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		PAR_C	mNSX : Multiple Nominated Sires Excluded
9508U050	WBT21-0093 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	HOT18-0443 (M,186)(Valid)	PAR_C	SV : Sire Valid
9508U051	WBT21-0094 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)		PAR_C	mNSX : Multiple Nominated Sires Excluded
9508U052	WBT21-0095 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT19-0067 (M,186)(Valid)	PAR_C	SV : Sire Valid
9508U053	WBT21-0096 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT19-0067 (M,186)(Not Valid)	PAR_C	SV : Sire Excluded
9508U054	WBT21-0097 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	HOT18-0443 (M,186)(Valid)	PAR_C	SV : Sire Valid
9508U055	WBT21-0100 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	TOP16-0113 (M,91)(Not Valid)	PAR_C	SV : Sire Excluded

Report Date : 01-Aug-2022 13:11

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.

This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

9508U102	WBT20-0092 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	CSA15-0049 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U103	WBT20-0094 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	GRB16-0042 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U104	WBT20-0095 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	C12-0001 (M,186)(Not Valid)	PAR_C	SX : Sire Excluded
9508U105	WBT20-0103 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	GRB17-0007 (M,91)(Valid)	PAR_C	SV : Sire Valid
9508U106	WBT20-0112 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	SV : Sire Valid
9508U107	WBT20-0119 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	C12-0001 (M,91)(Not Valid)	PAR_C	SX : Sire Excluded
9508U108	WBT21-0004 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	C07-0355 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
9508U109	WBT21-0009 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	C07-0355 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
9508U110	WBT21-0051 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	TOP17-0175 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
9508U111	WBT21-0098 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT19-0004 (M,186)(Not Valid)	PAR_C	DVSV : Dam Valid, Sire Excluded
9508U112	WBT21-0099 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WBT19-0067 (M,186)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
9508U113	WBT22-0002 (F,186)	CATTLE	AFRICA DROU GHTMASTER	TOP17-0175 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire

Report Date : 01-Aug-2022 13:11

Unstiel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unstiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract



Batch Detail Report

Owner Email: crouscarl@gmail.com;waterforddroughmasters@gmail.com

Owner CellPhone No.: +27-82-573-4569

Farm: Rudolph Boerdery Trust

Account : CROU1

Origin : PRIVATE

Invoice To : Owner

Created : 2022-09-05

SAMPLE	ANIMAL	SPECIES	BREED	QNO	SIRE	TEST	TISSUE TYPE	RESULT	REMARKS
10317U001	WB121-0039 (F,91)	CATTLE	DROUGHT MASTER (91)	WB118-0058 (F,91)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	42947
10317U002	WB121-0044 (F,91)	CATTLE	DROUGHT MASTER (91)	WB119-0017 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	42947
10317U003	WB121-0047 (M,91)	CATTLE	DROUGHT MASTER (91)	WB113-0038 (F,186)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	42947
10317U004	WB121-0035 (F,91)	CATTLE	DROUGHT MASTER (91)	WB119-0027 (F,91)(Valid)		PAR_C	HAIR	DVmnSX : Dam Valid, Multiple Nominated Sires Excluded	42947
10317U005	WB121-0036 (M,91)	CATTLE	DROUGHT MASTER (91)	WB118-0055 (F,91)(Valid)		PAR_C	HAIR	DVmnSX : Dam Valid, Multiple Nominated Sires Excluded	42947
10317U006	WB120-0086 (F,91)	CATTLE	DROUGHT MASTER (91)		TOP16-0117 (M,91)(Valid)	PAR_C	HAIR	SV : Sire Valid	42947
10317U007	WB120-0046 (M,91)	CATTLE	DROUGHT MASTER (91)	C13-0004 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	42947
10317U008	WB120-0050 (F,91)	CATTLE	DROUGHT MASTER (91)	WB117-0130 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	42947
10317U009	WB120-0100 (F,91)	CATTLE	DROUGHT	WB113-0024 (F,186)(Not	WB117-0134 (M,91)(Valid)	PAR_C	HAIR	DXSV :	42947

Report Date : 05-Oct-2022 14:30

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
11032U021	WBT22-0090 (F.91)	CATTLE	DROUGHT MASTER (91)	WBT19-0082 (F.91)(Valid)	HOT18-0443 (M.186)(Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Valid	
11032U022	WBT22-0091 (M.91)	CATTLE	DROUGHT MASTER (91)	WBT19-0036 (F.91)(Valid)	HOT18-0443 (M.186)(Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Valid	
11032U023	WBT22-0092 (M.91)	CATTLE	DROUGHT MASTER (91)	C11-0056 (F.91)(Valid)	TOP17-0175 (M.91)(Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Valid	
11032U024	WBT13-0047 (F.91)	CATTLE	DROUGHT MASTER (91)	CHD04-0012D (F.39)(Valid)	C10-0068 2DE X (M.91)(Not Valid) Reg by Droughtmasters	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
11032U025	WBT20-0146 (F.91)	CATTLE	DROUGHT MASTER (91)	WBT16-0043 (F.189)(Valid)	CSA15-0031 (M.91)(Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Valid	

Report Date : 22-Nov-2022 11:30

Page : 3

Unisiel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unisiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisiel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unisiel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2022-12-05

Batch : 11417U
 Owner : Carl Crous
 Farm : Rudolph Boerdery Trust
 Account : CROU1
 Origin : PRIVATE
 Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DNA	SIZE	TEST	Marker Type	RESULT	AYVELLE
11417U010	WB120-0158 (F,91)	CATTLE	DROUGHT MASTER (91)	WB17-0015 (F,91)(Valid)	TOP16-0117 (M,91)(Valid)	PAR_C	Hair	DYSV: Darn Valid, Sire Valid	42839

Report Date : 24-Jan-2023 11:27

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10317U010	WB120-0031 (F,91)	CATTLE	DROUGHT MASTER (91)	WB116-0077 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	Multiple Nominated Sires Excluded DVSX : Dam Valid, Sire Valid	
10317U011	WB120-0036 (F,91)	CATTLE	DROUGHT MASTER (91)	C06-0132 (F,186)(Valid)	WB117-0073 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
10317U012	WB120-0001 (F,91)	CATTLE	DROUGHT MASTER (91)	WB116-0116 (F,91)(Not Valid)		PAR_C	DxmNSX : Dam Excluded, Multiple Nominated Sires Excluded	
10317U013	WB120-0087 (F,91)	CATTLE	DROUGHT MASTER (91)	WB117-0098 (F,91)(Valid)	TOP16-0104 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
10317U014	WB120-0075 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0235 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
10317U015	WB121-0037 (M,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	HER02 : Test to be repeated by lab	
10317U016	WB120-0004 (F,91)	CATTLE	DROUGHT MASTER (91)	WB116-0075 (F,91)(Valid)		PAR_C	DxmNSX : Dam Valid, Multiple Nominated Sires Excluded	
10317U017	WB121-0107 (F,91)	CATTLE	DROUGHT MASTER (91)	WB119-0080 (F,91)(Valid)	WB119-0004 (M,186)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
10317U018	WB120-0043 (F,91)	CATTLE	DROUGHT MASTER (91)	WB116-0089 (F,91)(Valid)		PAR_C	DxmNSX : Dam Valid, Multiple Nominated Sires Excluded	
10317U019	WB121-0094 (F,91)	CATTLE	DROUGHT MASTER (91)	WB119-0056 (F,186)(Not Valid)	WB119-0004 (M,186)(Valid)	PAR_C	DXSX : Dam Excluded, Sire Valid	

Report Date : 23-Sep-2022 11:32

Unlabeled report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unisiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisiel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker strategies between laboratories. Unisiel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER