



NSBA

NAMIBIAN STUD BREEDERS ASSOCIATION

BIRTH NOTIFICATION

0711394DMA

Date: 27 March 2023

P.O. BOX 28134, Auas Valley, Windhoek, Namibia
TEL: +264 61 235 168 • FAX: +264 61 230 578
email: nsba@iway.na • WEBSITE: www.nsba.iway.na

Member ID F10076

Breed

Droughtmaster

Prefix WBT

NAME OF ANIMAL (Not Prefix)	DATE OF BIRTH			CODE BELOW						ID NO. OF CALF/LAMB		SIRE ID NO.			DAM ID NO.			INSEMINATION			CODE BELOW	BIRTH MASS	COLOR	
	D	M	Y	½	TW	TW	NFR	SERV	HDM	Y	NO	HD M	Y	NO	HDM	Y	NO	D	M	Y				
1 Africa Droughtmaster	06	Oct.	21	2	1	1/2	0/1	1	WBT	21	0098	WBT	19	0069	WBT	19	0065				1	7	31kg	1
2 Africa Droughtmaster	13	Nov.	18	2	1	1/2	0/1	1	WBT	18	0091	ZON	14	0011	WBT	13	0014				1	7	32kg	1
3 Africa Droughtmaster	14	Mar.	18	1	1	1/2	0/1	1	KPB	18	0004	ZON	14	0011	WBT	15	0022				1	7	35kg	1
4 Africa Droughtmaster	09	Dec.	19	1	1	1/2	0/1	1	KPB	19	0112	CSA	15	0054	WBT	15	0010				1	7	33kg	1
5 Africa Droughtmaster	04	Nov.	22	2	1	1/2	0/1	1	WBT	19	0047	CSA	15	0054	WBT	13	0020				1	7	31kg	1
6 Africa Droughtmaster	04	Nov.	18	1	1	1/2	0/1	1	WBT	18	0071	ZON	14	0011	DO	02	0107				1	7	30kg	1
7 Africa Droughtmaster	13	Nov.	22	1	1	1/2	0/1	1	HDM	Y	NO	HD M	Y	NO	HDM	Y	NO				1	7	34kg	1
8 Africa Droughtmaster	29	Oct.	22	1	1	1/2	0/1	1	HDM	Y	NO	HD M	Y	NO	HDM	Y	NO				1	7	33kg	1

♀ 1 ♂ 2

Single 1 Twin 2 Multiple 3

Mark with 1 if calf/lamb dead or not for registration

Sire – in my possession during service 1 Sire – not in my possession 2 A.I. 3 Inovulation 4

Calf/lamb 1 Abortion A Still-born E Died < 3days D Died > 3days C

Normal Birth 7 Easy Pull 8 Serious difficulty 9 Caesarean 10 Abnormal presentation 11

Twin with heifer/ewe 1 With bull/ram 2

Red 1 Red & White 2 White & Red 3 Yellow 4 Roan 5 White 6 Red, white underline 7 Yellow & White 8 Black 9 Brown 10 Grey 11 Gir 12 Guzerat 13 Indu Bra. 14 Nellore 15

Batch Detail Report

Created : 2022-07-29

Batch : 9836U
 Owner : Carl Crous
 Farm : Rudolph Boerdery Trust
 Account : CROU1
 Origin : PRIVATE
 Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
9836U001	WBT19-0082 (F,91)	CATTLE	DROUGHT MASTER (91)		OW16-0060 (M,91)\(Valid)	PAR_C	SV : Sire Valid	
9836U002	WBT19-0024 (F,91)	CATTLE	DROUGHT MASTER (91)		C13-0512 (M,91)\(Valid) C13-0704 (M,91)\(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
9836U003	WBT19-0080 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0015 (F,186)\(Valid)	OW16-0060 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U004	WBT19-0078 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0124 (F,91)\(Valid)	CSA15-0054 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U005	WBT19-0020 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0059 (F,186)\(Valid)	CSA15-0054 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U006	KPB19-0002 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0098 (F,91)\(Valid)	TOP15-0102 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U007	WBT19-0073 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0016 (F,91)\(Valid)	OW16-0060 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U008	WBT19-0063 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0018 (F,186)\(Valid)	CSA15-0031 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U009	WBT19-0011 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT15-0010 (F,91)\(Valid)	CSA15-0054 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 10-Aug-2022 10:48

Page 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
 This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
 DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
9836U010	WBT19-0097 (F.91)	CATTLE	DROUGHT MASTER (91)	WBT16-0047 (F.91)\(Valid)	TOP15-0102 (M.91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U011	WBT19-0051 (F.91)	CATTLE	DROUGHT MASTER (91)		CSA15-0031 (M.91)\(Valid)	PAR_C	SV : Sire Valid	
9836U012	WBT19-0043 (F.91)	CATTLE	DROUGHT MASTER (91)	WBT13-0036 (F.186)\(Not Valid)	CSA15-0031 (M.91)\(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
9836U013	WBT19-0041 (F.91)	CATTLE	DROUGHT MASTER (91)		CSA15-0054 (M.91)\(Valid)	PAR_C	SV : Sire Valid	
9836U014	20-0004 (F.91)	CATTLE	DROUGHT MASTER (91)	WBT16-0075 (F.91)\(Valid)	TOP15-0102 (M.91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U015	19-0115 (F.91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F.91)\(Valid)	TOP15-0101 (M.91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U016	WBT19-0069 (F.91)	CATTLE	DROUGHT MASTER (91)	HOT14-0119 (F.91)\(Valid)	CSA15-0054 (M.91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U017	WBT20-0045 (M.91)	CATTLE	DROUGHT MASTER (91)	C13-0004 (F.91)\(Valid)	TOP17-0175 (M.91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U018	WBT19-0087 (F.91)	CATTLE	DROUGHT MASTER (91)	WBT13-0050 (F.186)\(Valid)	TOP15-0102 (M.91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U019	WBT19-0047 (F.91)	CATTLE	DROUGHT MASTER (91)	WBT13-0020 (F.186)\(Valid)	CSA15-0054 (M.91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U020	WBT19-0055 (F.91)	CATTLE	DROUGHT MASTER (91)	WBT13-0028 (F.186)\(Valid)	CSA15-0054 (M.91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
9836U021	WBT19-0027 (F.91)	CATTLE	DROUGHT MASTER (91)		CSA15-0054 (M.91)\(Valid)	PAR_C	SV : Sire Valid	
9836U022	WBT18-0091 (F.91)	CATTLE	DROUGHT			PAR_C	NSR :	

Report Date : 10-Aug-2022 10:48

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
9836U023	WBT18-0097 (F,91)	CATTLE	MASTER (91) DROUGHT MASTER (91)	C06-0132 (F,186)(Valid)	WINGFIELD ROCKE (M,91)(Valid)	PAR_C	No Sample Received DVSU : Dam Valid, Sire Valid	
9836U024	WBT17-0086 (F,91)	CATTLE	DROUGHT MASTER (91)		WBT13-0053 (M,186)(Valid)	PAR_C	SV : Sire Valid	
9836U025	WBT17-0133 (F,91)	CATTLE	DROUGHT MASTER (91)		WBT14-0011 (M,91)(Valid)	PAR_C	SV : Sire Valid	
9836U026	WBT17-0082 (F,91)	CATTLE	DROUGHT MASTER (91)		WBT13-0053 (M,186)(Valid)	PAR_C	SV : Sire Valid	
9836U027	18-0050 (N/S,91)	CATTLE	DROUGHT MASTER (91)	DUX13-0031 (F,91)(Valid)	C13-0013 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	

Report Date : 10-Aug-2022 10:48

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

Batch Detail Report

Created : 2022-09-01

Batch : 10284U
 Owner : Carl Crous
 Farm : Rudolph Boerdery Trust
 Account : CROU1
 Origin : PRIVATE
 Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
10284U001	WBT18-0091 (N,S,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0014 (F,186)(Valid)	ZON14-0011 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
10284U002	KPB18-0004 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT15-0022 (F,91)(Valid)	ZON14-0011 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
10284U003	WBT20-0090 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0277 (F,91)(Valid)	HOT17-0383 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
10284U004	KPB21-0001 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0068 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
10284U005	KPB19-0112 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT15-0010 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
10284U006	KPB19-0003 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0068 (F,91)(Valid)	CSA15-0031 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
10284U007	KPB21-0002 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0098 (F,91)(Valid)	TOP16-0117 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	

Report Date : 20-Sep-2022 07:43

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER



Batch Detail Report

Owner Email: crouscarl@gmail.com;waterforddroughtmasters@gmail.com

Owner CellPhone No. :+27-82-573-4569

Farm :Rudolph Boerdery Trust

Account : CROU1

Origin : PRIVATE

Invoice To : Owner

Created : 2022-07-04

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
9508U037	WB121-0080 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	18-0073 (N/S,91)(Valid)	OW17-0395 (M,91)(Valid)	PAR_C	HAIR	DVSU : Damm Valid, Sire Valid	42418
9508U044	WB121-0087 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WB119-0055 (F,186)(Not Valid)	WB118-0061 (M,91)(Valid)	PAR_C	HAIR	DXSV : Damm Excluded, Sire Valid	42418
9508U049	WB121-0092 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WB117-0098 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	HAIR	DVSU : Damm Valid, Sire Valid	42418
9508U050	WB121-0093 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WB119-0048 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	HAIR	DVSU : Damm Valid, Sire Valid	42418
9508U051	WB121-0094 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WB119-0052 (F,186)(Valid)	WB119-0004 (M,186)(Valid)	PAR_C	HAIR	DVSU : Damm Valid, Sire Valid	42418
9508U053	WB121-0096 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WB119-0078 (F,91)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	HAIR	DVSU : Damm Valid, Sire Valid	42418
9508U055	WB121-0100 (F,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WB118-0023 (F,91)(Valid)	HOT19-0570 (M,91)(Valid)	PAR_C	HAIR	DVSU : Damm Valid, Sire Valid	42418
9508U111	WB121-0098 (M,186)	CATTLE	AFRICA DROU GHTMASTER (186)	WB119-0065 (F,186)(Valid)	WB119-0067 (M,186)(Valid)	PAR_C	HAIR	DVSU : Damm Valid, Sire Valid	42418

Report Date : 11-Oct-2022 16:26

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error.
Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2020-05-21

Batch : 600U
Owner : Carl Crous
Farm : Rudolph Boerdery Trust
Account :
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
600U025	WB118-0071 (F:91)	CATTLE	DROUGHT MASTER (91)		ZON14-0011 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	34569

Report Date : 13-Jan-2023 12:48

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER