

Subject: Droughtmaster regstellings

From: Hotspot Cattle <hotspotcattle97@gmail.com>

Date: 2023/04/26, 11:24 am

To: marietjie@studbook.co.za

Hallo

Die volgende moet asb as **NVR** wees:

HOT20-1011

HS21-1006

HS21-1012

HS21-1039

HS21-1040

HS21-1041

HS21-6641

HS22-1014

HS22-1046

HS22-1051

Die volgende is **Kommersieël** :

HS19-0036

HS19-0108

HS20-0610

RE-INSTATE word

HS19-0033

OW18-0500

Die volgende moet asb **Vroulik** wees

HS20-659

HS21-0674

HS21-0509

DNA aangeheg:

HS19-0119


HS20-0563

HS22-0535

HS19-0138

Dan ook die laaste van 2022 kalfies en dan 2023 kalfies

Groete



Attachments:

20-563HS.pdf	107 KB
19-119HS.pdf	18,2 KB
22-535HS.pdf	45,6 KB
HS19-0138.pdf	35,1 KB
HS23-514.pdf	18,3 KB
HS23-517.pdf	18,3 KB
HS23-512-HS23-516.pdf	22,1 KB
HS22-0669 - HS23-502.pdf	27,3 KB
HS23-0503-HS23-511.pdf	32,4 KB
19-119HS.pdf	18,2 KB

Batch Detail Report

Batch : 1975U
Owner :N Olivier
Farm :Lindeshoek/Hotspot Borans
Account :
Invoice To : Owner

Created : 2020-09-11

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1975U001	HS20-0537 (M,91)	CATTLE	DROUGHT MASTER (91)	W14-0697D (F,91)\(Valid)	OW14-0481 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U002	HS20-0538 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)\(Valid)	C11-0505 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U003	HS20-0539 (F,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)\(Valid)	C11-0505 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U004	HS20-0540 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)\(Valid)	PIONEER U9C2232 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U005	HS20-0541 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)\(Valid)	OW14-0572 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U006	HS20-0542 (F,91)	CATTLE	DROUGHT MASTER (91)	OW16-0071 (F,91)\(Valid)	PIONEER U9C2232 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U007	HS20-0543 (F,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)\(Valid)	C11-0505 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U008	HS20-0544 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0081 (F,91)\(Valid)	C11-0505 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U009	HS20-0545 (F,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)\(Valid)	C11-0505 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U010	HS20-0546 (M,91)	CATTLE	DROUGHT	OW15-0011 (F,91)\(Valid)	PIONEER U9C2232 (M,91)\(Valid)	PAR_C	DVSV :	35849

Report Date : 17-Mar-2022 22:30

Page 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1975U011	HS20-0547 (F,91)	CATTLE	MASTER (91)	OW14-0693 (F,91)\(Valid)	SWAN16-0036 (M,91)\(Valid)	PAR_C	Dam Valid, Sire Valid	35849
1975U012	HS20-0548 (F,91)	CATTLE	DROUGHT MASTER (91)	C13-0408 (F,91)\(Valid)	CSA15-0008 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U013	HS20-0549 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)\(Valid)	PIONEER U9C2232 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U014	HS20-0550 (F,91)	CATTLE	DROUGHT MASTER (91)	C09-0107 (F,91)\(Valid)	SWAN16-0036 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U015	HS20-0552 (F,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)\(Valid)	C11-0505 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U016	HS20-0553 (F,91)	CATTLE	DROUGHT MASTER (91)	C09-0107 (F,91)\(Valid)	SWAN16-0036 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U017	HS20-0554 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)\(Valid)	OW14-0572 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U018	HS20-0555 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)\(Valid)	C11-0505 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U019	HS20-0556 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)\(Valid)	SWAN16-0036 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U020	HS20-0557 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0202 (F,91)\(Valid)	SWAN16-0036 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U021	HS20-0558 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0202 (F,91)\(Valid)	SWAN16-0036 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849

Report Date : 17-Mar-2022 22:30

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1975U022	HS20-0559 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0107 (F,91)\(Valid)	SWAN16-0036 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U023	HS20-0560 (F,91)	CATTLE	DROUGHT MASTER (91)	C09-0107 (F,91)\(Valid)	SWAN16-0036 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U024	HS20-0561 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0202 (F,91)\(Valid)	SWAN16-0036 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U025	HS20-0562 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)\(Valid)	C11-0505 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U026	HS20-0563 (F,91)	CATTLE	DROUGHT MASTER (91)	C09-0107 (F,91)\(Valid)	SWAN16-0036 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U027	HS20-0564 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)\(Valid)	C11-0505 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U028	HS20-0565 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)\(Valid)	SWAN16-0036 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U029	HS20-0567 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0202 (F,91)\(Valid)	SWAN16-0036 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U030	HS20-0568 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)\(Valid)	SWAN16-0036 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U031	HS20-0569 (M,91)	CATTLE	DROUGHT MASTER (91)	OW14-0693 (F,91)\(Valid)	CSA15-0008 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U032	HS20-0570 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)\(Valid)	C11-0505 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U033	HS20-0571 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)\(Valid)	C11-0505 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849

Report Date : 17-Mar-2022 22:30

Page 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1975U034	HS20-0572 (M,91)	CATTLE	DROUGHT MASTER (91)	OW16-0143 (F,91)\(Valid)	SWAN16-0036 (M,91)\(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	35849
1975U035	HS20-0573 (F,91)	CATTLE	DROUGHT MASTER (91)	C12-0081 (F,91)\(Valid)	SWAN16-0036 (M,91)\(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	35849
1975U036	HS20-0602 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0352 (F,91)\(Valid)	OW14-0481 (M,91)\(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	35849
1975U037	HS20-0603 (M,91)	CATTLE	DROUGHT MASTER (91)	C11-0114 (F,91)\(Valid)	OW14-0481 (M,91)\(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	35849
1975U038	HS20-0604 (M,91)	CATTLE	DROUGHT MASTER (91)	C11-0527 (F,91)\(Valid)	OW14-0481 (M,91)\(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	35849
1975U039	HS20-0605 (M,91)	CATTLE	DROUGHT MASTER (91)	OW17-0258 (F,91)\(Valid)	OW14-0481 (M,91)\(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	35849
1975U040	HS20-0606 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP16-0115 (F,91)\(Valid)	TOP18-0120 (M,91)\(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	35849
1975U041	HOT20-0034 (M,24)	CATTLE	BORAN (24)	W17-0427 (F,24)\(Valid)	VST11-0003 (M,24)\(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	35849
1975U042	HOT20-0035 (F,24)	CATTLE	BORAN (24)	W17-0587 (F,24)\(Valid)	TZ14-0004 (M,24)\(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	35849
1975U043	HOT20-0036 (M,24)	CATTLE	BORAN (24)	W15-1088 (F,24)\(Valid)	BU14-0016 (M,24)\(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	35849
1975U044	HOT20-0038 (M,24)	CATTLE	BORAN (24)	W12-0099 (F,24)\(Valid)	W11-0036 (M,24)\(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	35849

Report Date : 17-Mar-2022 22:30

Page 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1975U045	HOT20-0039 (M,24)	CATTLE	BORAN (24)	W12-0098 (F,24)\(Valid)	W11-0036 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U046	HOT20-0040 (F,24)	CATTLE	BORAN (24)	W12-0076 (F,24)\(Valid)	HOT13-0013 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U047	HOT20-0041 (M,24)	CATTLE	BORAN (24)	FN06-0059 (F,24)\(Valid)	HOT15-0012 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U048	HOT20-0042 (F,24)	CATTLE	BORAN (24)	CTM15-0066 (F,24)\(Valid)	HOT13-0013 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U049	HOT20-0043 (F,24)	CATTLE	BORAN (24)	W15-0803 (F,24)\(Valid)	W14-0628 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U050	HOT20-0044 (M,24)	CATTLE	BORAN (24)	W11-0045 BOR (F,24)\(Valid)	HOT13-0013 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U051	HOT20-0045 (F,24)	CATTLE	BORAN (24)	W15-0954 (F,24)\(Valid)	HOT13-0013 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U052	HOT20-0046 (M,24)	CATTLE	BORAN (24)	W17-0566 (F,24)\(Valid)	TZ14-0004 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U053	HOT20-0047 (F,24)	CATTLE	BORAN (24)	W17-0284 (F,24)\(Valid)	HOT15-0034 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U054	HOT20-0048 (M,24)	CATTLE	BORAN (24)	W17-0347 (F,24)\(Valid)	TZ14-0004 (M,24)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849

Report Date : 17-Mar-2022 22:30

Page 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Batch : 5999U
 Owner : Dr Johan C Henning
 Farm : Rhenosterfontein Alma
 Account : HENJC1
 Invoice To : Owner

Created : 2021-09-07

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
5999U002	HS19-0119 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0202 (F,91)(Valid)	OW14-0572 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	39284

Report Date : 25-Apr-2023 11:27

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

Batch Detail Report

Batch : 10490U
 Owner : N Olivier
 Owner Email: hotspotcattle@hotmail.com; hotspotcattle97@gmail.com
 Owner CellPhone No. : +27-73-747-3239
 Farm : Oatlands
 Account : OLIN02
 Origin : PRIVATE
 Invoice To : Owner

Created : 2022-09-21

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10490U001	HS22-0528 SAMPLE=20-528 (M,91)	CATTLE	DROUGHT MASTER (91)	OW18-0548 (F,91)(Valid)	C15-0509 (N/S,91)(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	
10490U002	HS22-0529 SAMPLE=20-529 (M,91)	CATTLE	DROUGHT MASTER (91)	HS20-0612 (F,91)(Valid)	OW17-0395 (M,91)(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	
10490U003	HS22-0530 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0246 (F,91)(Valid)	C15-0509 (N/S,91)(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	
10490U004	HS22-0531 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0040 (F,91)(Valid)	C15-0509 (N/S,91)(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	
10490U005	HS22-0532 (F,91)	CATTLE	DROUGHT MASTER (91)	OW18-0492 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	
10490U006	HS22-0533 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0351 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	
10490U007	HS22-0534 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0351 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire Valid	
10490U008	HS22-0535 (F,91)	CATTLE	DROUGHT MASTER (91)	HS19-0023 (F,91)(Not Valid)	HS19-0061 (M,91)(Valid)	PAR_C	HAIR	DXSV : Dam Excluded, Sire Valid	
10490U009	HS22-0536 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0071 (F,91)(Valid)	OW17-0395 (M,91)(Valid)	PAR_C	HAIR	DVSV : Dam Valid, Sire	

Report Date : 05-Oct-2022 10:45

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error.
 Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10490U010	HS22-0537 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0003 (F,91)(Valid)	OW17-0395 (M,91)(Valid)	PAR_C	HAIR	Valid DVSU : Dam Valid, Sire Valid	
10490U011	HS22-0538 (F,91)	CATTLE	DROUGHT MASTER (91)	OW18-0485 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	HAIR	DVSU : Dam Valid, Sire Valid	
10490U012	HS22-0539 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0317 (F,91)(Valid)	C15-0509 (N/S,91)(Valid)	PAR_C	HAIR	DVSU : Dam Valid, Sire Valid	
10490U013	HS22-0540 (M,91)	CATTLE	DROUGHT MASTER (91)	HS19-0163 (N/S,91)(Valid)	HS19-0061 (M,91)(Valid)	PAR_C	HAIR	DVSU : Dam Valid, Sire Valid	
10490U014	HS22-0541 (M,91)	CATTLE	DROUGHT MASTER (91)	HS19-0801 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	HAIR	DVSU : Dam Valid, Sire Valid	
10490U015	HS22-0542 (M,91)	CATTLE	DROUGHT MASTER (91)	OW14-0697 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	HAIR	DVSU : Dam Valid, Sire Valid	

Report Date : 05-Oct-2022 10:45

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error.
Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Batch : A38927
 Owner : N Olivier
 Farm : Lindeshoek/Hotspot Borans
 Account :
 Origin : DROUGHTMASTER
 Invoice To : Owner

Created : 2019-11-15

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
A540894	HS19-0127 (F,91)	CATTLE	DROUGHT MASTER (91)	OW16-0150 (F,91)\(Valid)	OW14-0572 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	33254
A540895	HS19-0128 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0040 (F,91)\(Valid)	OW14-0481 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	33254
A540896	HS19-0129 (M,91)	CATTLE	DROUGHT MASTER (91)	OW17-0356 (F,91)\(Valid)	OW14-0481 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	33254
A540897	HS19-0130 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0287 (F,91)\(Valid)	OW14-0481 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	33254
A540898	HS19-0131 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0266 (F,91)\(Valid)	OW14-0481 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	33254
A540899	HS19-0133 (F,91)	CATTLE	DROUGHT MASTER (91)	OW16-0169 (F,91)\(Valid)	OW14-0572 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	33254
A540900	HS19-0134 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0253 (F,91)\(Valid)	C11-0505 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	33254
A540901	HS19-0135 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0049 (F,91)\(Valid)	OW14-0572 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	33254
A540902	HS19-0136 (M,91)	CATTLE	DROUGHT MASTER (91)	OW16-0082 (F,91)\(Valid)	OW14-0572 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	33254

Report Date : 11-Apr-2022 09:35

Page 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
 This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
 DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
A540903	HS19-0137 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0294 (F,91)(Valid)	OW14-0481 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	33254
A540904	HS19-0138 (M,91)	CATTLE	DROUGHT MASTER (91)	C13-0203 (F,91)(Valid)	ZEL13-0505 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	33254

Report Date : 11-Apr-2022 09:35

Page 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 12385U
Owner :N Olivier
Farm :Oatlands
Account : OLIN02
Origin : PRIVATE
Invoice To : Owner

Created : 2023-02-24

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
12385U003	HS23-0514 (M,91)	CATTLE	DROUGHT MASTER (91)	OW18-0504 (F,91)(Valid)	OW14-0481 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 23-Mar-2023 13:06

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Batch : 12694U
 Owner :N Olivier
 Farm :Oatlands
 Account : OLIN02
 Origin : PRIVATE
 Invoice To : Owner

Created : 2023-03-28

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
12694U001	HS23-0517 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA15-0068 (F,91)(Valid)	AGO18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 21-Apr-2023 11:22

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

Batch Detail Report

Batch : 12385U
 Owner :N Olivier
 Farm :Oatlands
 Account : OLIN02
 Origin : PRIVATE
 Invoice To : Owner

Created : 2023-02-24

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
12385U001	HS23-0512 (M,91)	CATTLE	DROUGHT MASTER (91)	HS19-0006 (F,91)(Valid)	TOP20-0102 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12385U002	HS23-0513 (M,91)	CATTLE	DROUGHT MASTER (91)	HS20-0528 (F,91)(Valid)	HS19-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12385U003	HS23-0514 (M,91)	CATTLE	DROUGHT MASTER (91)	OW18-0504 (F,91)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
12385U004	HS23-0516 (M,91)	CATTLE	DROUGHT MASTER (91)	HS20-0005 (F,91)(Valid)	HS19-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 23-Mar-2023 09:12

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

Batch Detail Report

Batch : 11885U
Owner :N Olivier
Farm :Oatlands
Account : OLIN02
Origin : PRIVATE
Invoice To : Owner

Created : 2023-01-20

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
11885U001	HS22-0669 (M,91)	CATTLE	DROUGHT MASTER (91)	OW18-0533 (F,91)\(Valid)	HS19-0007 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11885U002	HS22-0670 (F,91)	CATTLE	DROUGHT MASTER (91)	HS19-0021 (F,91)\(Valid)	HS19-0007 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11885U003	HS22-0671 (M,91)	CATTLE	DROUGHT MASTER (91)	HS19-0019 (F,91)\(Valid)	TOP20-0102 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11885U004	HS22-0672 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0155 (F,91)\(Valid)	HS20-0570 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11885U005	HS22-0673 (M,91)	CATTLE	DROUGHT MASTER (91)	HS20-0542 (F,91)\(Valid)	TOP20-0102 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11885U006	HS22-0674 (F,91)	CATTLE	DROUGHT MASTER (91)	HS19-0033 (F,91)\(Valid)	TOP20-0102 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11885U007	HS23-0501 (M,91)	CATTLE	DROUGHT MASTER (91)	HS15-0030 (F,91)\(Valid)	HS19-0007 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11885U008	HS23-0502 (F,91)	CATTLE	DROUGHT MASTER (91)	OW16-0115 (F,91)\(Valid)	HS20-0570 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 06-Feb-2023 12:15

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Batch : 12067U
Owner :N Olivier
Farm :Oatlands
Account : OLIN02
Origin : PRIVATE
Invoice To : Owner

Created : 2023-02-03

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
12067U001	HS23-0503 (F,91)	CATTLE	DROUGHT MASTER (91)	OW14-0645 (F,91)(Valid)	HS19-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12067U002	HS23-0504 (F,91)	CATTLE	DROUGHT MASTER (91)	HS19-0070 (F,91)(Valid)	HS20-0546 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12067U003	HS23-0505 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0349 (F,91)(Valid)	OW14-0481 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12067U004	HS23-0506 (M,91)	CATTLE	DROUGHT MASTER (91)	HS19-0104 (F,91)(Valid)	HS19-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12067U005	HS23-0507 (M,91)	CATTLE	DROUGHT MASTER (91)	HS19-0142 (F,91)(Valid)	HS19-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12067U006	HS23-0508 (F,91)	CATTLE	DROUGHT MASTER (91)	HS20-0595 (F,91)(Valid)	TOP20-0102 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12067U007	HS23-0509 (F,91)	CATTLE	DROUGHT MASTER (91)	HS20-0532 (F,91)(Valid)	HS20-0570 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12067U008	HS23-0510 (F,91)	CATTLE	DROUGHT MASTER (91)	HS19-0158 (F,91)(Valid)	TOP20-0102 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12067U009	HS23-0511 (M,91)	CATTLE	DROUGHT MASTER (91)	HS19-0130 (F,91)(Valid)	HS19-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 21-Feb-2023 13:01

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Batch : 5999U
 Owner :Dr Johan C Henning
 Farm :Rhenosterfontein Alma
 Account : HENJC1
 Invoice To : Owner

Created : 2021-09-07

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
5999U002	HS19-0119 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0202 (F,91)(Valid)	OW14-0572 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	39284

Report Date : 25-Apr-2023 11:27

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER