

Created : 2020-10-16

C502644
DMA

Batch Detail Report

Batch : 2326U
Owner : N Olivier
Farm : Lindeshoek/Hotspot Borans
Account :
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2326U001	HS20-0574 (F,91)	CATTLE	DROUGHT MASTER (91)	C12-0081 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	36137
2326U002	HS20-0575 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)(Valid)	PIONEER U9C2232 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	36137
2326U003	HS20-0576 (F,91)	CATTLE	DROUGHT MASTER (91)	C13-0408 (F,91)(Valid)	CSA15-0008 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	36137
2326U004	HS20-0577 (F,91)	CATTLE	DROUGHT MASTER (91)	CO9-0107 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	36137
2326U005	HS20-0578 (F,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	36137
2326U006	HS20-0579 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	36137
2326U007	HS20-0580 (M,91)	CATTLE	DROUGHT MASTER (91)	OW16-0143 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	36137
2326U008	HS20-0581 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0202 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	36137
2326U009	HS20-0582 (F,91)	CATTLE	DROUGHT MASTER (91)	C12-0081 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	36137
2326U010	HS20-0583 (M,91)	CATTLE	DROUGHT	C10-0083 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	36137

Report Date : 17-Mar-2022 22:04

Page 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2326U011	HS20-0584 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U012	HS20-0585 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0202 (F,91)(Valid)	SWMAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U013	HS20-0586 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0083 (F,91)(Valid)	SWMAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U014	HS20-0587 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0083 (F,91)(Valid)	SWMAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U015	HS20-0588 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0083 (F,91)(Valid)	SWMAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U016	HS20-0589 (M,91)	CATTLE	DROUGHT MASTER (91)	C13-0408 (F,91)(Valid)	CSA15-0008 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U017	HS20-0590 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0083 (F,91)(Valid)	SWMAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U018	HS20-0591 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0083 (F,91)(Valid)	SWMAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U019	HS20-0592 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0083 (F,91)(Valid)	SWMAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U020	HS20-0593 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0081 (F,91)(Valid)	SWMAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U021	HS20-0594 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0107 (F,91)(Valid)	SWMAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137

Report Date : 17-Mar-2022 22:04

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.

This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2326U022	HS20-0595 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0043 (F,91)(Valid)	PIONEER U9C2232 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U023	HS20-0596 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0083 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U024	HS20-0597 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0083 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U025	HS20-0599 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U026	HS20-0600 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0043 (F,91)(Valid)	PIONEER U9C2232 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U027	HS20-0601 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0083 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U028	HS20-0607 (M,91)	CATTLE	DROUGHT MASTER (91)	OW16-0143 (F,91)(Valid)	HOT16-0303 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U029	HS20-0608 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0348 (F,91)(Valid)	OW14-0481 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U030	HOT20-0049 (F,24)	CATTLE	BORAN (24)	W17-0321 (F,24)(Valid)	HOT15-0034 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U031	HOT20-0050 (F,24)	CATTLE	BORAN (24)	EP14-0002 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U032	HOT20-0051 (F,24)	CATTLE	BORAN (24)	W15-0917 (F,24)(Valid)	VST11-0003 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137
2326U033	HOT20-0052 (F,24)	CATTLE	BORAN (24)	W13-0333 (F,24)(Valid)	HOT13-0013 (M,24)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36137

Report Date : 17-Mar-2022 22:04

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2326U034	HOT20-0053 (M,24)	CATTLE	BORAN (24)	W17-0447 (F,24)(Valid)	VST14-0034 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	36137
2326U035	HOT20-0054 (M,24)	CATTLE	BORAN (24)	W17-0511 (F,24)(Valid)	TZ14-0004 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	36137
2326U036	HOT20-0055 (M,24)	CATTLE	BORAN (24)	W16-0182 (F,24)(Valid)	W14-0628 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	36137
2326U037	HOT20-0056 (M,24)	CATTLE	BORAN (24)	CTM14-0082 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	36137
2326U038	HOT20-0057 (M,24)	CATTLE	BORAN (24)	BU13-0067 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	36137
2326U039	HOT20-0058 (M,24)	CATTLE	BORAN (24)	W14-0740 (F,24)(Valid)	HOT15-0034 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	36137
2326U040	TOP18-0133 (N/S,24)	CATTLE	BORAN (24)			DMG-1_C	F94NOR : Myostatin - F94L Normal	36137
2326U040	TOP18-0133 (N/S,24)	CATTLE	BORAN (24)			DMG-3_C	n18HET : Myostatin - n1821 Heterozygote	36137

Report Date : 17-Mar-2022 22:04

Page 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER