

Created : 2020-09-11

G5C2644IDM1A

Batch Detail Report

Batch : 1975U
Owner : N Olivier
Farm : Lindeshoek/Hotspot Borans
Account :
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIZE	TEST	RESULT	INVOICE
1975U001	HS20-0537 (M,91)	CATTLE	DROUGHT MASTER (91)	W14-0697D (F,91)(Valid)	OW14-0481 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U002	HS20-0538 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U003	HS20-0539 (F,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U004	HS20-0540 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)(Valid)	PIONEER U9C2232 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U005	HS20-0541 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)(Valid)	OW14-0572 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U006	HS20-0542 (F,91)	CATTLE	DROUGHT MASTER (91)	OW16-0071 (F,91)(Valid)	PIONEER U9C2232 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U007	HS20-0543 (F,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U008	HS20-0544 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0081 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U009	HS20-0545 (F,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U010	HS20-0546 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)(Valid)	PIONEER U9C2232 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849

Report Date : 17-Mar-2022 22:30

Page 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	BIRE	TEST	RESULT	INVOICE
1975U011	HS20-0547 (F,91)	CATTLE	DROUGHT MASTER (91)	OW14-0693 (F,91)(Valid)	SWMAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U012	HS20-0548 (F,91)	CATTLE	DROUGHT MASTER (91)	C13-0408 (F,91)(Valid)	CSA15-0008 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U013	HS20-0549 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)(Valid)	PIONEER U9C2232 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U014	HS20-0550 (F,91)	CATTLE	DROUGHT MASTER (91)	C09-0107 (F,91)(Valid)	SWMAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U015	HS20-0552 (F,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U016	HS20-0553 (F,91)	CATTLE	DROUGHT MASTER (91)	C09-0107 (F,91)(Valid)	SWMAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U017	HS20-0554 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)(Valid)	OW14-0572 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U018	HS20-0555 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U019	HS20-0556 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)(Valid)	SWMAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U020	HS20-0557 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0202 (F,91)(Valid)	SWMAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U021	HS20-0558 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0202 (F,91)(Valid)	SWMAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849

Report Date : 17-Mar-2022 22:30

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1975U022	HS20-0559 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0107 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U023	HS20-0560 (F,91)	CATTLE	DROUGHT MASTER (91)	C09-0107 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U024	HS20-0561 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0202 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U025	HS20-0562 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U026	HS20-0563 (F,91)	CATTLE	DROUGHT MASTER (91)	C09-0107 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U027	HS20-0564 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U028	HS20-0565 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U029	HS20-0567 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0202 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U030	HS20-0568 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U031	HS20-0569 (M,91)	CATTLE	DROUGHT MASTER (91)	OW14-0693 (F,91)(Valid)	CSA15-0008 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U032	HS20-0570 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849
1975U033	HS20-0571 (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0086 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35849

Report Date : 17-Mar-2022 22:30

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1975U034	HS20-0572 (M,91)	CATTLE	DROUGHT MASTER (91)	OW16-0143 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U035	HS20-0573 (F,91)	CATTLE	DROUGHT MASTER (91)	C12-0081 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U036	HS20-0602 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0352 (F,91)(Valid)	OW14-0481 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U037	HS20-0603 (M,91)	CATTLE	DROUGHT MASTER (91)	C11-0114 (F,91)(Valid)	OW14-0481 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U038	HS20-0604 (M,91)	CATTLE	DROUGHT MASTER (91)	C11-0527 (F,91)(Valid)	OW14-0481 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U039	HS20-0605 (M,91)	CATTLE	DROUGHT MASTER (91)	OW17-0258 (F,91)(Valid)	OW14-0481 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U040	HS20-0606 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP16-0115 (F,91)(Valid)	TOP18-0120 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U041	HOT20-0034 (M,24)	CATTLE	BORAN (24)	W17-0427 (F,24)(Valid)	VST11-0003 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U042	HOT20-0035 (F,24)	CATTLE	BORAN (24)	W17-0587 (F,24)(Valid)	TZ14-0004 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U043	HOT20-0036 (M,24)	CATTLE	BORAN (24)	W15-1088 (F,24)(Valid)	BU14-0016 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U044	HOT20-0038 (M,24)	CATTLE	BORAN (24)	W12-0099 (F,24)(Valid)	W11-0036 (M,24)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	35849

Report Date : 17-Mar-2022 22:30

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1975U045	HOT20-0039 (M,24)	CATTLE	BORAN (24)	W12-0098 (F,24)\Valid	W11-0036 (M,24)\Valid	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U046	HOT20-0040 (F,24)	CATTLE	BORAN (24)	W12-0076 (F,24)\Valid	HOT13-0013 (M,24)\Valid	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U047	HOT20-0041 (M,24)	CATTLE	BORAN (24)	FN06-0059 (F,24)\Valid	HOT15-0012 (M,24)\Valid	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U048	HOT20-0042 (F,24)	CATTLE	BORAN (24)	CTM15-0066 (F,24)\Valid	HOT13-0013 (M,24)\Valid	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U049	HOT20-0043 (F,24)	CATTLE	BORAN (24)	W15-0803 (F,24)\Valid	W14-0628 (M,24)\Valid	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U050	HOT20-0044 (M,24)	CATTLE	BORAN (24)	W11-0045 BOR (F,24)\Valid	HOT13-0013 (M,24)\Valid	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U051	HOT20-0045 (F,24)	CATTLE	BORAN (24)	W15-0954 (F,24)\Valid	HOT13-0013 (M,24)\Valid	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U052	HOT20-0046 (M,24)	CATTLE	BORAN (24)	W17-0566 (F,24)\Valid	TZ14-0004 (M,24)\Valid	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U053	HOT20-0047 (F,24)	CATTLE	BORAN (24)	W17-0284 (F,24)\Valid	HOT15-0034 (M,24)\Valid	PAR_C	DVSU : Dam Valid, Sire Valid	35849
1975U054	HOT20-0048 (M,24)	CATTLE	BORAN (24)	W17-0347 (F,24)\Valid	TZ14-0004 (M,24)\Valid	PAR_C	DVSU : Dam Valid, Sire Valid	35849

Report Date : 17-Mar-2022 22:30

Page 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER