

0603425 BON

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
12337U210	GJN22-0330 (M,1)	CATTLE	(1) BONSMARA (1)	GJN20-0031 (F,1)(Valid)		PAR_C	Hair	Sire Valid DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
12337U211	GJN22-0331 (M,1)	CATTLE	BONSMARA (1)	GJN20-0122 (F,1)(Valid)	AG18-0961 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U212	GJN22-0332 (M,1)	CATTLE	BONSMARA (1)	GJN20-0089 (F,1)(Valid)	AG18-0961 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U213	GJN22-0333 (M,1)	CATTLE	BONSMARA (1)	GJN20-0197 (F,1)(Valid)	AG17-0920 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U214	GJN22-0334 (M,1)	CATTLE	BONSMARA (1)	GJN19-0022 (F,1)(Valid)	GJN18-0265 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U215	GJN22-0335 (M,1)	CATTLE	BONSMARA (1)	GJN20-0023 (F,1)(Valid)	AG17-0920 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid ✓	
12337U216	GJN22-0336 (M,1)	CATTLE	BONSMARA (1)	GJN20-0047 (F,1)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple, Nominated Sires Excluded ✓	
12337U217	GJN22-0337 (M,1)	CATTLE	BONSMARA (1)	GJN20-0007 (F,1)(Valid)	AG17-0920 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U218	GJN22-0338 (M,1)	CATTLE	BONSMARA (1)	GJN17-0411 (F,1)(Valid)	GJN16-0006 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U219	GJN22-0339 (M,1)	CATTLE	BONSMARA (1)	GJN19-0204 (F,1)(Valid)	GJN18-0253 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid ✓	
12337U220	GJN22-0340 (M,1)	CATTLE	BONSMARA (1)	GJN17-0344 (F,1)(Valid)	HP17-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 29-Mar-2023 16:12

Page : 19

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profile

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Valid	
12337U221	GJN22-0342 (M,1)	CATTLE	BONSMARA (1)	GJN20-0015 (F,1)(Valid)	AG18-0961 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U222	GJN22-0343 (M,1)	CATTLE	BONSMARA (1)	GJN20-0049 (F,1)(Valid)	AG17-0920 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U223	GJN22-0344 (M,1)	CATTLE	BONSMARA (1)		VZF18-0339 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
12337U224	GJN22-0345 (M,1)	CATTLE	BONSMARA (1)	GJN15-0072 (F,1)(Valid)	AG18-0284 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U225	GJN22-0346 (M,1)	CATTLE	BONSMARA (1)	GJN13-0089 (F,1)(Valid)	VZF18-0339 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U226	GJN22-0347 (M,1)	CATTLE	BONSMARA (1)	GJN20-0164 (F,1)(Valid)	AG18-0961 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U227	GJN22-0348 (M,1)	CATTLE	BONSMARA (1)	GJN20-0060 (F,1)(Valid)		PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded	
12337U228	GJN22-0349 (M,1)	CATTLE	BONSMARA (1)	GJN20-0153 (F,1)(Valid)	AG17-0920 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U229	GJN22-0350 (M,1)	CATTLE	BONSMARA (1)	GJN20-0220 (F,1)(Valid)	GJN17-0061 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U230	GJN22-0351 (M,1)	CATTLE	BONSMARA (1)	GJN19-0239 (F,1)(Valid)	GJN18-0265 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U231	GJN22-0352 (M,1)	CATTLE	BONSMARA (1)	GJN19-0239 (F,1)(Valid)	GJN18-0265 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 29-Mar-2023 16:12

Page : 20

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profile

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
12337U232	GJN22-0353 (M,1)	CATTLE	BONSMARA (1)		HP17-0024 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
12337U233	GJN22-0354 (M,1)	CATTLE	BONSMARA (1)	GJN19-0350 (F,1)(Valid)	GJN18-0265 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U234	GJN22-0355 (M,1)	CATTLE	BONSMARA (1)	GJN18-0107 (F,1)(Valid)	GJN18-0253 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U235	GJN22-0356 (M,1)	CATTLE	BONSMARA (1)	GJN17-0383 (F,1)(Valid)	GJN18-0268 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U236	GJN22-0357 (M,1)	CATTLE	BONSMARA (1)	GJN18-0025 (F,1)(Valid)	GJN18-0268 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	✓
12337U237	GJN22-0358 (M,1)	CATTLE	BONSMARA (1)	GJN20-0165 (F,1)(Valid)	AG18-0961 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U238	GJN22-0359 (M,1)	CATTLE	BONSMARA (1)	GJN20-0110 (F,1)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
12337U239	GJN22-0360 (M,1)	CATTLE	BONSMARA (1)		NFS17-0229 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
12337U240	GJN22-0361 (M,1)	CATTLE	BONSMARA (1)		NFS17-0229 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
12337U241	GJN22-0362 (M,1)	CATTLE	BONSMARA (1)		AG18-0284 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
12337U242	GJN22-0363 (M,1)	CATTLE	BONSMARA (1)	GJN16-0180 (F,1)(Valid)	HP17-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U243	GJN22-0364 (M,1)	CATTLE	BONSMARA (1)	GJN19-0306 (F,1)(Valid)	GJN18-0253 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U244	GJN22-0365 (M,1)	CATTLE	BONSMARA	GJN19-0330 (F,1)(Valid)	WAT19-0082 (M,1)(Valid)	PAR_C	Hair	DVSV :	✓

Report Date : 29-Mar-2023 16:12

Page : 21

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(1)					Dam Valid, Sire Valid	
12337U245	GJN22-0366 (M,1)	CATTLE	BONSMARA (1)	GJN18-0115 (F,1)(Valid)	CEF18-0469 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U246	GJN22-0367 (M,1)	CATTLE	BONSMARA (1)	GJN16-0153 (F,1)(Valid)	KAN16-0101 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U247	GJN22-0368 (M,1)	CATTLE	BONSMARA (1)	GJN17-0016 (F,1)(Valid)	HP17-0024 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U248	GJN22-0369 (M,1)	CATTLE	BONSMARA (1)		GJN18-0253 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
12337U249	GJN22-0370 (M,1)	CATTLE	BONSMARA (1)	GJN17-0012 (F,1)(Valid)	CEF18-0469 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid ✓	
12337U250	GJN22-0371 (M,1)	CATTLE	BONSMARA (1)	GJN18-0060 (F,1)(Valid)	GJN16-0006 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U251	GJN22-0372 (M,1)	CATTLE	BONSMARA (1)	GJN19-0295 (F,1)(Valid)	WAT19-0082 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U252	GJN22-0373 (M,1)	CATTLE	BONSMARA (1)	GJN19-0201 (F,1)(Valid)	WAT19-0082 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U253	GJN22-0374 (M,1)	CATTLE	BONSMARA (1)	GJN19-0311 (F,1)(Valid)	GJN18-0265 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U254	GJN22-0375 (M,1)	CATTLE	BONSMARA (1)	GJN19-0207 (F,1)(Valid)	WAT19-0082 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U255	GJN22-0376 (M,1)	CATTLE	BONSMARA (1)	GJN20-0120 (F,1)(Valid)	GJN17-0061 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 29-Mar-2023 16:12

Page : 22

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
12337U256	GJN22-0377 (M,1)	CATTLE	BONSMARA (1)	GJN19-0333 (F,1)(Valid)	WAT19-0082 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U257	GJN22-0378 (M,1)	CATTLE	BONSMARA (1)	GJN19-0314 (F,1)(Valid)	GJN18-0265 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U258	GJN22-0379 (M,1)	CATTLE	BONSMARA (1)	GJN19-0317 (F,1)(Valid)	GJN18-0253 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U259	GJN22-0380 (M,1)	CATTLE	BONSMARA (1)	GJN16-0065 (F,1)(Valid)	KAN16-0101 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U260	GJN22-0381 (M,1)	CATTLE	BONSMARA (1)	GJN15-0119 (F,1)(Valid)	AG18-0284 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U261	GJN22-0382 (M,1)	CATTLE	BONSMARA (1)	GJN20-0152 (F,1)(Valid)		PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded	
12337U262	GJN22-0383 (M,1)	CATTLE	BONSMARA (1)	GJN20-0113 (F,1)(Valid)	AG17-0920 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U263	GJN22-0384 (M,1)	CATTLE	BONSMARA (1)	GJN19-0030 (F,1)(Valid)	GJN18-0253 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U264	GJN22-0385 (M,1)	CATTLE	BONSMARA (1)		NFS17-0229 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
12337U265	GJN22-0386 (M,1)	CATTLE	BONSMARA (1)	GJN20-0170 (F,1)(Valid)		PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded	
12337U266	GJN22-0387 (M,1)	CATTLE	BONSMARA (1)	GJN20-0150 (F,1)(Valid)	AG17-0920 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U267	GJN22-0388 (M,1)	CATTLE	BONSMARA	GJN20-0222 (F,1)(Valid)	AG17-0920 (M,1)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 29-Mar-2023 16:12

Page : 23

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(1)					Dam Valid, Sire Valid	
12337U268	GJN22-0389 (M,1)	CATTLE	BONSMARA (1)	GJN20-0171 (F,1)(Valid)	AG17-0920 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U269	GJN22-0390 (M,1)	CATTLE	BONSMARA (1)	GJN20-0213 (F,1)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
12337U270	GJN22-0391 (M,1)	CATTLE	BONSMARA (1)	GJN19-0241 (F,1)(Valid)	GJN18-0253 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U271	GJN22-0392 (M,1)	CATTLE	BONSMARA (1)	GJN19-0225 (F,1)(Valid)	GJN18-0265 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U272	GJN22-0393 (M,1)	CATTLE	BONSMARA (1)	GJN19-0264 (F,1)(Valid)	GJN18-0265 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	✓
12337U273	GJN22-0394 (M,1)	CATTLE	BONSMARA (1)	GJN19-0236 (F,1)(Valid)	WAT19-0082 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	✓
12337U274	GJN22-0395 (M,1)	CATTLE	BONSMARA (1)	GJN19-0263 (F,1)(Valid)	WAT19-0082 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	✓
12337U275	GJN22-0396 (M,1)	CATTLE	BONSMARA (1)	GJN19-0356 (F,1)(Valid)	GJN18-0265 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	✓
12337U276	GJN22-0397 (M,1)	CATTLE	BONSMARA (1)	GJN18-0102 (F,1)(Valid)	CEF18-0469 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	✓
12337U277	GJN22-0398 (M,1)	CATTLE	BONSMARA (1)		GJN18-0268 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	✓
12337U278	GJN22-0399 (M,1)	CATTLE	BONSMARA (1)	GJN20-0034 (F,1)(Valid)	AG17-0920 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	✓

Report Date : 29-Mar-2023 16:12

Page : 24

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Valid	
12337U353	GJN22-0476 (M,1)	CATTLE	BONSMARA (1)	GJN18-0052 (F,1)(Valid)	GJN19-0111 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U354	GJN22-0477 (M,1)	CATTLE	BONSMARA (1)	GJN19-0296 (F,1)(Valid)	GJN18-0265 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U355	GJN22-0478 (M,1)	CATTLE	BONSMARA (1)	GJN18-0139 (F,1)(Valid)	GJN19-0111 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U356	GJN22-0479 (M,1)	CATTLE	BONSMARA (1)	<i>Seei korrekte pa is gemerk per GJ hel.</i>		PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
12337U357	GJN22-0480 (M,1)	CATTLE	BONSMARA (1)	GJN18-0109 (F,1)(Valid)	JG18-0486 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U358	GJN22-0481 (M,1)	CATTLE	BONSMARA (1)	GJN19-0279 (F,1)(Not Valid)	GJN18-0268 (M,1)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
12337U359	GJN22-0482 (M,1)	CATTLE	BONSMARA (1)		VZF18-0339 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
12337U360	GJN22-0483 (M,1)	CATTLE	BONSMARA (1)		VZF18-0339 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	✓
12337U361	GJN22-0484 (M,1)	CATTLE	BONSMARA (1)		GJN19-0111 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
12337U362	GJN22-0485 (M,1)	CATTLE	BONSMARA (1)	GJN19-0240 (F,1)(Valid)	WAT19-0082 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12337U363	GJN22-0486 (M,1)	CATTLE	BONSMARA (1)		JG18-0486 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
12337U364	GJN22-0487 (M,1)	CATTLE	BONSMARA (1)	GJN20-0077 (F,1)(Valid)	AG18-0961 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	✓

Report Date : 29-Mar-2023 16:12

Page : 31

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER