

Batch Detail Report

Created : 2023-04-12

Batch : 12852U
Owner : HD Watson
Farm : Glenside Farm
Account : WATHD1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
12852U001	VOVA20-0080 (M,91)	CATTLE	DROUGHT MASTER (91)		VOVA16-0143 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
12852U002	VOVA20-0133 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0293 (F,91)(Valid)	HOT16-0241 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12852U003	VOVA20-0160 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA14-0041 (F,91)(Valid)	VOVA17-0057 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12852U004	VOVA20-0192 (M,91)	CATTLE	DROUGHT MASTER (91)	FXF11-0363 (F,91)(Valid)	Yaralla Patton (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12852U005	VOVA20-0255 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA15-0006 (F,91)(Valid)	GRB14-0034 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12852U006	VOVA20-0265 (M,91)	CATTLE	DROUGHT MASTER (91)		Glenlands Winchester (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
12852U007	VOVA20-0273 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0022 (F,91)(Valid)	TRADITION (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12852U008	VOVA20-0281 (M,91)	CATTLE	DROUGHT MASTER (91)		Glenlands Winchester (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
12852U009	VOVA20-0282 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0025 (F,91)(Valid)	GRB14-0034 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12852U010	VOVA20-0292 (M,91)	CATTLE	DROUGHT	CSA17-0103 (F,91)(Valid)	Glenlands Winchester	PAR_C	Hair	DVSV :	

Report Date : 05-May-2023 15:05

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
12852U011	VOVA20-0294 (M,91)	CATTLE	DROUGHT MASTER (91)		(M,91)\(Valid)			Dam Valid, Sire Valid	
12852U012	VOVA20-0300 (M,91)	CATTLE	DROUGHT MASTER (91)	5X514-0124 (F,91)\(Valid)	VOVA15-0153 (M,91)\(Valid)	PAR_C	Hair	SV : Sire Valid	
12852U013	VOVA20-0325 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA18-0017 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12852U014	VOVA21-0007 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA15-0066 (F,91)\(Valid)	VOVA17-0030 (N/S,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12852U015	VOVA21-0042 (M,91)	CATTLE	DROUGHT MASTER (91)	C11-0156 (F,91)\(Valid)	VOVA16-0157 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12852U016	VOVA21-0056 (M,91)	CATTLE	DROUGHT MASTER (91)		YARALLA MAXWELL (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12852U017	VOVA21-0061 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA15-0103 (F,91)\(Valid)	VOVA18-0125 (M,91)\(Valid)	PAR_C	Hair	SV : Sire Valid	
12852U018	VOVA21-0070 (M,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	DV/mNSX : Dam Valid, Multiple Nominated Sires Excluded	
12852U019	VOVA21-0099 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT15-0185 (F,91)\(Valid)	VOVA18-0030 (M,91)\(Valid)	PAR_C	Hair	SV : Sire Valid	
12852U020	VOVA21-0118 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT13-0001 (F,91)\(Valid)	VOVA17-0022 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12852U021	VOVA21-0020 (M,91)	CATTLE	DROUGHT MASTER (91)		Yaralla Patton (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12852U022	FXF11-0363 (F,91)	CATTLE	DROUGHT			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	

Report Date : 05-May-2023 15:05

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAg comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
12852U023	C11-0156 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	Multiple Nominated Sires Excluded mNSX : Multiple Nominated Sires Excluded	
12852U024	VOVA22-0009 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0501 (F,91)(Valid)	DO05-0021 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
12852U025	VOVA22-0013 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA19-0025 (F,91)(Valid)	CSA18-0199 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
12852U026	VOVA22-0021 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA19-0017 (F,91)(Valid)	DO05-0021 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
12852U027	VOVA22-0022 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA19-0025 (F,91)(Valid)	CSA18-0199 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
12852U028	VOVA22-0025 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA15-0018 (F,91)(Valid)	TRADITION (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
12852U029	VOVA22-0038 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0022 (F,91)(Valid)	TRADITION (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
12852U030	VOVA22-0042 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA18-0200 (F,91)(Valid)	CSA18-0199 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
12852U031	VOVA22-0091 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT15-0161 (F,91)(Valid)	TRADITION (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
12852U032	VOVA22-0187 (F,91)	CATTLE	DROUGHT MASTER (91)		C11-0505 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
12852U033	VOVA22-0201 (F,91)	CATTLE	DROUGHT MASTER (91)		C11-0505 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
12852U034	VOVA21-0212 (F,91)	CATTLE	DROUGHT	DO06-0185 (F,91)(Valid)	VARALLA MAXWELL	PAR_C	Hair	DVSV :	

Report Date : 05-May-2023 15:05

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			MASTER (91)		(M,91)\(Valid)			Dam Valid, Sire Valid	
12852U035	VOVA22-0222 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA18-0095 (F,91)\(Valid)	Yaralla Patton (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12852U036	VOVA20-0152 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT15-0161 (F,91)\(Valid)	HOT16-0241 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12852U037	VOVA22-0043 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA19-0034 (F,91)\(Valid)	CSA18-0199 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
12852U038	VOVA20-0316 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA18-0008 (F,91)\(Valid)	VOVA18-0039 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 05-May-2023 15:05

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2023-04-12

Batch : 12852U
Owner :HD Watson
Farm :Glenside Farm
Account : WATHD1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
12852U004	VOVA20-0192 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
12852U004	VOVA20-0192 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
12852U004	VOVA20-0192 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
12852U007	VOVA20-0273 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
12852U007	VOVA20-0273 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
12852U007	VOVA20-0273 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
12852U015	VOVA21-0042 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
12852U015	VOVA21-0042 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
12852U015	VOVA21-0042 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821	

Report Date : 05-May-2023 13:55

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAW	SIRE	TEST	Tissue Type	RESULT	INVOICE
12852U018	VOVA21-0070 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	Normal F94NOR : Myostatin - F94L Normal	
12852U018	VOVA21-0070 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
12852U018	VOVA21-0070 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
12852U019	VOVA21-0099 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
12852U019	VOVA21-0099 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
12852U019	VOVA21-0099 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
12852U020	VOVA21-0118 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
12852U020	VOVA21-0118 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
12852U020	VOVA21-0118 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
12852U024	VOVA22-0009 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
12852U024	VOVA22-0009 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	

Report Date : 05-May-2023 13:55

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
12852U024	VOVA22-0009 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
12852U025	VOVA22-0013 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
12852U025	VOVA22-0013 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
12852U025	VOVA22-0013 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
12852U026	VOVA22-0021 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
12852U026	VOVA22-0021 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
12852U026	VOVA22-0021 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
12852U027	VOVA22-0022 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
12852U027	VOVA22-0022 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
12852U027	VOVA22-0022 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
12852U028	VOVA22-0025 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
12852U028	VOVA22-0025 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X	

Report Date : 05-May-2023 13:55

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DATA	SIRE	TEST	Tissue Type	RESULT	INVOICE
12852U028	VOVA22-0025 (F,.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	Normal n18HET : Myostatin - n1821 Heterozygote	
12852U029	VOVA22-0038 (F,.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
12852U029	VOVA22-0038 (F,.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
12852U029	VOVA22-0038 (F,.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	n18HET : Myostatin - n1821 Heterozygote	
12852U030	VOVA22-0042 (F,.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
12852U030	VOVA22-0042 (F,.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
12852U030	VOVA22-0042 (F,.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal	
12852U031	VOVA22-0091 (F,.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
12852U031	VOVA22-0091 (F,.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
12852U031	VOVA22-0091 (F,.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal	
12852U033	VOVA22-0201 (F,.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	

Report Date : 05-May-2023 13:55

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
12852U033	VOVA22-0201 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
12852U033	VOVA22-0201 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	n18HET : Myostatin - n1821 Heterozygote	
12852U034	VOVA21-0212 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
12852U034	VOVA21-0212 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
12852U034	VOVA21-0212 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal	
12852U035	VOVA22-0222 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
12852U035	VOVA22-0222 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
12852U035	VOVA22-0222 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	n18HET : Myostatin - n1821 Heterozygote	

Report Date : 05-May-2023 13:55

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER