



Batch Detail Report

Batch : 1916U
Created : 10-Sep-2020 07:02
Owner : Rustin Shave
Farm : Grassfields Beef
Account : SHAR01

SAMPLE	ANIMAL	SEX/AGE	DROUGHT	DOB	SIRE	TEST	RESULTS	INVOIC
1916U001	GRB20-0002 (M,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	mNSX : Multiple Nominated Sires Excluded	
1916U002	GRB20-0003 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0010 (F,91)(Valid)	CSA16-0019 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
1916U003	GRB20-0004 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB11-0003 (F,91)(Valid)	CSA16-0019 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
1916U004	GRB20-0005 (M,91)	CATTLE	DROUGHT MASTER (91)		CTM15-0057 (M,91)(Valid)	PAR_D	SV : Sire Valid	
1916U005	GRB20-0006 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	mNSX : Multiple Nominated Sires Excluded	
1916U006	GRB20-0007 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB11-0006 (F,91)(Valid)	CT5-0059 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
1916U007	GRB20-0008 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0079 (F,91)(Valid)	GRB16-0006 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
1916U008	GRB20-0009 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0069 (F,91)(Valid)	WBT17-0028 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
1916U009	GRB20-0010 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0202 (F,91)(Valid)		PAR_C	DVSX : Dam Valid, Multiple Nominated Sires Excluded	
1916U010	GRB20-0011 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0035 (F,91)(Valid)	VOVA17-0017 (U,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	

Report Date : 26-Oct-2020 10:39

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

EMCODE	MOVAL	REDOB3	PHED	DATA	DATE	TEST	RESULT	WORLD
1918U011	GRB20-0012 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0193 (F,91)(Valid)		PAR_C	DVrNSX : Dam Valid, Multiple Nominated Sires Excluded	
1918U012	GRB20-0013 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0189 (F,91)(Valid)	VOVA17-0017 (U,81)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1918U013	GRB20-0014 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0K88 (F,91)(Valid)	C11-0500 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1918U014	GRB20-0018 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0504 (F,91)(Valid)	VOVA17-0017 (U,81)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1918U015	GRB20-0017 (M,81)	CATTLE	DROUGHT MASTER (91)	GRB17-0079 (F,91)(Valid)	VOVA17-0017 (U,81)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1918U016	GRB20-0018 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0208 (F,91)(Valid)	GRB15-0006 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1918U017	GRB20-0019 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0151 (F,91)(Valid)	C11-0500 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1918U018	GRB20-0020 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0223 (F,91)(Valid)		PAR_C	DVrNSX : Dam Valid, Multiple Nominated Sires Excluded	
1918U019	GRB20-0021 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0092 (F,91)(Valid)	GRB17-0013 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1918U020	GRB20-0022 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0185 (F,91)(Valid)		PAR_C	DVrNSX : Dam Valid, Multiple Nominated Sires Excluded	
1918U021	GRB20-0023 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0067 (F,91)(Valid)	GRB17-0013 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1918U022	GRB20-0024 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0097 (F,91)(Valid)	GRB17-0013 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Oct-2020 10:39

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

NAME	ANIMAL	SPECIES	BRD	DOB	SOB	YRS	REMARK	ISSUES
1916U023	GRB20-0020 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0058 (F,91)(Valid)	GRB17-0073 (M,91)(Valid)	PAR_C	Valid DVSU : Damm Valid, Sire Valid	
1916U024	GRB20-0027 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0113 (F,91)(Valid)	CT15-0050 (M,91)(Valid)	PAR_C	DVSU : Damm Valid, Sire Valid	
1916U025	GRB20-0028 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0110 (F,91)(Valid)	VCVA17-0017 (U,91)(Valid)	PAR_C	DVSU : Damm Valid, Sire Valid	
1916U026	GRB20-0029 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0097 (F,91)(Valid)	CTM15-0057 (M,91)(Valid)	PAR_C	DVSU : Damm Valid, Sire Valid	
1916U027	GRB20-0030 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB11-0006 (U,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	DVSU : Damm Valid, Sire Valid	
1916U028	GRB20-0031 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0150 (F,91)(Valid)	CTM15-0057 (M,91)(Valid)	PAR_C	DVSU : Damm Valid, Sire Valid	
1916U029	GRB20-0032 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0090 (F,91)(Valid)	CTM15-0057 (M,91)(Valid)	PAR_C	DVSU : Damm Valid, Sire Valid	
1916U030	GRB20-0033 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0144 (F,91)(Valid)	GRB16-0006 (M,91)(Valid)	PAR_C	DVSU : Damm Valid, Sire Valid	
1916U031	GRB20-0034 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0144 (F,91)(Valid)	GRB16-0006 (M,91)(Valid)	PAR_C	DVSU : Damm Valid, Sire Valid	
1916U032	GRB20-0035 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0173 (F,91)(Valid)	GRB16-0006 (M,91)(Valid)	PAR_C	DVSU : Damm Valid, Sire Valid	
1916U033	GRB20-0036 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0127 (F,91)(Valid)	VCVA17-0017 (U,91)(Valid)	PAR_C	DVSU : Damm Valid, Sire Valid	
1916U034	GRB20-0037 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0090 (F,91)(Valid)	GRB17-0171 (M,91)(Valid)	PAR_C	DVSU : Damm Valid, Sire Valid	

Report Date : 26-Oct-2020 10:39

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

ANIMAL	ANIMAL	DATE OF BIRTH	GRB20	DM	DATE	TEST	RESULT	REMARKS
1916U035	GRB20-0038 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0087 (F,91)(Valid)	NOVA17-2017 (U,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
1916U036	GRB20-0038 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0021 (F,91)(Valid)	GRB17-0002 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
1916U037	GRB20-0040 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0101 (F,91)(Valid)	GRB19-0002 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
1916U038	GRB20-0041 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0101 (F,91)(Valid)		PAR_C	DVMSX : Dam Valid, Multiple Nominated Sires Excluded	
1916U039	GRB20-0042 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0110 (F,91)(Valid)	GRB16-0008 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
1916U040	GRB20-0043 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0128 (F,91)(Valid)	CSA15-0049 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
1916U041	GRB20-0044 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0114 (F,91)(Valid)	CSA15-0049 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
1916U042	GRB20-0045 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0011 (F,91)(Valid)	VOVA17-0017 (U,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
1916U043	GRB20-0046 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0075 (F,91)(Valid)	CTM15-0057 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
1916U044	GRB20-0047 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0130 (F,91)(Valid)	CT11-0500 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
1916U045	GRB20-0048 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0048 (F,91)(Valid)	GRB18-0006 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	
1916U046	GRB20-0049 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0128 (F,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	DVSX : Dam Valid, Sire Valid	

Disclaimer:
 While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
 MANAGING DIRECTOR

GRFID#	ANIMAL	SPECIES	DRUGS	DOB	PRE	TEST	RESULT	REMARKS
1918U047	GRB20-0050 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0035 (F,91)(Valid)	CT5-0050 (M,91)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
1918U048	GRB20-0051 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0153 (F,91)(Valid)	GRB17-0002 (M,91)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
1918U049	GRB20-0052 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0174 (F,91)(Valid)	VOYA17-0017 (U,91)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
1918U050	GRB20-0053 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0106 (U,91)(Valid)	CTM15-0057 (M,91)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
1918U051	GRB20-0054 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0186 (F,91)(Valid)	VOYA16-0093 (U,91)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
1918U052	GRB20-0055 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0061 (U,91)(Valid)	GRB16-0022 (M,91)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
1918U053	GRB20-0056 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0056 (U,91)(Valid)	CTM15-0057 (M,91)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
1918U054	GRB20-0057 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0038 (F,91)(Valid)	GRB16-0022 (M,91)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
1918U055	GRB20-0058 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0241 (F,91)(Valid)	CTM15-0057 (M,91)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
1918U056	GRB20-0059 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0116 (F,91)(Valid)	VOYA16-0093 (U,91)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
1918U057	GRB20-0060 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB11-0027 (F,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
1918U058	GRB20-0061 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0023 (F,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
1918U059	GRB20-0062 (M,91)	CATTLE	DROUGHT	GRB13-0107 (F,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	

Report Date : 26-Oct-2020 10:39

Disclaimer:
While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

ANIMAL	ANIMAL	SPECIES	REPORT	SSN	DOB	TEST	RESULT	STATUS
1916U060	GRB20-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0035 (F,91)(Valid)	C15-0050 (M,91)(Valid)	PAR_C	DVSU - Dam Valid, Sire Valid	
1916U061	GRB20-0068 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0001 (F,91)(Valid)	VOVA17-0017 (U,91)(Valid)	PAR_C	DVSU - Dam Valid, Sire Valid	
1916U062	GRB20-0066 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0142 (F,91)(Valid)	VOVA17-0017 (U,91)(Valid)	PAR_C	DVSU - Dam Valid, Sire Valid	
1916U063	GRB20-0066 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0112 (F,91)(Valid)	GRB17-0079 (M,91)(Valid)	PAR_C	DVSU - Dam Valid, Sire Valid	
1916U064	GRB20-0067 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0123 (F,91)(Valid)	CSA15-0088 (M,91)(Valid)	PAR_C	DVSU - Dam Valid, Sire Valid	
1916U065	GRB20-0068 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0155 (F,91)(Valid)	VOVA17-0017 (U,91)(Valid)	PAR_C	DVSU - Dam Valid, Sire Valid	
1916U066	GRB20-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0099 (F,91)(Valid)	GRB17-0005 (M,91)(Valid)	PAR_C	DVSU - Dam Valid, Sire Valid	
1916U067	GRB20-0070 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0133 (F,91)(Valid)	GRB18-0006 (M,91)(Valid)	PAR_C	DVSU - Dam Valid, Sire Valid	
1916U068	GRB20-0071 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0156 (F,91)(Valid)		PAR_C	DVMNSX - Dam Valid, Multiple Nominated Sires Excluded	
1916U069	GRB20-0072 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0090 (F,91)(Valid)	GRB17-0006 (M,91)(Valid)	PAR_C	DVSU - Dam Valid, Sire Valid	
1916U070	GRB20-0073 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0053 (F,91)(Valid)	GRB18-0006 (M,91)(Valid)	PAR_C	DVSU - Dam Valid, Sire Valid	
1916U071	GRB20-0074 (F,91)	CATTLE	DROUGHT	GRB17-0024 (F,91)(Not Valid)		PAR_C	DXMNSX -	

Disclaimer:
While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

INTERNAL	ACCOUNT	SPECIES	PRGCD	DATE	SIZE	TEST	WEIGHT	INTEGRITY
1916U072	GRB20-0075 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB17-0004 (F.91)(Not Valid)	GRB18-0006 (M.91)(Valid)	PAR_C	DVSX: Dam Excluded, Sire Valid	
1916U073	GRB20-0076 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB17-0166 (F.91)(Valid)	GRB10-0006 (M.91)(Valid)	PAR_C	DVSX: Dam Valid, Sire Valid	
1916U074	GRB20-0077 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB17-0102 (F.91)(Valid)	GRB17-0005 (M.91)(Valid)	PAR_C	DVSX: Dam Valid, Sire Valid	
1916U075	GRB20-0078 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB17-0228 (F.91)(Valid)	C11-0500 (M.91)(Valid)	PAR_C	DVSX: Dam Valid, Sire Valid	
1916U076	GRB20-0079 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB14-0060 (F.91)(Valid)	GRB17-0007 (M.91)(Valid)	PAR_C	DVSX: Dam Valid, Sire Valid	
1916U077	GRB20-0080 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB13-0111 (F.91)(Valid)	GRB17-0907 (M.91)(Valid)	PAR_C	DVSX: Dam Valid, Sire Valid	
1916U078	GRB20-0081 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0087 (F.91)(Valid)	VOVA17-0017 (U.91)(Valid)	PAR_C	DVSX: Dam Valid, Sire Valid	
1916U079	GRB20-0082 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB13-0163 (F.91)(Valid)	GRB17-0072 (M.91)(Valid)	PAR_C	DVSX: Dam Valid, Sire Valid	
1916U080	GRB20-0083 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB12-0085 (U.91)(Valid)	CTM15-0067 (M.91)(Valid)	PAR_C	DVSX: Dam Valid, Sire Valid	
1916U081	GRB20-0084 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB14-0056 (F.91)(Valid)	GRB17-0907 (M.91)(Valid)	PAR_C	DVSX: Dam Valid, Sire Valid	
1916U082	GRB20-0085 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB17-0121 (F.91)(Valid)	GRB16-0006 (M.91)(Valid)	PAR_C	DVSX: Dam Valid, Sire Valid	
1916U083	GRB20-0086 (M.91)	CATTLE	DROUGHT	GRB14-0036 (F.91)(Valid)	C15-0050 (M.91)(Valid)	PAR_C	DVSX:	

Report Date : 26-Oct-2020 10:39

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unisel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

DATE	ANIMAL	STATUS	REED	AGE	DATE	TEST	RESULT	REMARKS
1016U084	GRB20-0087 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0035 (F,91)(Valid)	CT15-0050 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U085	GRB20-0088 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0282 (F,91)(Valid)	VOVA17-0017 (U,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U086	GRB20-0089 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0035 (F,91)(Valid)	VOVA17-0017 (U,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1016U087	GRB20-0090 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0167 (F,91)(Valid)	GRB14-0034 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U088	GRB20-0091 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0117 (F,91)(Valid)	CTM15-0057 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U088	GRB20-0092 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0080 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U090	GRB20-0093 (F,91)	CATTLE	DROUGHT MASTER (91)	GRD12-0094 (U,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U091	GRB20-0094 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0035 (F,91)(Valid)	CSA15-0056 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U092	GRB20-0095 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0087 (F,91)(Valid)	GRB17-0002 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U093	GRB20-0096 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0093 (F,91)(Valid)	GRB17-0005 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U094	GRB20-0097 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0053 (U,91)(Valid)	CTM15-0057 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U095	GRB20-0098 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0148 (F,91)(Valid)	WBT17-0028 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	

Report Date : 26-Oct-2020 10:39

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

Animal	Breed	Sex	DOB	File	ICSI	Notes
1916U066	GRB20-0099 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0106 (F,91)(Valid)	GRB16-0006 (M,91)(Valid)	PAR_C Valid DVSU : Dam Valid, Sire Valid
1916U067	GRB20-0100 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0062 (F,91)(Valid)	GRB17-0005 (M,91)(Valid)	PAR_C Valid DVSU : Dam Valid, Sire Valid
1916U068	GRB20-0101 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0052 (F,91)(Valid)	GRB17-0171 (M,91)(Valid)	PAR_C Valid DVSU : Dam Valid, Sire Valid
1916U069	GRB20-0104 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0104 (U,91)(Valid)	C15-205C (M,91)(Valid)	PAR_C Valid DVSU : Dam Valid, Sire Valid
1916U100	GRB20-0106 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0090 (F,91)(Valid)	GRB17-0171 (M,91)(Valid)	PAR_C Valid DVSU : Dam Valid, Sire Valid
1916U101	GRB20-0106 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0011 (U,91)(Valid)	GRB16-0022 (M,91)(Valid)	PAR_C Valid DVSU : Dam Valid, Sire Valid
1916U102	GRB20-0107 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0027 (U,91)(Valid)	GRB17-0073 (M,91)(Valid)	PAR_C Valid DVSU : Dam Valid, Sire Valid
1916U103	GRB20-0108 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0054 (U,91)(Valid)	GRB17-0171 (M,91)(Valid)	PAR_C Valid DVSU : Dam Valid, Sire Valid
1916U104	GRB20-0109 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0201 (F,91)(Valid)	VOVA17-0017 (U,91)(Valid)	PAR_C Valid DVSU : Dam Valid, Sire Valid
1916U105	GRB20-0110 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0215 (F,91)(Valid)	VOVA16-0033 (U,91)(Valid)	PAR_C Valid DVSU : Dam Valid, Sire Valid
1916U106	GRB20-0111 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0034 (U,91)(Valid)	C15-0050 (M,91)(Valid)	PAR_C Valid DVSU : Dam Valid, Sire Valid
1916U107	GRB20-0112 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB11-0038 (F,91)(Valid)	GRB17-0171 (M,91)(Valid)	PAR_C Valid DVSU : Dam Valid, Sire Valid

Report Date : 26-Oct-2020 10:39

Disclaimer:
While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

ANIMAL	ANIMAL	SPECIES	STATUS	DATE	SNR	TEST	RESULT	REMARKS
1916U106	GRB20-0113 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB13-0078 (F.91)(Valid)	GRB17-0007 (M.91)(Valid)	PAR_C	DVSU Dam Valid, Sire Valid	
1916U109	GRB20-0114 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB14-0194 (F.91)(Valid)	VOVA17-0017 (U.91)(Valid)	PAR_C	DVSU Dam Valid, Sire Valid	
1916U110	GRB20-0115 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB16-0186 (F.91)(Valid)	GRB17-0002 (M.91)(Valid)	PAR_C	DVSU Dam Valid, Sire Valid	
1916U111	GRB20-0116 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB13-0043 (F.91)(Valid)	VOVA17-0017 (U.91)(Valid)	PAR_C	DVSU Dam Valid, Sire Valid	
1916U112	GRB20-0117 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB12-0064 (U.91)(Valid)	CTM15-0067 (M.91)(Valid)	PAR_C	DVSU Dam Valid, Sire Valid	
1916U113	GRB20-0118 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB16-0082 (F.91)(Valid)	VOVA17-0017 (U.91)(Valid)	PAR_C	DVSU Dam Valid, Sire Valid	
1916U114	GRB20-0119 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB16-0067 (F.91)(Valid)	VOVA17-0017 (U.91)(Valid)	PAR_C	DVSU Dam Valid, Sire Valid	
1916U115	GRB20-0120 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB15-0188 (F.91)(Valid)	VOVA15-0038 (U.91)(Valid)	PAR_C	DVSU Dam Valid, Sire Valid	
1916U118	GRB20-0121 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB14-0054 (F.91)(Valid)	GRB15-0022 (M.91)(Valid)	PAR_C	DVSU Dam Valid, Sire Valid	
1916U117	GRB20-0122 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB15-0177 (F.91)(Valid)	VOVA17-0017 (U.91)(Valid)	PAR_C	DVSU Dam Valid, Sire Valid	
1916U118	GRB20-0123 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB12-0074 (F.91)(Valid)	GRB17-0007 (M.91)(Valid)	PAR_C	DVSU Dam Valid, Sire Valid	
1916U119	GRB20-0124 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB15-0214 (F.91)(Valid)	GRB17-0002 (M.91)(Valid)	PAR_C	DVSU Dam Valid, Sire Valid	
1916U120	GRB20-0125 (F.91)	CATTLE	DROUGHT	GRB16-0123 (F.91)(Valid)	CSA15-0086 (M.91)(Valid)	PAR_C	DVSU	

Report Date : 26-Oct-2020 10:39

Disclaimer:
While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

ANIMAL	ANIMAL	SPECIES	STATUS	DOB	AGE	TEST	RESULT	REMARKS
1916U121	GRB20-0126 (F,91)	CATTLE	MASTER (91)	GRB12-0022 (U,91)(Valid)	CTM15-0057 (M,91)(Valid)	PAR_C	Damn Valid, Sire Valid	
1916U122	GRB20-0127 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB11-0024 (F,91)(Valid)	C15-0050 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1916U123	GRB20-0128 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB11-0026 (F,91)(Valid)	GRB17-0171 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1916U124	GRB20-0129 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB11-0049 (U,91)(Valid)	GRB16-0022 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1916U125	GRB20-0130 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0003 (F,91)(Valid)	CSA15-0060 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1916U126	GRB20-0131 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0103 (F,91)(Valid)	GRB17-0171 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1916U127	GRB20-0132 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0052 (U,91)(Valid)	GRB17-0137 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1916U128	GRB20-0133 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0013 (F,91)(Valid)	GRB17-0073 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1916U129	GRB20-0134 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB10-0109 (F,91)(Valid)	VOVA17-0017 (U,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1916U130	GRB20-0135 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0180 (F,91)(Valid)	VOVA17-0017 (U,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1916U131	GRB20-0136 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0083 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1916U132	GRB20-0137 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0201 (F,91)(Valid)	VOVA17-0017 (U,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Oct-2020 10:39

Disclaimer:
While every reasonable effort is made to prevent faulty results, Unisal Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

USDA FILE	ANIMAL	OFFICIAL	STATUS	DATA	DATE	TEST	RESULT	REMARKS
1916U133	GRB20-0138 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0143 (F,91)(Valid)	GRB17-0005 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U134	GRB20-0139 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0172 (F,91)(Valid)	GRB17-0005 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U135	GRB20-0140 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0100 (F,91)(Valid)	GRB16-0008 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U136	GRB20-0141 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0160 (F,91)(Valid)	GRB16-0006 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U137	GRB20-0142 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0135 (F,91)(Valid)	GRB16-0006 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U138	GRB20-0143 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0088 (F,91)(Valid)	GRB17-0005 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U139	GRB20-0144 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0175 (F,91)(Not Valid)	CSA15-0049 (M,91)(Valid)	PAR_C	DVSU : Dam Excluded, Sire Valid	
1916U140	GRB20-0145 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB11-0004 (F,91)(Valid)	WB17-0028 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U141	GRB20-0146 (K,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0267 (F,91)(Valid)	VOVA16-0093 (U,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U142	GRB20-0147 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0111 (F,91)(Valid)	VOVA17-0017 (U,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U143	GRB20-0148 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0277 (F,91)(Valid)	CSA15-0049 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U144	GRB20-0149 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0105 (F,91)(Valid)	GRB16-0008 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	

Report Date : 26-Oct-2020 10:39

Disclaimer:
While every reasonable effort is made to prevent faulty results, Unisiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

Animal	GRB20	GRB20	GRB20	GRB20	Sire	Tag	Health	Owner
1916U145	GRB20-0150 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0188 (F,91)(Valid)	GND15-0206 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U146	GRB20-0151 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0010 (F,91)(Valid)	GRB15-0042 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1816U147	GRB20-0152 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0054 (F,91)(Valid)	GRB17-0005 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U148	GRB20-0153 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0182 (F,91)(Valid)	C11-0600 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U149	GRB20-0154 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0123 (F,91)(Valid)	CNB17-0005 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U150	GRB20-0155 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0020 (F,91)(Valid)	VOVA17-0017 (U,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1816U151	GRB20-0156 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0055 (F,91)(Valid)	VOVA17-0017 (U,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U152	GRB20-0157 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0055 (U,91)(Valid)	GRB17-0171 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U153	GRB20-0158 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0055 (U,91)(Valid)	GRB17-0171 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1816U154	GRB20-0159 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0102 (F,91)(Valid)	GRB15-0042 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1816U155	GRB20-0160 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0056 (F,91)(Valid)	VOVA16-0053 (U,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1816U156	GRB20-0161 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0134 (F,91)(Valid)	GRB17-0002 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
1916U157	GRB20-0162 (F,91)	CATTLE	DROUGHT	GRB17-0093 (F,91)(Valid)	GRB17-0005 (M,91)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	

Report Date : 26-Oct-2020 10:39

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

DATE	ANIMAL	SPECIES	INBREED	DATE	TYPE	TEST	REMARKS	STATUS
1916U158	GRB20-0163 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0120 (F,91)(Valid)	GRB17-0171 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U158	GRB20-0164 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0058 (U,91)(Valid)	VOVA:7-0017 (U,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U160	GRB20-0165 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0020 (F,186)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U161	GRB20-0166 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0195 (F,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U162	GRB20-0167 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0116 (F,91)(Valid)	GRB17-0171 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U163	GRB20-0168 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0144 (F,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U164	GRB20-0169 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0085 (F,91)(Valid)	GRB16-0042 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U165	GRB20-0170 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0171 (F,91)(Valid)	CTMA:6-0057 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	
1916U168	GRB19-0275 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0010 (U,91)(Valid)	GRB16-0028 (M,91)(Valid)	PAR_C	DVS: Dam Valid, Sire Valid	

Report Date : 26-Oct-2020 10:39

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR



Batch Detail Report

Created : 2022-11-07

Batch : 11051U
Owner : Ruslin Shawe
Owner Email: shawe01@gmail.com
Owner CellPhone No. :
Farm : Grassfields Beef
Account : SHAR01
Origin : DROUGHTMASTER
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	SEX	DOY	DATE	TEST	TESTING CODE	REMARKS	STATUS
11051U001	GRB22-0001 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0207 (F,91)(Valid)		PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominative Sires Excluded	
11051U002	GRB22-0002 (M,91)	CATTLE	DROUGHT MASTER (91)	WB17-0062 (N/S,91)(Valid)	GRB17-0002 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U003	GRB22-0003 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0174 (F,91)(Valid)	GRB16-0142 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U004	GRB22-0004 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0207 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U005	GRB22-0005 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0174 (F,91)(Valid)	GRB16-0042 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U006	GRB22-0007 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0214 (F,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U007	GRB22-0008 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0121 (F,91)(Valid)	WB17-0028 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U008	GRB22-0009 (M,91)	CATTLE	DROUGHT MASTER (91)	CS418-0140 (F,91)(Valid)	GRB16-0042 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U009	GRB22-0011 (M,91)	CATTLE	DROUGHT	TOP17-0207 (F,91)(Not Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DXSV :	

Report Date : 24-Nov-2022 10:01

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer : While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note : some STR profiles used in percentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories do not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNE ROSSOUW
DIVISION MANAGER

DATE	ANIMAL	SPECIES	BUDD	DAY	SEX	TEST	TEST TYPE	NOTES	ANALYST
11051U010	GRB22-0012 (F:91)	CATTLE	DROUGHT MASTER (91)	WBT17-0062 (N/S:91)(Valid)	GRB17-0002 (M:91)(Valid)	PAR_C	Hair	Dam Excluded, Sire Valid	
11051U011	GRB22-0013 (M:91)	CATTLE	DROUGHT MASTER (91)	WBT17-0062 (N/S:91)(Valid)	GRB17-0002 (M:91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid	
11051U012	GRB22-0014 (F:91)	CATTLE	DROUGHT MASTER (91)	TOP17-0214 (F:91)(Valid)	CSA15-0066 (M:91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid	
11051U013	GRB22-0015 (F:91)	CATTLE	DROUGHT MASTER (91)	TOP17-0214 (F:91)(Valid)	CSA15-0066 (M:91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid	
11051U014	GRB22-0016 (M:91)	CATTLE	DROUGHT MASTER (91)	TOP17-0214 (F:91)(Valid)	GRB17-0007 (M:91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid	
11051U015	GRB22-0018 (M:91)	CATTLE	DROUGHT MASTER (91)	TOP17-0214 (F:91)(Valid)	VOVA17-0017 (N/S:91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid	
11051U016	GRB22-0022 (F:91)	CATTLE	DROUGHT MASTER (91)	GRB15-0169 (F:91)(Valid)		PAR_C	Hair	DVSU: Dam Valid, Sire Valid	
11051U017	GRB22-0025 (F:91)	CATTLE	DROUGHT MASTER (91)	GRB14-0010 (F:91)(Valid)	AGO18-0019 (M:91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid	
11051U018	GRB22-0026 (F:91)	CATTLE	DROUGHT MASTER (91)	GRB14-0010 (F:91)(Valid)	AGO18-0019 (M:91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid	
11051U019	GRB22-0027 (F:91)	CATTLE	DROUGHT MASTER (91)	GRB15-0022 (F:91)(Valid)	VOVA17-0017 (N/S:91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid	
11051U020	GRB22-0028 (F:91)	CATTLE	DROUGHT MASTER (91)	GRB14-0220 (F:91)(Valid)	AGO18-0019 (M:91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid	

Report Date : 24-Nov-2022 10:01

Urinal report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Urinal Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: some STI profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Urinal Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Urinal Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STI profiles.

CHARNE ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	GRB22	PAR	DATE	ISOT	TYPE/TYPE	RESULT	PACKAGE
11051U021	GRB22-0029 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0171 (F,91)(Valid)	AG018-0019 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U022	GRB22-0030 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0024 (F,91)(Valid)	GRB19-0017 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U023	GRB22-0031 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0111 (F,91)(Valid)	QW19-0477 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U024	GRB22-0034 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0010 (F,91)(Valid)	AG018-0019 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U025	GRB22-0035 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0043 (F,91)(Valid)	AG018-0019 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U026	GRB22-0036 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0010 (F,91)(Valid)	VOVA17-0017 (NS,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U027	GRB22-0037 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0171 (F,91)(Valid)	AG018-0019 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U028	GRB22-0038 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0171 (F,91)(Valid)	AG019-0019 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U029	GRB22-0039 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0010 (F,91)(Valid)	VOVA17-0017 (NS,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U030	GRB22-0040 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0002 (NS,91)(Valid)	AG018-0019 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U031	GRB22-0041 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0002 (F,91)(Valid)	GRB19-0017 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	

Report Date : 24-Nov-2022 10:01

Unisiel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. The Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unisiel Medical Laboratories do not accept any responsibility for any issues that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract. **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisiel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unisiel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

UNID	ANIMAL	DOY/AGE	ORIGIN	DATA	DATE	TEST	PHYSO TYPE	RESULTS	UNDOCS
11051U032	GRB22-0042 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0121 (F.91)(Valid)	OW18-0477 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U033	GRB22-0043 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0203 (F.91)(Valid)	GRB18-0017 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U034	GRB22-0044 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0080 (F.91)(Valid)	GRB18-0017 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U035	GRB22-0045 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0111 (F.91)(Valid)	AG018-0018 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U036	GRB22-0046 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB14-0117 (F.91)(Valid)	GRB16-0042 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U037	GRB22-0047 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0022 (F.91)(Valid)	VOVA17-0017 (M.S.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U038	GRB22-0048 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0257 (F.91)(Valid)	OW18-0477 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U039	GRB22-0049 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0239 (F.91)(Valid)	GRB18-0017 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U040	GRB22-0050 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0106 (F.91)(Valid)	GRB19-0017 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U041	GRB22-0051 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0044 (F.91)(Valid)	GRB18-0017 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U042	GRB22-0052 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0020 (F.91)(Valid)	OW18-0477 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U043	GRB22-0053 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0035 (F.91)(Valid)	OW18-0477 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 24-Nov-2022 10:01

Unisal report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unisal Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: some STR profiles used in percentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisal Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unisal Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAHARA	COLLAB	SPECIES	STATUS	DATE	ZONE	ISRT	FLYING TYPE	QUALITY	EXCISE
11051U0041	GRB22-0054 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0056 (F,91)(Valid)	OW18-04-77 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U0045	GRB22-0055 (F,91)	CATTLE	DROUGHT MASTER (91)	GRD17-0100 (F,91)(Valid)	VOVA17-0017 (NLS,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U0048	GRB22-0056 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0214 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U0047	GRB22-0057 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0010 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U0048	GRB22-0058 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0025 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U0049	GRB22-0059 (F,91)	CATTLE	DROUGHT MASTER (91)	GRD17-0106 (F,91)(Valid)	GRB18-0040 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U0050	GRB22-0060 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0034 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U0051	GRB22-0061 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0157 (F,91)(Valid)	GRB19-0136 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U0052	GRB22-0062 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0132 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	Valid SV : Sire Valid	
11051U0053	GRB22-0063 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0152 (F,91)(Valid)	VOVA17-0017 (NLS,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U0054	GRB22-0064 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0207 (F,91)(Valid)	GRB19-0040 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
11051U0055	GRB22-0065 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0185 (F,91)(Valid)	VOVA17-0017 (NLS,91)(Valid)	PAR_C	Hair	Valid DVSU :	

Report Date : 24-Nov-2022 10:01

Unisel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unisel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker sourcing strategies between laboratories. Unisel Medical Laboratories participate in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

PROFILE	ANAL	QTRIND	SPRIND	DATE	BP	TEST	TRSN	WVS	QUALITY	PROG
11051U066	GRB22-0066 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0080 (F,91)(Valid)	CW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid		
11051U067	GRB22-0067 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0086 (F,91)(Valid)	CW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid		
11051U068	GRB22-0068 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0086 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid		
11051U069	GRB22-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0042 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid		
11051U060	GRB22-0070 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0010 (F,91)(Valid)	AGQ18-0019 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid		
11051U081	GRB22-0071 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0043 (F,91)(Valid)	AGQ18-0019 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid		
11051U082	GRB22-0072 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0002 (M,91)(Valid)	AGQ18-0019 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid		
11051U063	GRB22-0073 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0022 (F,91)(Valid)	AGQ18-0019 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid		
11051U064	GRB22-0074 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0010 (F,91)(Valid)	VOVA17-0017 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid		
11051U065	GRB22-0075 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0117 (F,91)(Valid)	QTB18-0042 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid		
11051U006	GRB22-0076 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0035 (F,91)(Valid)	VOA19-0019 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid		

Report Date : 24-Nov-2022 10:01

Unlabeled report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/requester. This Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent faulty results, Unlabeled Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error.
 Should gross negligence be proven the claim shall not exceed the value of the contract.
 Please note: Some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unlabeled Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unlabeled Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

Category	Accession	Species	Method	DOB	Sex	TSS	Tissue Type	NCBI ID	Location
11051U067	GRB22-0077 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0010 (F,91)(Valid)	AG018-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U068	GRB22-0076 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0241 (F,91)(Valid)	GRB18-0123 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U069	GRB22-0079 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0039 (F,91)(Valid)	GW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U070	GRB22-0080 (F,91)	CATTLE	DROUGHT MASTER (91)	WB113-0026 (F,189)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U071	GRB22-0081 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0174 (F,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U072	GRB22-0082 (N/S,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0152 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U073	GRB22-0083 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0101 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U074	GRB22-0084 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0141 (N/S,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U075	GRB22-0085 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0189 (F,91)(Valid)	GRB18-0136 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U076	GRB22-0086 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0012 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U077	GRB22-0087 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0133 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U078	GRB22-0088 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0149 (F,91)(Valid)	GRB15-0047 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 24-Nov-2022 10:01

Unlabeled report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unlabeled Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract. **Please note:** some STR profiles used in percentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unlabeled Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unlabeled Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

UNISOL	ANIMAL	GPS/CLS	REPORT	DATE	DOB	TEST	TEST TYPE	RESULT	ISSUANCE
11051U0078	GRB22-0089 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB19-0029 (F,91)(Valid)	GRD18-0017 (M,91)(Valid)	PAR_C	Half	DVSV : Dam Valid, Sire Valid
11051U0080	GRB22-0090 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB13-0028 (F,91)(Valid)	GRB18-0042 (M,91)(Valid)	PAR_C	Half	DVSV : Dam Valid, Sire Valid
11051U0081	GRB22-0091 (M,91)	CATTLE	DROUGHT MASTER (91)		GRD19-0189 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Half	DVSV : Dam Valid, Sire Valid
11051U0082	GRB22-0092 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB19-0092 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Half	DVSV : Dam Valid, Sire Valid
11051U0083	GRB22-0093 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB19-0144 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Half	DVSV : Dam Valid, Sire Valid
11051U0084	GRB22-0094 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB19-0047 (M,91)(Valid)	GRB19-0047 (M,91)(Valid)	PAR_C	Half	SV : Sire Valid
11051U0085	GRB22-0095 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB13-0052 (M,S,91)(Valid)	GRB18-0123 (M,91)(Valid)	PAR_C	Half	DVSV : Dam Valid, Sire Valid
11051U0086	GRB22-0096 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB19-0021 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Half	DVSV : Dam Valid, Sire Valid
11051U0087	GRB22-0097 (F,91)	CATTLE	DROUGHT MASTER (91)		GRD18-0140 (F,91)(Valid)	GRB19-0020 (M,91)(Valid)	PAR_C	Half	DVSV : Dam Valid, Sire Valid
11051U0089	GRB22-0098 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB15-0013 (M,S,91)(Valid)	GRB18-0123 (M,91)(Valid)	PAR_C	Half	DVSV : Dam Valid, Sire Valid
11051U0089	GRB22-0099 (F,91)	CATTLE	DROUGHT MASTER (91)		GRD18-0160 (F,91)(Valid)	GRB18-0123 (M,91)(Valid)	PAR_C	Half	DVSV : Dam Valid, Sire Valid
11051U0090	GRB22-0100 (F,91)	CATTLE	DROUGHT		GRB19-0143 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Half	DVSV :

Report Date : 24-Nov-2022 10:01

Unisul report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unisul Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: Some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisul Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unisul Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Sample	Animal	Animals	breed	Sex	Test	Sample Type	Request	Invoice
11051U031	GRB22-0101 (F.91)	CATTLE	DROUGHT MASTER (91)				Dam Valid, Sire Valid	
	GRB13-0041 (F.91)(Valid)				PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U032	GRB22-0102 (F.91)	CATTLE	DROUGHT MASTER (91)				Dam Valid, Sire Valid	
	GRB17-0099 (F.91)(Valid)				PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U033	GRB22-0103 (M.91)	CATTLE	DROUGHT MASTER (91)				Dam Valid, Sire Valid	
	GRB19-0161 (F.91)(Valid)				PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U094	GRB22-0104 (M.91)	CATTLE	DROUGHT MASTER (91)				Dam Valid, Sire Valid	
	GRB19-0070 (F.91)(Valid)				PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U095	GRB22-0105 (M.91)	CATTLE	DROUGHT MASTER (91)				Dam Valid, Sire Valid	
	GRB19-0148 (F.91)(Valid)				PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U096	GRB22-0106 (F.91)	CATTLE	DROUGHT MASTER (91)				Dam Valid, Sire Valid	
	GRB15-0201 (F.91)(Valid)				PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U097	GRB22-0107 (M.91)	CATTLE	DROUGHT MASTER (91)				Dam Valid, Sire Valid	
	GRB17-0159 (F.91)(Valid)				PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U098	GRB22-0108 (F.91)	CATTLE	DROUGHT MASTER (91)				Dam Valid, Sire Valid	
	GRB13-0113 (F.91)(Valid)				PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U099	GRB22-0109 (M.91)	CATTLE	DROUGHT MASTER (91)				Dam Valid, Sire Valid	
	GRB17-0078 (F.91)(Valid)				PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U100	GRB22-0110 (M.91)	CATTLE	DROUGHT MASTER (91)				Dam Valid, Sire Valid	
	GRB17-0079 (F.91)(Valid)				PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U101	GRB22-0111 (F.91)	CATTLE	DROUGHT MASTER (91)				Dam Valid, Sire Valid	
	GRB15-0124 (F.91)(Valid)				PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 24-Nov-2022 10:01

Unsite report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unisiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisiel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unisiel Medical Laboratories participate in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNE ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	SEX/AGE	DATA	GENO	TEST	PHENOTYPE	RESULTS	REMARKS
11051U102	GRB22-0113 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB14-0021 (F.91)(Valid)	GNB17-0007 (M.91)(Valid)	PAR_C	Hair	DVS1: Dam Valid, Sire Valid	
11051U103	GRB22-0114 (F.91)	CATTLE	DROUGHT MASTER (91)	GNB13-0016 (F.91)(Valid)	GRD19-0047 (M.91)(Valid)	PAR_C	Hair	DVS1: Dam Valid, Sire Valid	
11051U104	GRB22-0115 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0204 (F.91)(Not Valid)	GNB19-0040 (M.91)(Valid)	PAR_C	Hair	DXS1: Dam Excluded, Sire Valid	
11051U105	GRB22-0118 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0120 (F.91)(Valid)	GNB19-0017 (M.91)(Valid)	PAR_C	Hair	DVS1: Dam Valid, Sire Valid	
11051U106	GRB22-0119 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0171 (F.91)(Valid)	GRB19-0017 (M.91)(Valid)	PAR_C	Hair	DVS1: Dam Valid, Sire Valid	
11051U107	GRB22-0120 (F.91)	CATTLE	DROUGHT MASTER (91)	GNB18-0022 (F.91)(Valid)	GRB19-0130 (M.91)(Valid)	PAR_C	Hair	DVS1: Dam Valid, Sire Valid	
11051U108	GRB22-0121 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0057 (F.91)(Valid)	GNB19-0287 (M.91)(Valid)	PAR_C	Hair	DVS1: Dam Valid, Sire Valid	
11051U109	GRB22-0122 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB17-0048 (F.91)(Valid)	VOVA17-0017 (N/S.91)(Valid)	PAR_C	Hair	DVS1: Dam Valid, Sire Valid	
11051U110	GRB22-0123 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0282 (F.91)(Valid)	GRB18-0017 (M.91)(Valid)	PAR_C	Hair	DVS1: Dam Valid, Sire Valid	
11051U111	GRB22-0124 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB16-0065 (F.91)(Valid)	VOA18-0019 (M.91)(Valid)	PAR_C	Hair	DVS1: Dam Valid, Sire Valid	
11051U112	GRB22-0125 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB14-0156 (F.91)(Valid)	VOA18-0019 (M.91)(Valid)	PAR_C	Hair	DVS1: Dam Valid, Sire Valid	
11051U113	GRB22-0126 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0106 (F.91)(Valid)	GRB18-0017 (M.91)(Valid)	PAR_C	Hair	DVS1: Dam Valid, Sire Valid	

Report Date : 24-Nov-2022 10:01

Unstet report these results on the promise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unstet Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in percentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unstet Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unstet Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Profile	Animal	W/Observed	Gender	DOB	Age	Test	Height	Medium	Weight
11051U114	GRB22-0127 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0200 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
11051U115	GRB22-0128 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0030 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
11051U116	GRB22-0129 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0109 (F,91)(Not Valid)	GRB19-0287 (M,91)(Valid)	PAR_C	Hair	Valid	DXSV : Dam Excluded, Sire Valid
11051U117	GRB22-0130 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0197 (F,91)(Valid)	GRB18-0136 (M,91)(Valid)	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
11051U118	GRB22-0131 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0221 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
11051U119	GRB22-0132 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0114 (F,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
11051U120	GRB22-0133 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0158 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
11051U121	GRB22-0134 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0166 (F,91)(Valid)	GRB18-0122 (M,91)(Valid)	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
11051U122	GRB22-0135 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0284 (F,91)(Valid)	VOA18-0019 (M,91)(Valid)	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
11051U123	GRB22-0136 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0087 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
11051U124	GRB22-0137 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0003 (F,91)(Valid)	VOA17-0017 (M,91)(Valid)	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid

Report Date : 24-Nov-2022 10:01

Unlabeled report these results on the premises that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unlabeled Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error.
Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unlabeled Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unlabeled Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	ISSUED	DATE	TYPE	TEST	Tissue Type	RESULT	NOTES
11051U125	GRB22-0138 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0243 (F.81)(Valid)	GRB18-0267 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U126	GRB22-0139 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB14-0001 (F.91)(Valid)	GRB18-0129 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U127	GRB22-0140 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0158 (F.91)(Valid)	VOVA17-0077 (M.S.8)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U128	GRB22-0141 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB17-0004 (F.91)(Valid)	GRB20-0011 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U129	GRB22-0142 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0176 (F.91)(Valid)	OW18-0477 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U130	GRB22-0143 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0167 (F.91)(Valid)	GRB18-0220 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U131	GRB22-0144 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0234 (F.91)(Valid)	VOVA17-0017 (M.S.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U132	GRB22-0145 (F.91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	HER02 : Test to be repeated by lab.	
11051U133	GRB22-0146 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0198 (F.91)(Valid)	GRB19-0267 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U134	GRB22-0147 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB15-0006 (M.S.91)(Valid)	VOA18-0019 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U135	GRB22-0148 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB15-0282 (F.91)(Valid)	GRB19-0047 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U136	GRB22-0149 (M.01)	CATTLE	DROUGHT MASTER (91)	GRB14-0105 (M.S.91)(Valid)	GRB17-0007 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 24-Nov-2022 10:01

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/consignee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error.
Should gross negligence be proven the claim shall not exceed the value of the contact.
Please note: some STR profiles used in percentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SALE/LOT	ANIMAL	SP/CHINA	LINE/EO	DATA	SIRE	TEST	THROAT/TYPE	WEIGHT	COLOUR
11051U137	GRB22-0150 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0249 (F,91)(Valid)	GRB20-0011 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U138	GRB22-0151 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0137 (F,91)(Valid)	VOVA17-0017 (M,S,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U139	GRB22-0152 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0036 (F,91)(Valid)	GRB19-0040 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U140	GRB22-0153 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0195 (F,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U141	GRB22-0154 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0060 (F,91)(Valid)	VOA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U142	GRB22-0155 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0032 (F,91)(Valid)	GRB20-0011 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U143	GRB22-0156 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0078 (F,91)(Valid)	VOA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U144	GRB22-0157 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0205 (F,91)(Valid)	GRB16-0017 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U145	GRB22-0158 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0110 (F,91)(Valid)	GRB19-0055 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U146	GRB22-0159 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0116 (F,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U147	GRB22-0160 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0201 (F,91)(Valid)	VOVA16-0093 (M,S,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	

Report Date : 24-Nov-2022 10:01

Unlinal report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/requester. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unlinal Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract. **Please note:** some STI profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unlinal Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unlinal Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STI profiles.

CHARNE ROSSOUW
DIVISION MANAGER

CATTLE	ANIMAL	CATEGORIES	HERD	DATE	SNL	TEST	PHENOTYPE	HOWLT	HOWLT
11051U160	GRB22-0176 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB13-0112 (F.91)(Valid)	VOA18-0019 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U181	GRB22-0176 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB16-0185 (F.91)(Valid)	GRB16-0042 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U182	GRB22-0177 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB17-0069 (F.91)(Valid)	VOVA17-0017 (NS.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U183	GRB22-0178 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB15-0282 (F.91)(Valid)	VOA18-0019 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U164	GRB22-0179 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB13-0043 (F.91)(Valid)	GRB19-0047 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U185	GRB22-0180 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB14-0160 (F.91)(Valid)	VOA18-0019 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U186	GRB22-0181 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB16-0127 (F.91)(Valid)	GRB19-0189 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U167	GRB22-0182 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB16-0142 (F.91)(Valid)	VOA18-0019 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U168	GRB22-0183 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0082 (F.91)(Valid)	GRB19-0267 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U169	GRB22-0184 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB17-0152 (F.91)(Valid)	VOVA17-0017 (NS.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U170	GRB22-0185 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0056 (F.91)(Valid)	VOVA17-0017 (NS.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U171	GRB22-0186 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0161 (F.91)(Valid)	GRB20-0011 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	

Report Date : 24-Nov-2022 10:01

CHARNE ROSSOUW

DIVISION MANAGER

Unilateral report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unilateral Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unilateral Medical Laboratories does not accept any responsibility for parentage misstatements due to incompatible marker scoring strategies between laboratories. Unilateral Medical Laboratories participates in ISAAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

UNISA12	ANIMAL	SPECIES	DRUG	DATA	SIZE	TREAT	Sexual Type	ANALYST	Comments
11051U172	GRB22-0187 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0238 (F.91)(Valid)	GRB19-0223 (M.91)(Valid)	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
11051U173	GRB22-0188 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB15-0164 (F.91)(Not Valid)	GRB18-0136 (M.91)(Valid)	PAR_C	Hair	DXSU : Dam Excluded, Sire Valid	
11051U174	GRB22-0189 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0008 (F.91)(Valid)	OW18-0477 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U175	GRB22-0190 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0025 (F.91)(Valid)	GRB18-0136 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U176	GRB22-0191 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB15-0038 (M.S.91)(Not Valid)	GRB19-0055 (M.91)(Valid)	PAR_C	Hair	DXSU : Dam Excluded, Sire Valid	
11051U177	GRB22-0192 (M.91)	CATTLE	DROUGHT MASTER (91)	TOP17-0174 (F.91)(Valid)	GRB19-0220 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U178	GRB22-0193 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB15-0068 (F.91)(Valid)	GRB17-0007 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U179	GRB22-0194 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0198 (F.91)(Valid)	GRB19-0040 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U180	GRB22-0195 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0037 (F.91)(Valid)	GRB19-0220 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U181	GRB22-0196 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0118 (F.91)(Valid)	GRB18-0136 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U182	GRB22-0197 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB14-0132 (F.91)(Valid)	VQA18-0019 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	

Report Date : 24-Nov-2022 10:01

Unisai report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unisai Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract. **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisai Medical Laboratories does not accept any responsibility for parentage mistakes due to incompatible marker scoring strategies between laboratories. Unisai Medical Laboratories participates in ISAG comparator testing and therefore, uses various international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

UNISTEL	ANIMAL	CATEGORY	STATUS	DATE	TYPE	SEX	TEST	TEST TYPE	RESULT	REMARKS
11051U183	GRB22-0198 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0083 (F.91)(Not Valid)	PAR_C	Heir	DXS	Damn Excluded, Sire Valid		
11051U184	GRB22-0199 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0248 (F.91)(Valid)	PAR_C	Heir	DVS	Damn Valid, Sire Valid		
11051U185	GRB22-0200 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB17-0155 (F.91)(Valid)	PAR_C	Heir	DVS	Damn Valid, Sire Valid		
11051U186	GRB22-0201 (F.91)	CATTLE	DROUGHT MASTER (91)		PAR_C	Heir	HER02	Test to be repeated by lab		
11051U187	GRB22-0202 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0023 (F.91)(Valid)	PAR_C	Full	DVS	Damn Valid, Sire Valid		
11051U188	GRB22-0203 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB17-0183 (F.91)(Valid)	PAR_C	Heir	DVS	Damn Valid, Sire Valid		
11051U189	GRB22-0204 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB19-0191 (F.91)(Valid)	PAR_C	Heir	DVS	Damn Valid, Sire Valid		
11051U190	GRB22-0205 (M.91)	CATTLE	DROUGHT MASTER (91)	TOP17-0208 (F.91)(Valid)	PAR_C	Heir	DVS	Damn Valid, Sire Valid		
11051U191	GRB22-0206 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0116 (F.91)(Valid)	PAR_C	Heir	DVS	Damn Valid, Sire Valid		
11051U192	GRB22-0207 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0029 (F.91)(Valid)	PAR_C	Heir	DVS	Damn Valid, Sire Valid		
11051U193	GRB22-0208 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0082 (F.91)(Valid)	PAR_C	Heir	DVS	Damn Valid, Sire Valid		
11051U194	GRB22-0209 (M.91)	CATTLE	DROUGHT MASTER (91)	TOP17-0134 (F.91)(Valid)	PAR_C	Heir	DVS	Damn Valid, Sire Valid		

Report Date : 24-Nov-2022 10:01

Unistel report these results on the premise that the biological samples received are from the individual's nominated by the owner/breeder/ requestor. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel/Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract. **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel/Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel/Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNE ROSSOUW
DIVISION MANAGER

SAMPLE	ANAL	SPECIES	PROBID	DOB	SEX	TEST	STOCK TYPE	RESULT	STATUS
11051U155	GRB22-0210 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0156 (F,91)(Valid)	VOA18-0219 (M,91)(Valid)	PAR_C	Hair	DVS_V: Dam Valid, Sire Valid	1
11051U198	GRB22-0211 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0212 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	DVS_V: Dam Valid, Sire Valid	1
11051U197	GRB22-0212 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0027 (F,91)(Valid)	GRB18-0123 (M,91)(Valid)	PAR_C	Hair	DVS_V: Dam Valid, Sire Valid	1
11051U196	GRB22-0213 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0110 (F,91)(Valid)	GRB18-0136 (M,91)(Valid)	PAR_C	Hair	DVS_V: Dam Valid, Sire Valid	1
11051U199	GRB22-0214 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0010 (F,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	Hair	DVS_V: Dam Valid, Sire Valid	1
11051U200	GRB22-0215 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0137 (F,91)(Valid)	GRB19-0040 (M,91)(Valid)	PAR_C	Hair	DVS_V: Dam Valid, Sire Valid	1
11051U201	GRB22-0216 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0184 (F,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	Hair	DVS_V: Dam Valid, Sire Valid	1
11051U202	GRB22-0217 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0242 (F,91)(Valid)	GRB19-0047 (M,91)(Valid)	PAR_C	Hair	DVS_V: Dam Valid, Sire Valid	1
11051U203	GRB22-0218 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0027 (F,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	Hair	DVS_V: Dam Valid, Sire Valid	1
11051U204	GRB22-0219 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0159 (F,91)(Valid)	GRB19-0040 (M,91)(Valid)	PAR_C	Hair	DVS_V: Dam Valid, Sire Valid	1
11051U205	GRB22-0220 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0244 (F,91)(Valid)	GRB19-0040 (M,91)(Valid)	PAR_C	Hair	DVS_V: Dam Valid, Sire Valid	1

Report Date : 24-Nov-2022 10:01

Unclie report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unclie Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error.
Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: some STH profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unclie Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unclie Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STH profiles.

CHARNE ROSSOUW
DIVISION MANAGER

Sample #	ANAL	Species	IBISID	Sex	Sire	TES	Progeny type	Result	Comment
11051U206	GRB22-0221 (F.91)	CATTLE	DROUGHT MASTER (91)		GRB19-0086 (F.91)(Valid)	OW18-0477 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U207	GRB22-0222 (F.91)	CATTLE	DROUGHT MASTER (91)		GRB16-0069 (F.91)(Valid)	VOA18-0019 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U208	GRB22-0223 (M.91)	CATTLE	DROUGHT MASTER (91)		GRB14-0117 (F.91)(Valid)	GRB16-0042 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U209	GRB22-0224 (F.91)	CATTLE	DROUGHT MASTER (91)		GRB14-0128 (F.91)(Valid)	GRB19-0047 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U210	GRB22-0225 (M.91)	CATTLE	DROUGHT MASTER (91)		GRB18-0027 (F.91)(Valid)	GRB18-00136 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U211	GRB22-0226 (M.91)	CATTLE	DROUGHT MASTER (91)		GRB15-0267 (F.91)(Valid)	GRB19-0055 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U212	GRB22-0227 (M.91)	CATTLE	DROUGHT MASTER (91)		GRB17-0072 (M.S.91)(Valid)	GRB19-0220 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U213	GRB22-0228 (F.91)	CATTLE	DROUGHT MASTER (91)		GRB19-0269 (F.91)(Valid)	OW19-0477 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U214	GRB22-0228 (F.91)	CATTLE	DROUGHT MASTER (91)		GRB13-0065 (M.S.91)(Valid)	VOA19-0019 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U215	GRB22-0230 (F.91)	CATTLE	DROUGHT MASTER (91)		GRB15-0106 (M.S.91)(Valid)	VOA18-0019 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U216	GRB22-0231 (M.91)	CATTLE	DROUGHT MASTER (91)		GRB14-0036 (M.S.91)(Valid)	GRB19-0169 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U217	GRB22-0232 (M.91)	CATTLE	DROUGHT MASTER (91)		GRB13-0089 (F.91)(Valid)	GRB19-0065 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Excluded, Sire Valid

Report Date : 24-Nov-2022 10:01

Unsite/ report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent faulty results, Unsite Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error.
 Should gross negligence be proven the claim shall not exceed the value of the contract.
 Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unsite Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unsite Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANALYSIS	SPECIES	BREED	DATE	FILE	ICSI	Number Type	RESULT	REFERENCE
11051U241	GRB22-0267 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0215 (F,91)(Valid)	GRB19-0055 (M,91)(Valid)	PAR_C	Hair	Valid DVS: Dam Valid, Sire Valid	
11051U242	GRB22-0268 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB17-0007 (M,91)(Valid)	PAR_C	Hair	SV - Sire Valid	
11051U243	GRB22-0261 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0240 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	DVS: Dam Valid, Sire Valid	
11051U244	GRB22-0262 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0129 (F,91)(Valid)	VOVA16-0083 (M,91)(Valid)	PAR_C	Hair	DVS: Dam Valid, Sire Valid	
11051U245	GRB22-0263 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0138 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	DVS: Dam Valid, Sire Valid	
11051U246	GRB22-0264 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0150 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	DVS: Dam Valid, Sire Valid	
11051U247	GRB22-0265 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0109 (F,91)(Valid)	GRB18-0042 (M,91)(Valid)	PAR_C	Hair	DVS: Dam Valid, Sire Valid	
11051U248	GRB22-0266 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0026 (F,91)(Valid)	GRB19-0040 (M,91)(Valid)	PAR_C	Hair	DVS: Dam Valid, Sire Valid	
11051U249	GRB22-0267 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0200 (F,91)(Valid)	GRB18-0055 (M,91)(Valid)	PAR_C	Hair	DVS: Dam Valid, Sire Valid	
11051U250	GRB22-0268 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0143 (F,91)(Valid)	GRB19-0020 (M,91)(Valid)	PAR_C	Hair	DVS: Dam Valid, Sire Valid	
11051U251	GRB22-0269 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0086 (F,91)(Valid)	GRB19-0017 (M,91)(Valid)	PAR_C	Hair	DVS: Dam Valid, Sire Valid	
11051U252	GRB22-0270 (F,91)	CATTLE	DROUGHT	GRB17-0119 (F,91)(Valid)	GRB19-0165 (M,91)(Valid)	PAR_C	Hair	DVS: Dam Valid, Sire Valid	

Report Date : 24-Nov-2022 10:01

Unlabeled report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unlabeled Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unlabeled Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unlabeled Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNE ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	SEX	DATE	SIRE	TEST	PRESEN TYPE	RESULT	DATE
11051U253	GRB22-0271 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0215 (F,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	Hair	Damn Valid, Sire Valid	
11051U264	GRB22-0272 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0155 (F,91)(Valid)	GRB19-0055 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U255	GRB22-0273 (M,91)	CATTLE	DROUGHT MASTER (91)	VOYA17-0017 (M,91)(Valid)		PAR_C	Hair	SV : Sire Valid	
11051U256	GRB22-0274 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0102 (F,91)(Valid)	GRB18-0047 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U267	GRB22-0276 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0213 (F,91)(Valid)	VOYA17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U268	GRB22-0276 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0263 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U259	GRB22-0277 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0084 (F,91)(Valid)	GRB18-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U280	GRB22-0278 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0122 (F,91)(Valid)	GRB19-0160 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U281	GRB22-0278 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0208 (F,91)(Valid)	GRB19-0040 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U282	GRB22-0280 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0176 (F,91)(Valid)	GRB19-0047 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
11051U283	GRB22-0281 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0131 (F,91)(Valid)	GRB19-0220 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 24-Nov-2022 10:01

Unlabeled report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unlabeled Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unlabeled Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unlabeled Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Client ID	Accession	Species	Disease	Sex	Age	Color	Tattoo / ID	Shedding	Notes
11051U264	GRB22-0282 (F.91)	CATTLE	DROUGHT MASTER (91)		GRB18-0033 (F.91)(Valid)	GRB18-0136 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U266	(GRB22-0283 (F.91)	CATTLE	DROUGHT MASTER (91)		GRB17-0014 (F.91)(Valid)	GRD19-0169 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U266	GRB22-0284 (M.91)	CATTLE	DROUGHT MASTER (91)		GRB14-0171 (F.91)(Valid)	GRD18-0123 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U267	GRB22-0285 (F.91)	CATTLE	DROUGHT MASTER (91)		TOP18-0121 (F.91)(Valid)	GRB18-0042 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U268	GRB22-0286 (F.91)	CATTLE	DROUGHT MASTER (91)		GRB15-0008 (F.91)(Valid)	GRB10-0047 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U269	GRB22-0287 (M.91)	CATTLE	DROUGHT MASTER (91)		GRB17-0094 (F.91)(Valid)	VOVA17-0017 (M.S.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U270	GRB22-0288 (F.91)	CATTLE	DROUGHT MASTER (91)		GRB18-0096 (F.91)(Valid)	VOVA17-0017 (M.S.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U271	GRB22-0289 (F.91)	CATTLE	DROUGHT MASTER (91)		GRB18-0028 (F.91)(Valid)	GRB19-0169 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U272	GRB22-0290 (M.91)	CATTLE	DROUGHT MASTER (91)		GRB18-0037 (F.91)(Valid)	GRB19-0040 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U273	GRB22-0291 (M.91)	CATTLE	DROUGHT MASTER (91)		GRB17-0209 (F.91)(Valid)	VOVA17-0017 (M.S.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U274	GRB22-0292 (F.91)	CATTLE	DROUGHT MASTER (91)		GRB19-0087 (F.91)(Valid)	GRB18-0017 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid
11051U275	GRB22-0293 (M.91)	CATTLE	DROUGHT MASTER (91)		GRB17-0144 (F.91)(Valid)	GRB18-0136 (M.91)(Valid)	PAR_C	Hair	DVSU: Dam Valid, Sire Valid

Report Date : 24-Nov-2022 10:01

Unlabeled report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/requestor. This Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent false results, Unlabeled Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.
 Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unlabeled Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unlabeled Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNE ROSSOUW
 DIVISION MANAGER

Barcode	Animal	Species	Breed	QW	Sex	Test	Top 5 Yrs	Result	Remark
11051U276	GRB22-0294 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0153 (F,91)(Valid)	GRB17-0007 (M,91)(Valid)	PAR_C	Hair	Valid	
								DVSX : Dam Valid, Sire Valid	
11051U277	GRB22-0295 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0172 (F,91)(Valid)	GRB19-0020 (M,91)(Valid)	PAR_C	Hair	Valid	
								DVSX : Dam Valid, Sire Valid	
11051U278	GRB22-0296 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0175 (F,91)(Not Valid)	GRB19-0056 (M,91)(Valid)	PAR_C	Hair	Valid	
								DVSX : Dam Excluded, Sire Valid	
11051U279	GRB22-0297 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0218 (F,91)(Valid)	QW18-0017 (M,91)(Valid)	PAR_C	Hair	Valid	
								DVSX : Dam Valid, Sire Valid	
11051U280	GRB22-0298 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0117 (F,91)(Valid)	GRB19-0220 (M,91)(Valid)	PAR_C	Hair	Valid	
								DVSX : Dam Valid, Sire Valid	
11051U281	GRB22-0299 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0063 (F,91)(Valid)	GRB16-0042 (M,91)(Valid)	PAR_C	Hair	Valid	
								DVSX : Dam Valid, Sire Valid	
11051U282	GRB22-0300 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0022 (F,91)(Valid)	QW18-0477 (M,91)(Valid)	PAR_C	Hair	Valid	
								DVSX : Dam Valid, Sire Valid	
11051U283	GRB22-0301 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0294 (F,9)(Valid)	GRB19-0055 (M,91)(Valid)	PAR_C	Hair	Valid	
								DVSX : Dam Valid, Sire Valid	
11051U284	GRB22-0302 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0149 (F,91)(Valid)	QW18-0477 (M,91)(Valid)	PAR_C	Hair	Valid	
								DVSX : Dam Valid, Sire Valid	
11051U285	GRB22-0303 (M,91)	CATTLE	DROUGHT MASTER (91)	QW17-0021 (N/S,91)(Valid)	GRB19-0047 (M,91)(Valid)	PAR_C	Hair	Valid	
								DVSX : Dam Valid, Sire Valid	
11051U286	GRB22-0304 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0038 (F,91)(Valid)	QW18-0477 (M,91)(Valid)	PAR_C	Hair	Valid	
								DVSX : Dam Valid, Sire Valid	

Report Date : 24-Nov-2022 10:01

Unlabeled report shows results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/requestee. This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unisul Medical Laboratories do not accept any responsibility for any issues that may occur as a result of human or technical error. Should guests negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisul Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unisul Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW

DIVISION MANAGER

ANIMAL	SPECIES	AGE	DATE	SEX	TEST	THICKNESS	THICKNESS	THICKNESS
11051U287	GRB22-0305 (F:91)	CATTLE	DROUGHT MASTER (91)	TOP17-0111 (F:91)(Valid)	GRB18-0047 (M:91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Site Valid
11051U298	GRB22-0306 (F:91)	CATTLE	DROUGHT MASTER (91)	GRB14-0237 (F:91)(Valid)	GRB18-0047 (M:91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Site Valid
11051U289	GRB22-0307 (F:91)	CATTLE	DROUGHT MASTER (91)	GRB18-0070 (F:91)(Valid)	GRB18-0040 (M:91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Site Valid
11051U290	GRB22-0308 (F:91)	CATTLE	DROUGHT MASTER (91)	GRB18-0177 (F:91)(Valid)	GRB18-0220 (M:91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Site Valid
11051U291	GRB22-0309 (F:91)	CATTLE	DROUGHT MASTER (91)	GRB18-0189 (F:91)(Valid)	GRB18-0042 (M:91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Site Valid
11051U292	GRB22-0310 (M:91)	CATTLE	DROUGHT MASTER (91)	GRB18-0265 (F:91)(Valid)	GRB18-0017 (M:91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Site Valid
11051U203	GRB22-0311 (F:91)	CATTLE	DROUGHT MASTER (91)	GRB15-0267 (F:91)(Valid)	GRB18-0123 (M:91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Site Valid
11051U294	GRB22-0312 (F:91)	CATTLE	DROUGHT MASTER (91)	GRB18-0132 (F:91)(Valid)	GRB18-0047 (M:91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Site Valid
11051U295	GRB22-0313 (F:91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	HER02 : Test to be repeated by lab
11051U296	GRB22-0314 (M:91)	CATTLE	DROUGHT MASTER (91)	GRB19-0229 (F:91)(Valid)	OW18-0477 (M:91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Site Valid
11051U297	GRB22-0315 (F:91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	HER02 : Test to be repeated by lab
11051U298	GRB22-0316 (M:91)	CATTLE	DROUGHT MASTER (91)	GRB18-0010 (F:91)(Valid)	GRB18-0042 (M:91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Site Valid

Report Date : 24-Nov-2022 10:01

Unlabeled report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unlabeled Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract. Please note: Some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unlabeled Medical Laboratories does not accept any responsibility for parentage mismatches due to incorporating marker scoring strategies between laboratories. Unlabeled Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNE ROSSOUW
DIVISION MANAGER

ISAG ID	Animal	Species	Breed	Sex	SHS	Test	Age Type	Notes	HSID
11051U288	GRB22-0317 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB15-0022 (F,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid Sire Valid	
11051U300	GRB22-0318 (F,91)	CATTLE	DROUGHT MASTER (91)		TOP17-0156 (F,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid Sire Valid	
11051U301	GRB22-0318 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0074 (F,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid Sire Valid	
11051U302	GRB22-0320 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB17-0054 (F,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid Sire Valid	
11051U303	GRB22-0321 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB17-0076 (F,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid Sire Valid	
11051U304	GRB22-0322 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0115 (F,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid Sire Valid	
11051U305	GRB22-0323 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0171 (F,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid Sire Valid	
11051U306	GRB22-0324 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB17-0186 (F,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid Sire Valid	
11051U307	GRB22-0325 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0049 (F,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid Sire Valid	
11051U308	GRB22-0326 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0069 (F,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid Sire Valid	
11051U309	GRB22-0327 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0053 (F,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid Sire Valid	

Report Date : 24-Nov-2022 10:01

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. The Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should guests negligence be proven the claim shall not exceed the value of the contract.
 Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

Animal ID	Animal	Species	GRB20	DOB	Sex	IGBT	Tag/Type	Offspring	Location
11051U310	GRB22-0328 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0145 (F,91)(Valid)	GRB15-0342 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U311	GRB22-0329 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0036 (N/S,91)(Valid)	VOVA16-0093 (N/S,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U312	GRB22-0330 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0232 (F,91)(Valid)	GRB15-0136 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U313	GRB22-0331 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0101 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U314	GRB22-0332 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0160 (F,91)(Valid)	GRB15-0042 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U315	GRB22-0333 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0097 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U316	GRB22-0334 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0225 (F,91)(Valid)	GRB15-0040 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U317	GRB22-0335 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0151 (F,91)(Valid)	GRB19-0040 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U318	GRB22-0336 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0150 (F,91)(Valid)	GRB19-0040 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U319	GRB22-0337 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0150 (F,91)(Valid)	GRB19-0220 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U320	GRB22-0338 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0222 (F,91)(Valid)	GRB16-0042 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U321	GRB22-0339 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0154 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	

Report Date : 24-Nov-2022 10:01

Unstiel report these results on the promise that the biological samples received are from the individuals nominated by the owner/breeder/requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unstiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: same STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unstiel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unstiel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW

DIVISION MANAGER

UNISTEL	ANIMAL	BREEDERS	BREED	DOB	DATE	RACE	HAIR TYPE	TESTING	MARKING
11051U322	GRB22-0340 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0131 (F.91)(Valid)	VOVA17-0017 (M/S.91)(Valid)	PAR_C	Hair	Valid	
								DVSU : Dam Valid, Sire Valid	
11051U323	GRB22-0341 (F.91)	CATTLE	DROUGHT MASTER (91)	WBT17-0062 (M/S.91)(Valid)	GRB19-0136 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U324	GRB22-0342 (M.91)	CATTLE	DROUGHT MASTER (91)	AG018-0024 (M/S.91)(Valid)	AG018-0201 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U325	GRB22-0343 (M.91)	CATTLE	DROUGHT MASTER (91)	AG018-0120 (M.91)(Valid)	AG018-0120 (M.91)(Valid)	PAR_C	Hair	SV : Sire Valid	
11051U326	GRB22-0344 (F.91)	CATTLE	DROUGHT MASTER (91)	AG019-0023 (M/S.91)(Valid)	AG018-0201 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U327	GRB22-0345 (F.91)	CATTLE	DROUGHT MASTER (91)	AG018-0014 (F.91)(Valid)	AG018-0201 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U328	GRB21-0285 (M.91)	CATTLE	DROUGHT MASTER (91)	WBT17-0062 (M/S.91)(Valid)		PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded	
11051U329	GRB21-0286 (M.91)	CATTLE	DROUGHT MASTER (91)	TOP17-0118 (F.91)(Valid)		PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded	
11051U330	GRB21-0287 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB18-0073 (F.91)(Valid)	WBT17-0028 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
11051U331	GRB21-0288 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB14-0237 (F.91)(Valid)		PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded	
11051U332	GRB22-0017 (M.91)	CATTLE	DROUGHT MASTER (91)	TOP17-0224 (F.91)(Not Valid)	GRB17-0002 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Excluded, Sire Valid	

Report Date : 24-Nov-2022 10:01

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: Some STR profiles used in percentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

Valid

Report Date : 24-Nov-2022 10:01

Page : 30

Unistat report these results on the premise that the biological samples received are from the individual nominated by the owner/breeder/requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, United Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles in percentage analysis may have been sourced from archival laboratory. While every reasonable effort is made to prevent incorrect results, Unilab Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker, scoring strategies between laboratories. Unilab Medical Laboratories participates in ISAG companion testing and therefore incorporates international scoring standards in the generation of our STR profile.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Created : 2022-11-24

Batch : 11336U
Owner : Rustin Shawe
Farm : Grassfields Beef
Account : SHAR01
Origin : PRIVATE
Invoice To : Owner

Lab ID	Animal	Sex/Breed	Group	DOB	DOB	DOB	DOB	DOB	DOB
11336U001	GRB22-0164 (M/S:91)	CATTLE	DROUGHT MASTER (91)	GRB19-0172 (F:91)(Valid)	QW18-0477 (M:91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	43641
11336U002	GRB22-0112 (M/S:91)	CATTLE	DROUGHT MASTER (91)	GRB18-0251 (F:91)(Valid)	GRB18-0017 (M:91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	43641
11336U003	GRB22-0163 (M/S:91)	CATTLE	DROUGHT MASTER (91)	GRB19-0127 (F:91)(Valid)	GRB18-0267 (M:91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	43641

Report Date : 03-Apr-2023 08:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER