

Batch Detail Report

Batch : 857U
 Created : 12-Jun-2020 22:24
 Owner : Seymour Currie
 Farm : Wolwedans/Blaauwberg
 Account : JOYC01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
857U001	SCJ20-0050 (F,23)	CATTLE	ANGUS (23)	LKS13-0105 (F,23)(Valid)	WB13-0512 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U002	SCJ20-0103 (F,23)	CATTLE	ANGUS (23)	SCJ13-0077 (F,23)(Valid)	WB13-0512 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U003	SCJ20-0058 (F,23)	CATTLE	ANGUS (23)	SCJ16-0042 (F,23)(Valid)	WB13-0512 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U004	SCJ20-0101 (M,23)	CATTLE	ANGUS (23)	SCJ16-0077 (F,23)(Valid)	WB13-0512 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U005	SCJ20-0104 (M,23)	CATTLE	ANGUS (23)	SCJ16-0031 (F,23)(Valid)	WB13-0512 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U006	SCJ20-0083 (M,23)	CATTLE	ANGUS (23)	SCJ14-0100 (F,23)(Valid)	WB13-0512 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U007	SCJ20-0060 (M,23)	CATTLE	ANGUS (23)	LKS12-0130 (F,23)(Valid)	WB13-0512 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U008	SCJ20-0065 (F,23)	CATTLE	ANGUS (23)	SCJ17-0076 (F,23)(Valid)	SCJ17-0097 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U009	SCJ20-0071 (F,23)	CATTLE	ANGUS (23)			PAR_C	HER02 : Test to be repeated by lab	
857U010	SCJ20-0052 (M,23)	CATTLE	ANGUS (23)	WB11-0412 (F,23)(Valid)	KOUPAL KOZI 418 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Jun-2020 10:18

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
 MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
857U011	SCJ20-0056 (F,23)	CATTLE	ANGUS (23)	WB11-0412 (F,23)(Valid)	KOUPAL KOZI 418 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U012	SCJ20-0064 (M,23)	CATTLE	ANGUS (23)	WB11-0412 (F,23)(Valid)	KOUPAL KOZI 418 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U013	SCJ20-0059 (M,23)	CATTLE	ANGUS (23)	DE13-0021 (F,23)(Valid)	JMS15-0998 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U014	SCJ20-0057 (M,23)	CATTLE	ANGUS (23)	SCJ16-0114 (F,23)(Valid)	SCJ18-0034 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U015	SCJ20-0091 (F,23)	CATTLE	ANGUS (23)	SCJ18-0016 (F,23)(Valid)	SCJ18-0034 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U016	SCJ20-0080 (M,23)	CATTLE	ANGUS (23)	SCJ16-0111 (F,23)(Valid)	SCJ18-0034 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U017	SCJ20-0102 (M,23)	CATTLE	ANGUS (23)	WB04-0027 (F,23)(Valid)	AC06-0242 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U018	SCJ20-0117 (M,23)	CATTLE	ANGUS (23)	WB04-0027 (F,23)(Valid)	AC06-0242 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U019	SCJ20-0063 (M,23)	CATTLE	ANGUS (23)	KD16-1536 (F,23)(Valid)	PHD12-0027 (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U020	SCJ20-0067 (M,23)	CATTLE	ANGUS (23)	SCJ17-0081 (F,23)(Valid)	PHD12-0027 (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U021	SCJ20-0069 (F,23)	CATTLE	ANGUS (23)	SCJ18-0018 (F,23)(Valid)	PHD12-0027 (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U022	SCJ20-0075 (M,23)	CATTLE	ANGUS (23)	PV12-0009 (F,23)(Valid)	PHD12-0027 (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U023	SCJ20-0081 (M,23)	CATTLE	ANGUS (23)	SCJ17-0092 (F,23)(Valid)	PHD12-0027 (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
Report Date : 26-Jun-2020 10:18								
Report Date : 26-Jun-2020 10:18						Page 2		
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract						DR. M.P. MARX MANAGING DIRECTOR		

SAMPLE							ANIMAL		SPECIES		BREED		DAM		SIRE		TEST		RESULT		INVOICE	
857U024	SCJ20-0096	(M,23)	CATTLE	ANGUS (23)	AC14-0042	(F,23)\(Valid)	PHD12-0027	(U,23)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid												
857U025	SCJ20-0097	(M,23)	CATTLE	ANGUS (23)	SCJ16-0153	(F,23)\(Valid)	PHD12-0027	(U,23)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid												
857U026	SCJ20-0084	(F,23)	CATTLE	ANGUS (23)	HOL13-0032	(F,23)\(Valid)	PHD12-0027	(U,23)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid												
857U027	SCJ20-0118	(M,23)	CATTLE	ANGUS (23)	SCJ12-0047	(F,23)\(Valid)	PHD12-0027	(U,23)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid												
857U028	SCJ20-0094	(F,23)	CATTLE	ANGUS (23)	SCJ18-0026	(F,23)\(Valid)	SCJ17-0083	(M,23)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid												
857U029	SCJ20-0054	(F,23)	CATTLE	ANGUS (23)	SCJ12-0027	(F,23)\(Valid)	INSIGHT 0129	(M,23)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid												
857U030	SCJ20-0055	(M,23)	CATTLE	ANGUS (23)	SCJ12-0027	(F,23)\(Valid)	INSIGHT 0129	(M,23)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid												
857U031	SCJ20-0076	(F,23)	CATTLE	ANGUS (23)	SCJ17-0122	(F,23)\(Valid)	INSIGHT 0129	(M,23)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid												
857U032	SCJ20-0061	(F,23)	CATTLE	ANGUS (23)	SCJ16-0099	(F,23)\(Valid)	CONVERSATION	(M,23)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid												
857U033	SCJ20-0112	(M,23)	CATTLE	ANGUS (23)	SCJ16-0072	(F,23)\(Valid)	CONVERSATION	(M,23)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid												
857U034	SCJ20-0116	(F,23)	CATTLE	ANGUS (23)	LKS14-0106	(F,23)\(Valid)	CONVERSATION	(M,23)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid												
857U035	SCJ20-0070	(F,23)	CATTLE	ANGUS (23)	SCJ18-0006	(F,23)\(Valid)	CONVERSATION	(M,23)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid												
Report Date : 26-Jun-2020 10:18																					Page 3	
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract																					DR. M.P. MARX MANAGING DIRECTOR	

SAMPLE							ANIMAL		SPECIES		BREED		DAM		SIRE		TEST		RESULT		INVOICE	
857U036		SCJ20-0053 (M,23)	CATTLE		ANGUS (23)		SCJ17-0026 (F,23)(Valid)		SCJ17-0083 (M,23)(Valid)		PAR_C		DVSV : Dam Valid, Sire Valid									
857U037		SCJ20-0088 (F,23)	CATTLE		ANGUS (23)		GT16-0053 (F,23)(Valid)		SCJ17-0083 (M,23)(Valid)		PAR_C		DVSV : Dam Valid, Sire Valid									
857U038		SCJ20-0092 (F,23)	CATTLE		ANGUS (23)		PV14-0059 (F,23)(Valid)		SCJ17-0083 (M,23)(Valid)		PAR_C		DVSV : Dam Valid, Sire Valid									
857U039		SCJ20-0099 (F,23)	CATTLE		ANGUS (23)						PAR_C		HER02 : Test to be repeated by lab									
857U040		SCJ20-0109 (M,23)	CATTLE		ANGUS (23)		AC17-0368 (F,23)(Valid)		SCJ17-0083 (M,23)(Valid)		PAR_C		DVSV : Dam Valid, Sire Valid									
857U041		SCJ20-0110 (F,23)	CATTLE		ANGUS (23)						PAR_C		HER02 : Test to be repeated by lab									
857U042		SCJ20-0107 (F,23)	CATTLE		ANGUS (23)		SCJ16-0019 (F,23)(Valid)		SCJ17-0083 (M,23)(Valid)		PAR_C		DVSV : Dam Valid, Sire Valid									
857U043		SCJ20-0068 (M,23)	CATTLE		ANGUS (23)						PAR_C		HER02 : Test to be repeated by lab									
857U044		SCJ20-0062 (M,23)	CATTLE		ANGUS (23)		AC06-0178 (U,23)(Valid)		SER 883 (26P) (M,23)(Valid)		PAR_C		DVSV : Dam Valid, Sire Valid									
857U045		SCJ20-0066 (F,23)	CATTLE		ANGUS (23)		SCJ18-0008 (F,23)(Valid)		WFL MERLIN 018A (M,23)(Valid)		PAR_C		DVSV : Dam Valid, Sire Valid									
857U046		SCJ20-0074 (M,23)	CATTLE		ANGUS (23)		SCJ17-0121 (F,23)(Valid)		WFL MERLIN 018A (M,23)(Valid)		PAR_C		DVSV : Dam Valid, Sire Valid									
857U047		SCJ20-0078 (M,23)	CATTLE		ANGUS (23)		SCJ17-0036 (F,23)(Valid)		WFL MERLIN 018A (M,23)(Valid)		PAR_C		DVSV : Dam Valid, Sire Valid									
Report Date : 26-Jun-2020 10:18																					Page 4	
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract																					DR. M.P. MARX MANAGING DIRECTOR	

SAMPLE		ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
857U048		SCJ20-0072 (F,23)	CATTLE	ANGUS (23)	AC17-0340 (F,23)(Valid)	KD15-1456 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U049		SCJ20-0086 (M,23)	CATTLE	ANGUS (23)	SCJ16-0033 (F,23)(Valid)	KD15-1456 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U050		SCJ20-0098 (F,23)	CATTLE	ANGUS (23)	SCJ16-0138 (F,23)(Valid)	KD15-1456 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U051		SCJ20-0073 (F,23)	CATTLE	ANGUS (23)	SCJ11-0023 (F,23)(Valid)	6813 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U052		SCJ20-0077 (M,23)	CATTLE	ANGUS (23)	SCJ10-0002 (F,23)(Valid)	6813 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U053		SCJ20-0100 (F,23)	CATTLE	ANGUS (23)	SCJ16-0166 (F,23)(Valid)	GT15-0172 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U054		SCJ20-0113 (M,23)	CATTLE	ANGUS (23)	SCJ12-0054 (F,23)(Valid)	GT15-0172 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U055		SCJ20-0079 (M,23)	CATTLE	ANGUS (23)	AC06-0178 (U,23)(Valid)	KINGDOM 8251 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U056		SCJ20-0105 (F,23)	CATTLE	ANGUS (23)	AC06-0178 (U,23)(Valid)	KINGDOM 8251 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U057		SCJ20-0093 (M,23)	CATTLE	ANGUS (23)	AC06-0178 (U,23)(Valid)	KINGDOM 8251 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U058		SCJ20-0087 (M,23)	CATTLE	ANGUS (23)	WB10-0240 (F,23)(Valid)	1441 RESOURCE (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U059		SCJ20-0095 (M,23)	CATTLE	ANGUS (23)	WB10-0240 (F,23)(Valid)	1441 RESOURCE (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U060		SCJ20-0089 (F,23)	CATTLE	ANGUS (23)	JAN2177 (F,23)(Valid)	EZ 10T (M,10)(Valid)	PAR_C	DVSV :	
Report Date : 26-Jun-2020 10:18									Page 5
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract							DR. M.P. MARX MANAGING DIRECTOR		

SAMPLE		ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
								Dam Valid, Sire Valid	
857U061		SCJ20-0090 (M,23)	CATTLE	ANGUS (23)			PAR_C	HER02 : Test to be repeated by lab	
857U062		SCJ20-0123 (M,23)	CATTLE	ANGUS (23)	PV13-0079 (F,23)(Valid)	JMS15-0998 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U063		SCJ20-0106 (M,23)	CATTLE	ANGUS (23)	PHD11-1107 (F,23)(Valid)	PIE JUST RIGHT (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U064		SCJ20-0111 (F,23)	CATTLE	ANGUS (23)	PHD11-1107 (F,23)(Valid)	PIE JUST RIGHT (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U065		SCJ20-0114 (M,23)	CATTLE	ANGUS (23)	PHD11-1107 (F,23)(Valid)	PIE JUST RIGHT (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U066		SCJ20-0115 (F,23)	CATTLE	ANGUS (23)	PHD11-1107 (F,23)(Valid)	PIE JUST RIGHT (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U067		SCJ20-0119 (F,23)	CATTLE	ANGUS (23)	PHD11-1107 (F,23)(Valid)	PIE JUST RIGHT (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U068		SCJ20-0120 (M,23)	CATTLE	ANGUS (23)	PHD11-1107 (F,23)(Valid)	PIE JUST RIGHT (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U069		SCJ20-0121 (F,23)	CATTLE	ANGUS (23)	PHD11-1107 (F,23)(Valid)	PIE JUST RIGHT (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U070		SCJ20-0124 (F,23)	CATTLE	ANGUS (23)	PHD11-1107 (F,23)(Valid)	PIE JUST RIGHT (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U071		SCJ20-0108 (M,23)	CATTLE	ANGUS (23)	JAN2177 (F,23)(Valid)	PIE JUST RIGHT (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
857U072		SCJ20-0122 (M,23)	CATTLE	ANGUS (23)	JAN2177 (F,23)(Valid)	PIE JUST RIGHT (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
Report Date : 26-Jun-2020 10:18									Page 6
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract							DR. M.P. MARX MANAGING DIRECTOR		

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Valid	
857U073	AC06-0178 (F,23)	CATTLE	ANGUS (23)			PROFX_C	PEX : External Profile	

Disclaimer:
While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR