

Batch Detail Report

Batch : 759U
 Created : 04-Jun-2020 21:22
 Owner : CC van der Merwe
 Farm : Hencil Bonsmaras
 Account : VDMCC1

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
759U001	CCV17-0091	CATTLE	BONSMARA	CCV14-0023 (F,1)\Valid)	FCT09-0142 (M,1)\Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U002	CCV17-0112	CATTLE	BONSMARA		LAR13-0256 (M,1)\Valid)	PAR_C	SV : Sire Valid	
759U003	CCV17-0115	CATTLE	BONSMARA	CCV14-0169 (F,1)\Valid)	AG08-0249 (M,1)\Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U004	CCV17-0116	CATTLE	BONSMARA	CCV14-0032 (F,1)\Not Valid)	LAR13-0256 (M,1)\Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
759U005	CCV17-0128	CATTLE	BONSMARA	CCV13-0040 (F,1)\Not Valid)		PAR_C	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	
759U006	CCV17-0147	CATTLE	BONSMARA		CCV11-0067 (M,1)\Valid) LAR05-0186 (M,1)\Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
759U007	CCV17-0158	CATTLE	BONSMARA		AG07-0176 (M,1)\Valid) CCV11-0067 (M,1)\Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
759U008	CCV17-0173	CATTLE	BONSMARA		AG11-0192 (M,1)\Valid)	PAR_C	SV : Sire Valid	
759U009	CCV17-0180	CATTLE	BONSMARA	CCV13-0207 (F,1)\Valid)	AG06-0027 (M,1)\Valid) CCV11-0067 (M,1)\Valid)	PAR_C	DV/mNSV : Dam Valid, Multiple Nominated Sires Valid	
759U010	CCV17-0182	CATTLE	BONSMARA	CCV14-0022 (F,1)\Valid)	LAR07-0021 (M,1)\Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 18-Jun-2020 13:59

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
 MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
759U011	CCV17-0190	CATTLE	BONSMARA		LAR12-0018 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U012	CCV17-0204	CATTLE	BONSMARA		CCV10-0103 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U013	CCV17-0206	CATTLE	BONSMARA		CCV10-0103 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U014	CCV17-0207	CATTLE	BONSMARA		CCV11-0067 (M,1)(Valid) FCT09-0142 (M,1)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
759U015	CCV17-0208	CATTLE	BONSMARA		LAR07-0021 (M,1)(Valid) CCV11-0067 (M,1)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
759U016	CCV18-0001	CATTLE	BONSMARA		LAR12-0018 (M,1)(Valid) AG14-0346 (U,1)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
759U017	CCV18-0030	CATTLE	BONSMARA		LAR13-0256 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U018	CCV18-0034	CATTLE	BONSMARA		CCV11-0067 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U019	CCV18-0042	CATTLE	BONSMARA	CCV14-0006 (F,1)(Not Valid)	LAR13-0256 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
759U020	CCV18-0043	CATTLE	BONSMARA		CCV10-0103 (M,1)(Valid) CCV11-0067 (M,1)(Valid) AG08-0204 (M,1)(Valid) AG06-0027 (M,1)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
759U021	CCV18-0050	CATTLE	BONSMARA		AG12-0062 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U022	CCV18-0057	CATTLE	BONSMARA		AG12-0062 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U023	CCV18-0006	CATTLE	BONSMARA			PAR_C	mNSX : Multiple Nominated Sires Excluded	
759U024	CCV18-0060	CATTLE	BONSMARA		AG12-0062 (M,1)(Valid)	PAR_C	SV : Sire Valid	

Report Date : 18-Jun-2020 13:59

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
759U025	CCV18-0064	CATTLE	BONSMARA	CCV14-0025 (F,1)\(Valid)		PAR_C	DV\mNSX : Dam Valid, Multiple Nominated Sires Excluded	
759U026	CCV18-0066	CATTLE	BONSMARA			PAR_C	mNSX : Multiple Nominated Sires Excluded	
759U027	CCV18-0074	CATTLE	BONSMARA	AG05-0269 (F,1)\(Valid)		PAR_C	DV\mNSX : Dam Valid, Multiple Nominated Sires Excluded	
759U028	CCV18-0075	CATTLE	BONSMARA	AG08-0307 (F,1)\(Valid)		PAR_C	DV\mNSX : Dam Valid, Multiple Nominated Sires Excluded	
759U029	CCV18-0076	CATTLE	BONSMARA	AG08-0739 (F,1)\(Valid)		PAR_C	DV\mNSX : Dam Valid, Multiple Nominated Sires Excluded	
759U030	CCV18-0008	CATTLE	BONSMARA	CCV13-0094 (F,1)\(Valid)	LAR13-0256 (M,1)\(Valid)	PAR_C	DV\SV : Dam Valid, Sire Valid	
759U031	CCV18-0080	CATTLE	BONSMARA	AG07-0301 (F,1)\(Valid)		PAR_C	DV\mNSX : Dam Valid, Multiple Nominated Sires Excluded	
759U032	CCV18-0081	CATTLE	BONSMARA	AG05-0326 (F,1)\(Not Valid)	AG12-0062 (M,1)\(Valid) AG08-0231 (M,1)\(Valid)	PAR_C	DX\mNSV : Dam Excluded, Multiple Nominated Sires Valid	
759U033	CCV18-0086	CATTLE	BONSMARA	CCV16-0049 (F,1)\(Valid)	AG12-0062 (M,1)\(Valid)	PAR_C	DV\SV : Dam Valid, Sire Valid	
759U034	CCV18-0090	CATTLE	BONSMARA			PAR_C	mNSX : Multiple Nominated Sires Excluded	
759U035	CCV18-0093	CATTLE	BONSMARA	CCV15-0059 (F,1)\(Not Valid)	AG12-0062 (M,1)\(Valid)	PAR_C	DX\SV : Dam Excluded, Sire Valid	

Report Date : 18-Jun-2020 13:59

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
759U036	CCV18-0095	CATTLE	BONSMARA	CCV16-0059 (F,1)(Not Valid)	AG12-0062 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
759U037	CCV18-0097	CATTLE	BONSMARA	AG05-0292 (F,1)(Valid)		PAR_C	DV/mNSX : Dam Valid, Multiple Nominated Sires Excluded	
759U038	CCV18-0098	CATTLE	BONSMARA	CCV16-0080 (F,1)(Valid)	AG12-0062 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U039	CCV18-0100	CATTLE	BONSMARA	CCV16-0083 (F,1)(Valid)	AG12-0062 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U040	CCV18-0102	CATTLE	BONSMARA	AG06-0250 (F,1)(Valid)		PAR_C	DV/mNSX : Dam Valid, Multiple Nominated Sires Excluded	
759U041	CCV18-0103	CATTLE	BONSMARA	CCV16-0076 (F,1)(Not Valid)	AG12-0062 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
759U042	CCV18-0105	CATTLE	BONSMARA	CCV15-0067 (F,1)(Valid)	AG12-0062 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U043	CCV18-0110	CATTLE	BONSMARA	CCV15-0140 (F,1)(Valid)	AG12-0062 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U044	CCV18-0112	CATTLE	BONSMARA	CCV16-0062 (F,1)(Not Valid)	AG12-0062 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
759U045	CCV18-0113	CATTLE	BONSMARA		AG12-0062 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U046	CCV18-0114	CATTLE	BONSMARA	AG05-0351 (F,1)(Valid)		PAR_C	DV/mNSX : Dam Valid, Multiple Nominated Sires Excluded	
759U047	CCV18-0115	CATTLE	BONSMARA	CCV16-0111 (F,1)(Valid)	AG12-0062 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 18-Jun-2020 13:59

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
759U048	CCV18-0117	CATTLE	BONSMARA	CCV16-0019 (F,1)\(Valid)	AG12-0062 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U049	CCV18-0119	CATTLE	BONSMARA	CCV15-0078 (F,1)\(Valid)	AG12-0062 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U050	CCV18-0012	CATTLE	BONSMARA	CCV15-0018 (F,1)\(Not Valid)	CCV11-0067 (M,1)\(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
759U051	CCV18-0121	CATTLE	BONSMARA	CCV16-0053 (F,1)\(Valid)	AG12-0062 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U052	CCV18-0122	CATTLE	BONSMARA	CCV16-0078 (F,1)\(Not Valid)	AG12-0062 (M,1)\(Valid) AG10-0175 (M,1)\(Valid)	PAR_C	DXmNSV : Dam Excluded, Multiple Nominated Sires Valid	
759U053	CCV18-0124	CATTLE	BONSMARA	CCV15-0065 (F,1)\(Valid)	AG12-0062 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U054	CCV18-0125	CATTLE	BONSMARA	CCV15-0116 (F,1)\(Valid)	AG12-0062 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U055	CCV18-0013	CATTLE	BONSMARA	CCV12-0206 (F,1)\(Valid)	LAR13-0256 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U056	CCV18-0130	CATTLE	BONSMARA	CCV15-0134 (F,1)\(Valid)	AG12-0062 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U057	CCV18-0133	CATTLE	BONSMARA	CCV15-0090 (F,1)\(Valid)	AG12-0062 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U058	CCV18-0135	CATTLE	BONSMARA	CCV16-0039 (F,1)\(Valid)	AG12-0062 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U059	CCV18-0140	CATTLE	BONSMARA		AG12-0062 (M,1)\(Valid)	PAR_C	SV : Sire Valid	
759U060	CCV18-0146	CATTLE	BONSMARA	CCV12-0136 (F,1)\(Valid)	LAR12-0018 (M,1)\(Valid)	PAR_C	DVSV :	

Report Date : 18-Jun-2020 13:59

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Dam Valid, Sire Valid	
759U061	CCV18-0155	CATTLE	BONSMARA	CCV13-0136 (F,1)\(Valid)	LAR12-0018 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U062	CCV18-0016	CATTLE	BONSMARA	CCV14-0174 (F,1)\(Valid)	AG08-0249 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U063	CCV18-0161	CATTLE	BONSMARA	CCV14-0123 (F,1)\(Not Valid)	LAR12-0018 (M,1)\(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
759U064	CCV18-0165	CATTLE	BONSMARA		LAR12-0018 (M,1)\(Valid)	PAR_C	SV : Sire Valid	
759U065	CCV18-0166	CATTLE	BONSMARA		LAR07-0021 (M,1)\(Valid)	PAR_C	SV : Sire Valid	
759U066	CCV18-0167	CATTLE	BONSMARA	CCV14-0092 (F,1)\(Valid)	LAR12-0018 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U067	CCV18-0169	CATTLE	BONSMARA	AG07-0315 (F,1)\(Valid)	AG11-0192 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U068	CCV18-0170	CATTLE	BONSMARA	CCV12-0224 (F,1)\(Valid)	LAR12-0455 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U069	CCV18-0172	CATTLE	BONSMARA		CCV10-0103 (M,1)\(Valid)	PAR_C	SV : Sire Valid	
759U070	CCV18-0173	CATTLE	BONSMARA		AG14-0346 (U,1)\(Valid)	PAR_C	SV : Sire Valid	
759U071	CCV18-0176	CATTLE	BONSMARA		AG14-0346 (U,1)\(Valid)	PAR_C	SV : Sire Valid	
759U072	CCV18-0177	CATTLE	BONSMARA	CCV14-0032 (F,1)\(Valid)	LAR12-0018 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
759U073	CCV18-0178	CATTLE	BONSMARA		LAR12-0455 (M,1)\(Valid)	PAR_C	SV : Sire Valid	

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
759U074	CCV18-0181	CATTLE	BONSMARA		LAR12-0018 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U075	CCV19-0004	CATTLE	BONSMARA		LAR12-0455 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U076	CCV19-0030	CATTLE	BONSMARA		JRP11-0073 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U077	CCV19-0046	CATTLE	BONSMARA		LAR12-0018 (M,1)(Valid) LAR10-0329 (M,1)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
759U078	CCV19-0047	CATTLE	BONSMARA		JRP11-0073 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U079	CCV19-0050	CATTLE	BONSMARA		AG12-0062 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U080	CCV19-0051	CATTLE	BONSMARA		AG12-0062 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U081	CCV19-0056	CATTLE	BONSMARA		BHE04-0085 (M,1)(Valid) AG12-0062 (M,1)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
759U082	CCV19-0057	CATTLE	BONSMARA		FCT09-0142 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U083	CCV19-0061	CATTLE	BONSMARA		LAR14-0389 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U084	CCV19-0064	CATTLE	BONSMARA		JRP11-0073 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U085	CCV19-0075	CATTLE	BONSMARA		LAR12-0018 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U086	CCV19-0077	CATTLE	BONSMARA		AG12-0062 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U087	CCV19-0087	CATTLE	BONSMARA		AG12-0062 (M,1)(Valid)	PAR_C	SV : Sire Valid	
759U088	CCV19-0088	CATTLE	BONSMARA		AG12-0062 (M,1)(Valid)	PAR_C	SV : Sire Valid	

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR