

Subject: On Top DM Admin
From: <elisca@wilzak.co.za>
Date: 2023/06/26, 11:20 am
To: "'Marietjie Delport"' <marietjie@studbook.co.za>

Hi Marietjie

Hoop dit gaan goed. Hier is 'n paar regstellings, asb:

- Aangeheg is weer DNA van TOP21-232. Ek sien op die stelsel dat die ma ontbreek.
- Kan ons asb die herinstelling aanvra van TOP21-308. Hy is goedgekeur in Junie deur oom Ian.
- Dan sien ek TOP21-302 se ouers ontbreek op die stelsel. Ek sien ook sy is gekanselleer. Kan ons haar asb weer instel? Sy is ook goedgekeur deur oom Ian op 06/06/2023. Ek heg DNA aan,

Lekker dag verder.



Attachments:

DNA TOP21178 en TOP21211-TOP21241.pdf	26,6 KB
DNA TOP21292-TOP22104.pdf	66,1 KB

Batch Detail Report

Batch : 6878U
 Owner : JIF Pistorius
 Owner Email: elisca@wilzak.co.za; johann@wilzak.co.za
 Owner CellPhone No. : 0836308090
 Farm : Paardefontein
 Account : PISJ01
 Origin : PRIVATE
 Invoice To : Owner

Created : 2021-11-17

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
6878U001	TOP21-0178 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP16-0154 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U002	TOP21-0211 (F,91)	CATTLE	DROUGHT MASTER (91)	ZEL14-0168 (F,91)(Valid)	TOP19-0100 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U003	TOP21-0212 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0124 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U004	TOP21-0213 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0190 (F,91)(Valid)	HOT17-0367 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U005	TOP21-0214 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0205 (F,91)(Valid)	TOP18-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U006	TOP21-0215 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0196 (F,91)(Valid)	TOP17-0209 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U007	TOP21-0216 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0103 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U008	TOP21-0217 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0172 (F,91)(Valid)	TOP18-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U009	TOP21-0218 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0233 (F,91)(Valid)	TOP18-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071

Report Date : 08-Nov-2022 12:36

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error.
 Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Testes Type	RESULT	INVOICE
6878U010	TOP21-0219 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP16-0147 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	Valid	40071
6878U011	TOP21-0222 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0032 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U012	TOP21-0224 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0032 (F,91)(Valid)	C11-0151 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U013	TOP21-0225 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0032 (F,91)(Valid)	C11-0151 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U014	TOP21-0226 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0032 (F,91)(Valid)	C11-0151 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U015	TOP21-0227 (M,91)	CATTLE	DROUGHT MASTER (91)	C08-0426 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U016	TOP21-0228 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0032 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U017	TOP21-0229 (F,91)	CATTLE	DROUGHT MASTER (91)	C08-0426 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U018	TOP21-0230 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0032 (F,91)(Valid)	C11-0505 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U019	TOP21-0231 (F,91)	CATTLE	DROUGHT MASTER (91)	C09-0032 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U020	TOP21-0232 (M,91)	CATTLE	DROUGHT MASTER (91)	C08-0426 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071

Report Date : 08-Nov-2022 12:36

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error.
Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
6878U021	TOP21-0233 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0032 (F,91)\(Valid)	TOP17-0235 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U022	TOP21-0234 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0032 (F,91)\(Valid)	TOP17-0235 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U023	TOP21-0235 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0115 (F,91)\(Valid)	TOP17-0235 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U024	TOP21-0236 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0032 (F,91)\(Valid)	TOP17-0235 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U025	TOP21-0237 (F,91)	CATTLE	DROUGHT MASTER (91)	C09-0140 (F,91)\(Valid)	C11-0151 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U026	TOP21-0238 (F,91)	CATTLE	DROUGHT MASTER (91)	C09-0032 (F,91)\(Valid)	TOP17-0235 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U027	TOP21-0239 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0032 (F,91)\(Valid)	C11-0505 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U028	TOP21-0240 (M,91)	CATTLE	DROUGHT MASTER (91)	C08-0426 (F,91)\(Valid)	TOP17-0235 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071
6878U029	TOP21-0241 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)\(Valid)	SWAN16-0036 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	40071

Report Date : 08-Nov-2022 12:36

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Batch : 7389U
Owner :JIF Pistorius
Farm :Paardefontein
Account : PISJ01
Invoice To : Owner

Created : 2022-01-18

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7389U001	TOP21-0225 (N/S,91)	CATTLE	DROUGHT MASTER (91)	C09-0032 (F,91)\(Not Valid)	TOP17-0235 (M,91)\(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
7389U002	TOP21-0229 (N/S,91)	CATTLE	DROUGHT MASTER (91)	C08-0426 (F,91)\(Not Valid)	C11-0151 (M,91)\(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
7389U003	TOP21-0292 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0171 (F,91)\(Valid)	TOP18-0127 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U004	TOP21-0293 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)\(Valid)	TOP17-0235 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U005	TOP21-0294 (N/S,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0017 (F,91)\(Valid)	TOP17-0235 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U006	TOP21-0295 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)\(Valid)	TOP17-0235 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U007	TOP21-0296 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0155 (F,91)\(Valid)	TOP17-0235 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U008	TOP21-0297 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP16-0146 (F,91)\(Valid)	HOT16-0303 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U009	TOP21-0298 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)\(Valid)	TOP17-0235 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U010	TOP21-0299 (N/S,91)	CATTLE	DROUGHT	TOP18-0165 (F,91)\(Valid)	TOP17-0235 (M,91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Jan-2022 09:27

Page 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7389U011	TOP21-0300 (N/S,91)	CATTLE	MASTER (91)	C09-0032 (F,91)(Not Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Dam Valid, Sire Valid	
7389U012	TOP21-0301 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
7389U013	TOP21-0302 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0155 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U014	TOP21-0303 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U015	TOP21-0304 (N/S,91)	CATTLE	DROUGHT MASTER (91)		TOP17-0235 (M,91)(Valid)	PAR_C	mNDXSV : Multiple Nominated Dams Excluded, Sire Valid	
7389U016	TOP21-0305 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U017	TOP21-0306 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U018	TOP21-0307 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0155 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U019	TOP21-0308 (N/S,91)	CATTLE	DROUGHT MASTER (91)	OW16-0151 (F,91)(Valid)		PAR_C	DV/mNSX : Dam Valid, Multiple Nominated Sires Excluded	
7389U020	TOP21-0309 (N/S,91)	CATTLE	DROUGHT MASTER (91)	OW16-0151 (F,91)(Valid)		PAR_C	DV/mNSX : Dam Valid, Multiple Nominated Sires Excluded	

Report Date : 26-Jan-2022 09:27

Page 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7389U021	TOP21-0310 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0205 (F,91)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
7389U022	TOP21-0311 (N/S,91)	CATTLE	DROUGHT MASTER (91)	OW16-0151 (F,91)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
7389U023	TOP21-0312 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0255 (F,91)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
7389U024	TOP21-0313 (N/S,91)	CATTLE	DROUGHT MASTER (91)	OW16-0151 (F,91)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
7389U025	TOP21-0314 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U026	TOP22-0100 (N/S,91)	CATTLE	DROUGHT MASTER (91)	OW16-0151 (F,91)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
7389U027	TOP22-0101 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0255 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U028	TOP22-0102 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U029	TOP22-0103 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U030	TOP22-0104 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Jan-2022 09:27

Page 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER