

Batch Detail Report

Batch : 1030U
Created : 29-Jun-2020 11:25
Owner : Stephan du Plessis
Farm : Delta Beefmasters/Rietfontein
Account :

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1030U001	DB18-0001 (F,31)	CATTLE	BEEFMASTER (31)		Z12-0019 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U002	DB18-0008 (M,31)	CATTLE	BEEFMASTER (31)	DB15-0231 (F,31)(Valid)	Z13-0076 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U003	DB18-0010 (F,31)	CATTLE	BEEFMASTER (31)	DB15-0246 (F,31)(Valid)	Z13-0076 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U004	DB18-0011 (F,31)	CATTLE	BEEFMASTER (31)	DB15-0234 (F,31)(Valid)	Z13-0076 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U005	DB18-0012 (F,31)	CATTLE	BEEFMASTER (31)	DB15-0236 (F,31)(Valid)	Z13-0076 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U006	DB18-0013 (F,31)	CATTLE	BEEFMASTER (31)		Z13-0076 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U007	DB18-0014 (F,31)	CATTLE	BEEFMASTER (31)	DB15-0238 (F,31)(Valid)	Z13-0076 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U008	DB18-0015 (M,31)	CATTLE	BEEFMASTER (31)		Z13-0076 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U009	DB18-0016 (M,31)	CATTLE	BEEFMASTER (31)	DB15-0239 (F,31)(Valid)	Z13-0076 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U010	DB18-0017 (M,31)	CATTLE	BEEFMASTER (31)	DB15-0240 (F,31)(Valid)	Z13-0076 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U011	DB18-0018 (M,31)	CATTLE	BEEFMASTER (31)		Z13-0076 (M,31)(Valid)	PAR_C	SV : Sire Valid	

Report Date : 14-Jul-2020 13:12

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1030U012	DB18-0019 (F,31)	CATTLE	BEEFMASTER (31)	DB15-0241 (F,31)(Valid)	Z13-0076 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U013	DB18-0020 (M,31)	CATTLE	BEEFMASTER (31)	DB15-0085 (F,31)(Valid)	Z12-0019 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U014	DB18-0024 (M,31)	CATTLE	BEEFMASTER (31)	DB15-0080 (F,31)(Valid)	Z12-0019 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U015	DB18-0025 (M,31)	CATTLE	BEEFMASTER (31)	DB15-0079 (F,31)(Valid)	Z12-0019 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U016	DB18-0027 (F,31)	CATTLE	BEEFMASTER (31)	DB15-0118 (F,31)(Valid)	Z12-0019 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U017	DB18-0028 (F,31)	CATTLE	BEEFMASTER (31)		Z12-0019 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U018	DB18-0031 (F,31)	CATTLE	BEEFMASTER (31)	DB15-0136 (F,31)(Valid)	Z12-0019 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U019	DB18-0033 (M,31)	CATTLE	BEEFMASTER (31)	DB15-0033 (F,31)(Not Valid)	Z12-0019 (M,31)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
1030U020	DB18-0034 (F,31)	CATTLE	BEEFMASTER (31)	DB15-0138 (F,31)(Valid)	Z12-0019 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U021	DB18-0037 (M,31)	CATTLE	BEEFMASTER (31)		Z12-0019 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U022	DB18-0039 (M,31)	CATTLE	BEEFMASTER (31)		Z12-0019 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U023	DB18-0040 (F,31)	CATTLE	BEEFMASTER (31)	DB14-0271 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U024	DB18-0042 (F,31)	CATTLE	BEEFMASTER (31)		Z12-0019 (M,31)(Valid)	PAR_C	SV : Sire Valid	

Report Date : 14-Jul-2020 13:12

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1030U025	DB18-0044 (F,31)	CATTLE	BEEFMASTER (31)	DB13-0402 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U026	DB18-0045 (F,31)	CATTLE	BEEFMASTER (31)	DB15-0031 (F,31)(Valid)	Z12-0019 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U027	DB18-0046 (M,31)	CATTLE	BEEFMASTER (31)	DB13-0232 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U028	DB18-0050 (F,31)	CATTLE	BEEFMASTER (31)	DB13-0150 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U029	DB18-0053 (F,31)	CATTLE	BEEFMASTER (31)	DB13-0241 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U030	DB18-0054 (F,31)	CATTLE	BEEFMASTER (31)	DB14-0119 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U031	DB18-0055 (M,31)	CATTLE	BEEFMASTER (31)	DB14-0022 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U032	DB18-0056 (F,31)	CATTLE	BEEFMASTER (31)	DB13-0244 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U033	DB18-0057 (F,31)	CATTLE	BEEFMASTER (31)		BOS11-1255 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U034	DB18-0059 (F,31)	CATTLE	BEEFMASTER (31)	DB14-0265 (F,31)(Valid)	WO14-0304 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U035	DB18-0060 (M,31)	CATTLE	BEEFMASTER (31)		WO14-0304 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U036	DB18-0062 (M,31)	CATTLE	BEEFMASTER (31)	DB13-0153 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U037	DB18-0063 (F,31)	CATTLE	BEEFMASTER (31)	DB14-0251 (F,31)(Valid)	WO14-0304 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 14-Jul-2020 13:12

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1030U038	DB18-0064 (F,31)	CATTLE	BEEFMASTER (31)		BOS11-1255 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U039	DB18-0066 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0123 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U040	DB18-0068 (M,31)	CATTLE	BEEFMASTER (31)	DB14-0269 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U041	DB18-0070 (F,31)	CATTLE	BEEFMASTER (31)	DB14-0264 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U042	DB18-0072 (F,31)	CATTLE	BEEFMASTER (31)	DB13-0229 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U043	DB18-0073 (M,31)	CATTLE	BEEFMASTER (31)	DB14-0036 (F,31)(Valid)	WO14-0304 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U044	DB18-0074 (M,31)	CATTLE	BEEFMASTER (31)	DB13-0065 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U045	DB18-0075 (M,31)	CATTLE	BEEFMASTER (31)	WO14-0209 (F,31)(Valid)		PAR_C	DV ^m NSX : Dam Valid, Multiple Nominated Sires Excluded	
1030U046	DB18-0076 (M,31)	CATTLE	BEEFMASTER (31)		WO14-0304 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U047	DB18-0077 (F,31)	CATTLE	BEEFMASTER (31)	DB14-0270 (F,31)(Valid)	WO14-0304 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U048	DB18-0078 (F,31)	CATTLE	BEEFMASTER (31)		WO14-0304 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U049	DB18-0079 (F,31)	CATTLE	BEEFMASTER (31)	DB14-0160 (F,31)(Valid)	WO14-0304 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U050	DB18-0080 (F,31)	CATTLE	BEEFMASTER (31)		Z12-0019 (M,31)(Valid)	PAR_C	SV : Sire Valid	

Report Date : 14-Jul-2020 13:12

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1030U051	DB18-0081 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0196 (F,31)(Valid)	WO14-0304 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U052	DB18-0082 (M,31)	CATTLE	BEEFMASTER (31)	DB13-0239 (F,31)(Valid)	WO14-0304 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U053	DB18-0086 (F,31)	CATTLE	BEEFMASTER (31)	DB11-0089 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U054	DB18-0088 (F,31)	CATTLE	BEEFMASTER (31)	WO14-0389 (F,31)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
1030U055	DB18-0089 (F,31)	CATTLE	BEEFMASTER (31)	DB14-0258 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U056	DB18-0090 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0260 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U057	DB18-0091 (F,31)	CATTLE	BEEFMASTER (31)	DB14-0250 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U058	DB18-0092 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0253 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U059	DB18-0093 (F,31)	CATTLE	BEEFMASTER (31)	DB15-0113 (F,31)(Valid)	Z12-0019 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U060	DB18-0094 (M,31)	CATTLE	BEEFMASTER (31)	DB08-0140 (F,31)(Valid)	BOS11-1255 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U061	DB18-0096 (M,31)	CATTLE	BEEFMASTER (31)	DB11-0007 (F,31)(Valid)	09-0190 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U062	DB18-0097 (F,31)	CATTLE	BEEFMASTER (31)	DB11-0186 (F,31)(Valid)	09-0190 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 14-Jul-2020 13:12

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1030U063	DB18-0100 (F,31)	CATTLE	BEEFMASTER (31)	DB11-0164 (F,31)(Valid)	4X407-0457 (M,UNK_C)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U064	DB18-0101 (F,31)	CATTLE	BEEFMASTER (31)	DB11-0098 (F,31)(Valid)	4X407-0457 (M,UNK_C)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U065	DB18-0102 (F,31)	CATTLE	BEEFMASTER (31)	DB08-0126 (F,31)(Valid)	09-0190 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U066	DB18-0105 (F,31)	CATTLE	BEEFMASTER (31)	DB13-0075 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U067	DB18-0107 (F,31)	CATTLE	BEEFMASTER (31)	DB10-0157 (F,31)(Valid)	4X407-0457 (M,UNK_C)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U068	DB18-0108 (F,31)	CATTLE	BEEFMASTER (31)	DB13-0043 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U069	DB18-0112 (M,31)	CATTLE	BEEFMASTER (31)	DB11-0126 (F,31)(Valid)	4X407-0457 (M,UNK_C)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U070	DB18-0118 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0252 (F,31)(Valid)	4X407-0457 (M,UNK_C)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U071	DB18-0119 (F,31)	CATTLE	BEEFMASTER (31)	DB13-0055 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U072	DB18-0120 (F,31)	CATTLE	BEEFMASTER (31)	DB15-0111 (F,31)(Valid)	Z12-0019 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U073	DB18-0121 (F,31)	CATTLE	BEEFMASTER (31)			PAR_C	PU : Profile (Unistel)	
1030U074	DB18-0123 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0255 (F,31)(Valid)	09-0190 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U075	DB18-0126 (F,31)	CATTLE	BEEFMASTER (31)	DB14-0047 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire	

Report Date : 14-Jul-2020 13:12

Page 6

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Valid	
1030U076	DB18-0127 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0074 (F,31)(Not Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
1030U077	DB18-0128 (F,31)	CATTLE	BEEFMASTER (31)		DB14-0113 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U078	DB18-0129 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0263 (F,31)(Valid)	4X407-0457 (M,UNK_C)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U079	DB18-0130 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0267 (F,31)(Valid)	4X407-0457 (M,UNK_C)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U080	DB18-0131 (F,31)	CATTLE	BEEFMASTER (31)	DB10-0036 (F,31)(Valid)	DB14-0113 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U081	DB18-0133 (F,31)	CATTLE	BEEFMASTER (31)	DB08-0005 (F,31)(Valid)	09-0190 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U082	DB18-0134 (F,31)	CATTLE	BEEFMASTER (31)	DB08-0141 (F,31)(Valid)	09-0190 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U083	DB18-0138 (M,31)	CATTLE	BEEFMASTER (31)	DB11-0066 (F,31)(Valid)	DB15-0177 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U084	DB18-0139 (M,31)	CATTLE	BEEFMASTER (31)		09-0190 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U085	DB18-0141 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0256 (F,31)(Valid)	DB15-0177 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U086	DB18-0142 (F,31)	CATTLE	BEEFMASTER (31)	DB12-0074 (F,31)(Valid)	DB15-0177 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U087	DB18-0145 (M,31)	CATTLE	BEEFMASTER (31)		DB15-0177 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U088	DB18-0150 (F,31)	CATTLE	BEEFMASTER	DB10-0117 (F,31)(Valid)	09-0190 (M,31)(Valid)	PAR_C	DVSV :	

Report Date : 14-Jul-2020 13:12

Page 7

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(31)				Dam Valid, Sire Valid	
1030U089	DB18-0155 (M,31)	CATTLE	BEEFMASTER (31)	DB15-0243 (F,31)(Valid)	Z13-0076 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U090	DB18-0156 (F,31)	CATTLE	BEEFMASTER (31)	DB12-0271 (F,31)(Valid)	DB14-0113 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U091	DB18-0158 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0261 (F,31)(Valid)	DB14-0113 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U092	DB18-0159 (F,31)	CATTLE	BEEFMASTER (31)	DB12-0094 (F,31)(Valid)	DB14-0113 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U093	DB18-0161 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0212 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U094	DB18-0162 (F,31)	CATTLE	BEEFMASTER (31)	DB11-0071 (F,31)(Valid)	DB14-0113 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U095	DB18-0165 (F,31)	CATTLE	BEEFMASTER (31)	DB12-0139 (F,31)(Valid)	DB14-0113 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U096	DB18-0166 (F,31)	CATTLE	BEEFMASTER (31)	DB12-0257 (F,31)(Valid)	DB14-0113 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U097	DB18-0167 (M,31)	CATTLE	BEEFMASTER (31)	DB08-0136 (F,31)(Valid)	09-0190 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U098	DB18-0169 (F,31)	CATTLE	BEEFMASTER (31)		09-0190 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U099	DB18-0172 (M,31)	CATTLE	BEEFMASTER (31)	DB08-0010 (F,31)(Valid)	09-0190 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U100	DB18-0173 (F,31)	CATTLE	BEEFMASTER (31)	DB14-0261 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 14-Jul-2020 13:12

Page 8

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1030U101	DB18-0174 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0150 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U102	DB18-0175 (F,31)	CATTLE	BEEFMASTER (31)	DB14-0094 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U103	DB18-0176 (M,31)	CATTLE	BEEFMASTER (31)	DB08-0143 (F,31)(Valid)	09-0190 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U104	DB18-0181 (F,31)	CATTLE	BEEFMASTER (31)		09-0190 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U105	DB18-0182 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0198 (F,31)(Valid)	DB14-0113 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U106	DB18-0185 (F,31)	CATTLE	BEEFMASTER (31)		FRJ14-0079 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1030U107	DB18-0186 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0200 (F,31)(Valid)	DB14-0113 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U108	DB18-0187 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0009 (F,31)(Valid)	DB14-0113 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U109	DB18-0188 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0259 (F,31)(Valid)	DB14-0113 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U110	DB18-0192 (M,31)	CATTLE	BEEFMASTER (31)	DB14-0260 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U111	DB18-0194 (M,31)	CATTLE	BEEFMASTER (31)	DB13-0005 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U112	DB18-0200 (F,31)	CATTLE	BEEFMASTER (31)	DB13-0074 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U113	DB18-0202 (F,31)	CATTLE	BEEFMASTER (31)	DB13-0089 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 14-Jul-2020 13:12

Page 9

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1030U114	DB18-0204 (M,31)	CATTLE	BEEFMASTER (31)	DB12-0112 (F,31)(Valid)	DB15-0177 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U115	DB18-0207 (M,31)	CATTLE	BEEFMASTER (31)	WO13-0448 (F,31)(Valid)		PAR_C	DV mNSX : Dam Valid, Multiple Nominated Sires Excluded	
1030U116	DB18-0208 (F,31)	CATTLE	BEEFMASTER (31)	DB14-0275 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U117	DB18-0212 (M,31)	CATTLE	BEEFMASTER (31)	DB13-0127 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U118	DB18-0214 (M,31)	CATTLE	BEEFMASTER (31)	DB14-0011 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U119	DB18-0215 (F,31)	CATTLE	BEEFMASTER (31)	DB13-0168 (F,31)(Valid)	FRJ14-0079 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U120	DB18-0220 (M,31)	CATTLE	BEEFMASTER (31)	DB10-0049 (F,31)(Valid)	09-0190 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1030U121	DB18-0222 (M,31)	CATTLE	BEEFMASTER (31)	WO12-0854 (F,31)(Valid)		PAR_C	DV mNSX : Dam Valid, Multiple Nominated Sires Excluded	
1030U122	DB18-0225 (M,31)	CATTLE	BEEFMASTER (31)	WO12-0124 (F,31)(Valid)		PAR_C	DV mNSX : Dam Valid, Multiple Nominated Sires Excluded	
1030U123	DB18-0021 (U,31)	CATTLE	BEEFMASTER (31)		Z12-0019 (M,31)(Valid)	PAR_C	SV : Sire Valid	

Report Date : 14-Jul-2020 13:12

Page 10

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR