

Batch Detail Report

Batch : 1207U
Created : 09-Jul-2020 21:03
Owner : Fredericksburg Landgoed
Farm : L'Ormarins/Riebeecksrivier
Account : THER01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1207U001	FG20-0744 (M,23)	CATTLE	ANGUS (23)	FG10-0068 (F,23)(Valid)	FG15-0348 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U002	FG20-0745 (F,23)	CATTLE	ANGUS (23)	FG10-0074 (F,23)(Valid)	FG15-0348 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U003	FG20-0746 (M,23)	CATTLE	ANGUS (23)	FG13-0182 (F,23)(Valid)	FG15-0348 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U004	FG20-0747 (F,23)	CATTLE	ANGUS (23)	FG11-0109 (F,23)(Valid)	FG15-0348 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U005	FG20-0748 (F,23)	CATTLE	ANGUS (23)	FG08-0009 (F,23)(Valid)	FG17-0556 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U006	FG20-0749 (F,23)	CATTLE	ANGUS (23)	FG18-0634 (F,23)(Valid)	BLACK ONYX 5Q11 (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U007	FG20-0750 (F,23)	CATTLE	ANGUS (23)	FG16-0420 (F,23)(Valid)	BLACK ONYX 5Q11 (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U008	FG20-0751 (F,23)	CATTLE	ANGUS (23)	FG09-0047 (F,23)(Valid)	FG15-0348 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U009	FG20-0752 (F,23)	CATTLE	ANGUS (23)	FG12-0166 (F,23)(Valid)	FG15-0348 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U010	FG20-0753 (F,23)	CATTLE	ANGUS (23)	FG12-0138 (F,23)(Valid)	CLASSIC (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 22-Jul-2020 13:30

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1207U011	FG20-0754 (M,23)	CATTLE	ANGUS (23)	FG11-0099 (F,23)(Valid)	FG15-0348 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U012	FG20-0755 (F,23)	CATTLE	ANGUS (23)	FG17-0539 (F,23)(Valid)	FG17-0556 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U013	FG20-0756 (F,23)	CATTLE	ANGUS (23)	FG14-0259 (F,23)(Valid)	FG17-0556 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U014	FG20-0757 (F,23)	CATTLE	ANGUS (23)	FG15-0355 (F,23)(Valid)	BLACK ONYX 5Q11 (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U015	FG20-0758 (F,23)	CATTLE	ANGUS (23)	FG18-0611 (F,23)(Valid)	BLACK ONYX 5Q11 (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U016	FG20-0759 (F,23)	CATTLE	ANGUS (23)	HR07-0585 (F,23)(Valid)	FG17-0556 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U017	FG20-0760 (F,23)	CATTLE	ANGUS (23)	FG17-0529 (F,23)(Valid)	BLACK ONYX 5Q11 (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U018	FG20-0761 (F,23)	CATTLE	ANGUS (23)	FG15-0305 (F,23)(Valid)	SAV RESOURCE 1441 (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U019	FG20-0762 (F,23)	CATTLE	ANGUS (23)	FG11-0123 (F,23)(Valid)	FG15-0348 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U020	FG20-0763 (F,23)	CATTLE	ANGUS (23)	FG14-0254 (F,23)(Valid)	FG17-0556 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U021	FG20-0764 (M,23)	CATTLE	ANGUS (23)	FG14-0262 (F,23)(Valid)	FG17-0556 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U022	FG20-0765 (M,23)	CATTLE	ANGUS (23)	FG16-0499 (F,23)(Valid)	FG17-0556 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U023	FG20-0766 (F,23)	CATTLE	ANGUS (23)	FG17-0534 (F,23)(Valid)	FG15-0348 (M,23)(Valid)	PAR_C	DVSV :	

Report Date : 22-Jul-2020 13:30

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Dam Valid, Sire Valid	
1207U024	FG20-0767 (F,23)	CATTLE	ANGUS (23)	FG17-0527 (F,23)(Valid)	FG17-0556 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U025	FG20-0768 (M,23)	CATTLE	ANGUS (23)	FG14-0249 (F,23)(Valid)	FG15-0348 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U026	FG20-0769 (M,23)	CATTLE	ANGUS (23)	FG16-0425 (F,23)(Valid)	FG17-0556 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U027	FG20-0770 (M,23)	CATTLE	ANGUS (23)	FG16-0438 (F,23)(Valid)	FG15-0348 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U028	FG20-0771 (F,23)	CATTLE	ANGUS (23)	FG16-0440 (F,23)(Valid)	FG15-0348 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U029	FG20-0772 (M,23)	CATTLE	ANGUS (23)	FG17-0553 (F,23)(Valid)	FG15-0348 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U030	FG20-0773 (M,23)	CATTLE	ANGUS (23)	FG18-0616 (F,23)(Valid)	BLACK ONYX 5Q11 (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U031	FG20-0774 (M,23)	CATTLE	ANGUS (23)	FG17-0550 (F,23)(Valid)	FG15-0348 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U032	FG20-0776 (M,23)	CATTLE	ANGUS (23)	FG12-0133 (F,23)(Valid)	FG17-0556 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U033	FG20-0777 (M,23)	CATTLE	ANGUS (23)	FG18-0659 (F,23)(Valid)	FG14-0245 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U034	FG20-0779 (F,23)	CATTLE	ANGUS (23)	FG18-0661 (F,23)(Valid)	SAV RESOURCE 1441 (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U035	FG20-0780 (M,23)	CATTLE	ANGUS (23)	FG10-0064 (F,23)(Valid)	FG15-0348 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire	

Report Date : 22-Jul-2020 13:30

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Valid	
1207U036	FG20-0781 (M,23)	CATTLE	ANGUS (23)	FG12-0165 (F,23)(Valid)	WEIGHT UP (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U037	FG20-0782 (M,23)	CATTLE	ANGUS (23)	FG10-0066 (F,23)(Valid)	FG15-0348 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U038	FG20-0783 (F,23)	CATTLE	ANGUS (23)	FG12-0165 (F,23)(Valid)	WEIGHT UP (U,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1207U039	FG20-0784 (M,23)	CATTLE	ANGUS (23)	FG18-0639 (F,23)(Valid)	FG14-0245 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 22-Jul-2020 13:30

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR