

Batch Detail Report

Batch : 1201U
Created : 09-Jul-2020 20:57
Owner : Alfred Meyer Dippenaar
Farm : Wagnou
Account : DIPAM1
Origin : BEEFMASTER BREEDERS SOCIETY

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1201U001	WAG20-0001 (M,31)	CATTLE	BEEFMASTER (31)		WAG16-0087 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U002	WAG20-0002 (F,31)	CATTLE	BEEFMASTER (31)		WAG16-0087 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U003	WAG20-0003 (F,31)	CATTLE	BEEFMASTER (31)	WAG16-0028 (U,31)(Valid)	WO13-0154 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U004	WAG20-0004 (F,31)	CATTLE	BEEFMASTER (31)	WAG17-0027 (F,31)(Valid)	WO13-0154 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U005	WAG20-0005 (F,31)	CATTLE	BEEFMASTER (31)		WAG13-0005 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U006	WAG20-0006 (F,31)	CATTLE	BEEFMASTER (31)	WAG13-0028 (F,31)(Valid)	WAG12-0035 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U007	WAG20-0007 (F,31)	CATTLE	BEEFMASTER (31)		WAG12-0035 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U008	WAG20-0008 (M,31)	CATTLE	BEEFMASTER (31)		WAG16-0008 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U009	WAG20-0009 (F,31)	CATTLE	BEEFMASTER (31)		WAG16-0008 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U010	WAG20-0010 (M,31)	CATTLE	BEEFMASTER (31)	WAG15-0189 (U,31)(Valid)	WAG15-0008 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U011	WAG20-0011 (M,31)	CATTLE	BEEFMASTER (31)	WAG14-0039 (U,31)(Valid)	WAG15-0210 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U012	WAG20-0012 (F,31)	CATTLE	BEEFMASTER	WAG13-0001 (F,31)(Valid)	WAG12-0035 (M,31)(Valid)	PAR_C	DVSV :	

Report Date : 28-Jul-2020 13:14

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(31)				Dam Valid, Sire Valid	
1201U013	WAG20-0013 (F,31)	CATTLE	BEEFMASTER (31)		WAG15-0210 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U014	WAG20-0014 (F,31)	CATTLE	BEEFMASTER (31)	WAG14-0008 (U,31)(Valid)	WAG12-0035 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U015	WAG20-0015 (M,31)	CATTLE	BEEFMASTER (31)		WAG12-0035 (M,31)(Valid) WAG15-0210 (U,31)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
1201U016	WAG20-0016 (F,31)	CATTLE	BEEFMASTER (31)		WAG15-0009 (U,31)(Valid) WAG16-0008 (U,31)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
1201U017	WAG20-0017 (F,31)	CATTLE	BEEFMASTER (31)		WAG16-0008 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U018	WAG20-0018 (M,31)	CATTLE	BEEFMASTER (31)	WAG13-0053 (F,31)(Valid)	WAG12-0035 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U019	WAG20-0019 (M,31)	CATTLE	BEEFMASTER (31)		WAG12-0035 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U020	WAG20-0020 (M,31)	CATTLE	BEEFMASTER (31)		WAG12-0035 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U021	WAG20-0021 (F,31)	CATTLE	BEEFMASTER (31)		WAG16-0087 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U022	WAG20-0022 (M,31)	CATTLE	BEEFMASTER (31)		WAG12-0035 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U023	WAG20-0023 (M,31)	CATTLE	BEEFMASTER (31)		WAG12-0035 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U024	WAG20-0024 (F,31)	CATTLE	BEEFMASTER (31)		WAG13-0005 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U025	WAG20-0026 (M,31)	CATTLE	BEEFMASTER (31)		WAG12-0002 (M,31)(Valid) WAG16-0008 (U,31)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
1201U026	WAG20-0027 (F,31)	CATTLE	BEEFMASTER	WAG14-0059 (U,31)(Valid)	WAG16-0008 (U,31)(Valid)	PAR_C	DVSV :	

Report Date : 28-Jul-2020 13:14

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(31)				Dam Valid, Sire Valid	
1201U027	WAG20-0028 (F,31)	CATTLE	BEEFMASTER (31)		WAG16-0008 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U028	WAG20-0029 (F,31)	CATTLE	BEEFMASTER (31)	WAG15-0136 (U,31)(Valid)	WAG15-0210 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U029	WAG20-0030 (F,31)	CATTLE	BEEFMASTER (31)	WAG14-0065 (U,31)(Valid)	WAG13-0005 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U030	WAG20-0031 (M,31)	CATTLE	BEEFMASTER (31)		15-0067 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U031	WAG20-0032 (M,31)	CATTLE	BEEFMASTER (31)	WAG15-0108 (U,31)(Valid)	WAG16-0087 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U032	WAG20-0033 (F,31)	CATTLE	BEEFMASTER (31)		WAG14-0019 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U033	WAG20-0034 (M,31)	CATTLE	BEEFMASTER (31)		WAG12-0035 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U034	WAG20-0035 (M,31)	CATTLE	BEEFMASTER (31)		WAG16-0008 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U035	WAG20-0036 (F,31)	CATTLE	BEEFMASTER (31)		WAG16-0008 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U036	WAG20-0037 (M,31)	CATTLE	BEEFMASTER (31)		WAG16-0008 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U037	WAG20-0038 (M,31)	CATTLE	BEEFMASTER (31)		WAG16-0008 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U038	WAG20-0039 (F,31)	CATTLE	BEEFMASTER (31)		WAG14-0019 (U,31)(Valid) WAG16-0087 (M,31)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
1201U039	WAG20-0040 (M,31)	CATTLE	BEEFMASTER (31)		15-0067 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U040	WAG20-0041 (F,31)	CATTLE	BEEFMASTER (31)	WAG11-0005 (F,31)(Valid)	WAG14-0019 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire	

Report Date : 28-Jul-2020 13:14

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Valid	
1201U041	WAG20-0042 (F,31)	CATTLE	BEEFMASTER (31)		WAG13-0005 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U042	WAG20-0043 (F,31)	CATTLE	BEEFMASTER (31)		WAG12-0035 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U043	WAG20-0044 (F,31)	CATTLE	BEEFMASTER (31)	WAG16-0049 (U,31)(Valid)	WAG12-0035 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U044	WAG20-0045 (F,31)	CATTLE	BEEFMASTER (31)		WAG15-0008 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U045	WAG20-0046 (F,31)	CATTLE	BEEFMASTER (31)	WAG15-0161 (U,31)(Valid)	WAG12-0035 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U046	WAG20-0047 (M,31)	CATTLE	BEEFMASTER (31)		WAG14-0019 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U047	WAG20-0048 (F,31)	CATTLE	BEEFMASTER (31)	WAG13-0011 (U,31)(Valid)	WAG15-0008 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U048	WAG20-0049 (F,31)	CATTLE	BEEFMASTER (31)	WAG16-0137 (F,31)(Valid)	WO13-0154 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U049	WAG20-0050 (M,31)	CATTLE	BEEFMASTER (31)		WAG16-0087 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U050	WAG20-0051 (M,31)	CATTLE	BEEFMASTER (31)	WAG13-0033 (F,31)(Valid)	WAG16-0087 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U051	WAG20-0052 (F,31)	CATTLE	BEEFMASTER (31)	WAG15-0181 (U,31)(Valid)	WAG13-0005 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U052	WAG20-0053 (M,31)	CATTLE	BEEFMASTER (31)		WAG16-0087 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U053	WAG20-0054 (M,31)	CATTLE	BEEFMASTER (31)		WAG16-0087 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U054	WAG20-0055 (M,31)	CATTLE	BEEFMASTER		WAG16-0008 (U,31)(Valid)	PAR_C	SV :	

Report Date : 28-Jul-2020 13:14

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(31)				Sire Valid	
1201U055	WAG20-0056 (F,31)	CATTLE	BEEFMASTER (31)	WAG15-0198 (U,31)(Valid)	WAG12-0035 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U056	WAG20-0057 (F,31)	CATTLE	BEEFMASTER (31)	WAG16-0022 (U,31)(Valid)	WAG15-0210 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U057	WAG20-0058 (M,31)	CATTLE	BEEFMASTER (31)		15-0067 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U058	WAG20-0059 (M,31)	CATTLE	BEEFMASTER (31)	WAG16-0139 (F,31)(Valid)	WO13-0154 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U059	WAG20-0060 (M,31)	CATTLE	BEEFMASTER (31)	WAG12-0007 (F,31)(Valid)	15-0067 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U060	WAG20-0061 (M,31)	CATTLE	BEEFMASTER (31)		WAG16-0008 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U061	WAG20-0062 (F,31)	CATTLE	BEEFMASTER (31)		WAG16-0008 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U062	WAG20-0063 (M,31)	CATTLE	BEEFMASTER (31)		WAG14-0019 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U063	WAG20-0064 (M,31)	CATTLE	BEEFMASTER (31)	WAG15-0045 (U,31)(Valid)	WAG13-0005 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U064	WAG20-0065 (F,31)	CATTLE	BEEFMASTER (31)	WAG17-0110 (F,31)(Valid)	WAG15-0008 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U065	WAG20-0066 (F,31)	CATTLE	BEEFMASTER (31)	15-0082 (U,31)(Valid)	WAG16-0087 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U066	WAG20-0067 (M,31)	CATTLE	BEEFMASTER (31)	WAG17-0072 (F,31)(Valid)	WAG15-0008 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U067	WAG20-0068 (F,31)	CATTLE	BEEFMASTER (31)	WAG16-0067 (U,31)(Valid)	WAG15-0008 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire	

Report Date : 28-Jul-2020 13:14

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Valid	
1201U068	WAG20-0069 (M,31)	CATTLE	BEEFMASTER (31)	15-0103 (U,31)(Valid)	WAG15-0008 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U069	WAG20-0070 (M,31)	CATTLE	BEEFMASTER (31)	WAG16-0176 (F,31)(Valid)	WO13-0154 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U070	WAG20-0071 (M,31)	CATTLE	BEEFMASTER (31)		WAG16-0087 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U071	WAG20-0072 (F,31)	CATTLE	BEEFMASTER (31)		WAG16-0008 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U072	WAG20-0073 (M,31)	CATTLE	BEEFMASTER (31)		WAG16-0180 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U073	WAG20-0074 (F,31)	CATTLE	BEEFMASTER (31)	WAG15-0125 (U,31)(Valid)	WAG15-0210 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U074	WAG20-0075 (M,31)	CATTLE	BEEFMASTER (31)	15-0085 (U,31)(Valid)	WAG15-0008 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U075	WAG20-0076 (M,31)	CATTLE	BEEFMASTER (31)	WAG15-0114 (U,31)(Valid)	WAG15-0008 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U076	WAG20-0077 (F,31)	CATTLE	BEEFMASTER (31)		WAG14-0019 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U077	WAG20-0078 (F,31)	CATTLE	BEEFMASTER (31)	WAG17-0106 (F,31)(Valid)	WAG16-0180 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U078	WAG20-0079 (M,31)	CATTLE	BEEFMASTER (31)	WAG17-0106 (F,31)(Valid)	WAG16-0023 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U079	WAG20-0080 (M,31)	CATTLE	BEEFMASTER (31)	WAG16-0031 (U,31)(Valid)	WAG14-0019 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U080	WAG20-0081 (F,31)	CATTLE	BEEFMASTER (31)		WAG16-0087 (M,31)(Valid)	PAR_C	SV : Sire Valid	

Report Date : 28-Jul-2020 13:14

Page 6

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1201U081	WAG20-0082 (M,31)	CATTLE	BEEFMASTER (31)	WAG17-0143 (F,31)(Valid)	WAG16-0180 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U082	WAG20-0083 (M,31)	CATTLE	BEEFMASTER (31)	WAG17-0135 (F,31)(Valid)	WAG15-0008 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U083	WAG20-0084 (F,31)	CATTLE	BEEFMASTER (31)	WAG16-0189 (F,31)(Valid)	WAG16-0180 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U084	WAG20-0085 (M,31)	CATTLE	BEEFMASTER (31)		WAG14-0019 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U085	WAG20-0086 (F,31)	CATTLE	BEEFMASTER (31)	WAG17-0105 (F,31)(Valid)	WAG16-0180 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U086	WAG20-0087 (F,31)	CATTLE	BEEFMASTER (31)	WAG17-0134 (F,31)(Valid)	WAG15-0008 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U087	WAG20-0088 (M,31)	CATTLE	BEEFMASTER (31)	WAG14-0061 (U,31)(Valid)	WAG13-0005 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U088	WAG20-0089 (F,31)	CATTLE	BEEFMASTER (31)	WAG16-0136 (F,31)(Not Valid)	WAG15-0008 (U,31)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
1201U089	WAG20-0090 (F,31)	CATTLE	BEEFMASTER (31)	WAG17-0156 (F,31)(Valid)	WO13-0154 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U090	WAG20-0091 (F,31)	CATTLE	BEEFMASTER (31)	WAG17-0071 (F,31)(Valid)	WAG16-0180 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U091	WAG20-0092 (F,31)	CATTLE	BEEFMASTER (31)	15-0095 (U,31)(Valid)	WAG14-0019 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U092	WAG20-0093 (F,31)	CATTLE	BEEFMASTER (31)	WAG13-0054 (F,31)(Valid)	WAG12-0035 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U093	WAG20-0094 (M,31)	CATTLE	BEEFMASTER (31)	WAG16-0190 (F,31)(Valid)	WAG16-0054 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire	

Report Date : 28-Jul-2020 13:14

Page 7

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Valid	
1201U094	WAG20-0095 (F,31)	CATTLE	BEEFMASTER (31)		WAG13-0005 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U095	WAG20-0096 (F,31)	CATTLE	BEEFMASTER (31)		WAG13-0005 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U096	WAG20-0097 (M,31)	CATTLE	BEEFMASTER (31)	WAG16-0182 (F,31)(Valid)	WAG16-0180 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U097	WAG20-0098 (M,31)	CATTLE	BEEFMASTER (31)		WAG16-0187 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U098	WAG20-0099 (F,31)	CATTLE	BEEFMASTER (31)	WAG17-0039 (F,31)(Valid)	BOS17-7553 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U099	WAG20-0100 (M,31)	CATTLE	BEEFMASTER (31)		WAG12-0035 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U100	WAG20-0101 (F,31)	CATTLE	BEEFMASTER (31)	WAG15-0013 (U,31)(Valid)	WAG13-0005 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U101	WAG20-0102 (F,31)	CATTLE	BEEFMASTER (31)	BOS06-6145 (F,31)(Valid)	WAG16-0087 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U102	WAG20-0103 (M,31)	CATTLE	BEEFMASTER (31)	WAG14-0068 (U,31)(Valid)	WAG13-0005 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U103	WAG20-0104 (F,31)	CATTLE	BEEFMASTER (31)	WAG17-0064 (F,31)(Valid)	WO13-0154 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U104	WAG20-0105 (M,31)	CATTLE	BEEFMASTER (31)	WAG17-0122 (F,31)(Valid)	WAG15-0008 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U105	WAG20-0106 (M,31)	CATTLE	BEEFMASTER (31)	WAG15-0188 (U,31)(Valid)	WAG15-0210 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U106	WAG20-0107 (F,31)	CATTLE	BEEFMASTER (31)	WAG17-0154 (F,31)(Valid)	WO13-0154 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire	

Report Date : 28-Jul-2020 13:14

Page 8

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Valid	
1201U107	WAG20-0108 (M,31)	CATTLE	BEEFMASTER (31)		WAG16-0187 (M,31)(Valid)	PAR_C	SV : Sire Valid	
1201U108	WAG20-0109 (F,31)	CATTLE	BEEFMASTER (31)	WAG15-0010 (U,31)(Valid)	WAG16-0087 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U109	WAG20-0110 (M,31)	CATTLE	BEEFMASTER (31)	WAG16-0193 (F,31)(Valid)	BOS17-7553 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U110	WAG20-0111 (F,31)	CATTLE	BEEFMASTER (31)		WAG16-0054 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U111	WAG20-0112 (M,31)	CATTLE	BEEFMASTER (31)	WAG16-0111 (F,31)(Valid)	WAG16-0054 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U112	WAG20-0113 (M,31)	CATTLE	BEEFMASTER (31)	WAG17-0102 (F,31)(Valid)	WAG16-0180 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U113	WAG20-0114 (M,31)	CATTLE	BEEFMASTER (31)	WAG17-0169 (F,31)(Valid)	BOS17-7553 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U114	WAG20-0115 (F,31)	CATTLE	BEEFMASTER (31)	15-0072 (U,31)(Valid)	WAG13-0005 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U115	WAG20-0116 (M,31)	CATTLE	BEEFMASTER (31)	WAG17-0104 (F,31)(Valid)	WAG16-0054 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U116	WAG20-0117 (M,31)	CATTLE	BEEFMASTER (31)	WAG16-0179 (F,31)(Valid)	WAG14-0019 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U117	WAG20-0118 (F,31)	CATTLE	BEEFMASTER (31)	WAG17-0070 (F,31)(Valid)	WAG16-0180 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U118	WAG20-0119 (F,31)	CATTLE	BEEFMASTER (31)	WAG17-0119 (F,31)(Valid)	BOS17-7553 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 28-Jul-2020 13:14

Page 9

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1201U119	WAG20-0120 (F,31)	CATTLE	BEEFMASTER (31)	WAG17-0077 (F,31)(Valid)	BOS17-7553 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U120	WAG20-0121 (M,31)	CATTLE	BEEFMASTER (31)	WAG17-0077 (F,31)(Valid)	BOS17-7553 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U121	WAG20-0123 (M,31)	CATTLE	BEEFMASTER (31)		15-0067 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U122	WAG20-0124 (M,31)	CATTLE	BEEFMASTER (31)	WAG16-0171 (F,31)(Valid)	WAG15-0008 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U123	WAG20-0125 (F,31)	CATTLE	BEEFMASTER (31)	WAG16-0084 (F,31)(Valid)	WAG16-0054 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U124	WAG20-0126 (M,31)	CATTLE	BEEFMASTER (31)	WAG15-0171 (U,31)(Valid)	WAG12-0035 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U125	WAG20-0127 (M,31)	CATTLE	BEEFMASTER (31)	15-0083 (U,31)(Valid)	WAG12-0035 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U126	WAG20-0128 (M,31)	CATTLE	BEEFMASTER (31)	WAG17-0128 (F,31)(Valid)	WAG16-0054 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U127	WAG20-0129 (F,31)	CATTLE	BEEFMASTER (31)		WAG14-0019 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U128	WAG20-0130 (F,31)	CATTLE	BEEFMASTER (31)	WAG17-0030 (F,31)(Valid)	BOS17-7553 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U129	WAG20-0131 (M,31)	CATTLE	BEEFMASTER (31)	WAG17-0124 (F,31)(Valid)	WAG15-0008 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U130	WAG20-0132 (F,31)	CATTLE	BEEFMASTER (31)		WAG15-0210 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U131	WAG20-0133 (M,31)	CATTLE	BEEFMASTER (31)		WAG16-0187 (M,31)(Valid)	PAR_C	SV : Sire Valid	

Report Date : 28-Jul-2020 13:14

Page 10

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1201U132	WAG20-0134 (F,31)	CATTLE	BEEFMASTER (31)	WAG15-0208 (U,31)(Valid)	WAG15-0210 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U133	WAG20-0135 (F,31)	CATTLE	BEEFMASTER (31)		WAG14-0019 (U,31)(Valid)	PAR_C	SV : Sire Valid	
1201U134	WAG20-0136 (M,31)	CATTLE	BEEFMASTER (31)	WAG15-0175 (U,31)(Valid)	WAG13-0005 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U135	WAG20-0137 (M,31)	CATTLE	BEEFMASTER (31)	WAG15-0192 (U,31)(Valid)	WAG16-0134 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U136	WAG20-0138 (M,31)	CATTLE	BEEFMASTER (31)	WAG17-0082 (F,31)(Valid)	WAG16-0054 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U137	WAG20-0139 (M,31)	CATTLE	BEEFMASTER (31)	WAG17-0061 (F,31)(Valid)	WAG16-0156 (M,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U138	WAG20-0141 (F,31)	CATTLE	BEEFMASTER (31)	WAG17-0132 (F,31)(Valid)	BOS17-7553 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
1201U139	WAG20-0142 (F,31)	CATTLE	BEEFMASTER (31)	WAG17-0108 (F,31)(Valid)	WAG16-0054 (U,31)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 28-Jul-2020 13:14

Page 11

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR